HW-18223

This document consists

of 11 pages

BEST AVAILABLE COPY

THE COURT OF

GPCII

E Programme

JUN 1 1956

300 AREA CLASSIFIED FILES

HANFORD CODES_AND JARCON

Compiled by

Abstracting Unit Technical Information Group Technical Services Division

July 3 1950

Classification Cancelled (Change to

Doclassified;

By Authority of RLO-C6-4

XE D Sea 10/17/90

Maneymoran 11/2/90

Due to film deterioration, portions of this document may be illegible.

PNL 10-90

HANFORD VORKS
RICHLAND, WASHINGTON

PUDLIC READING ROOM

DECLASSIFIED

ace # 9384

Hanford Mise 11:26.90 (DR-PC)

1	1		
J. R. Rue C. N. Gross W. K. MacCready J. E. Maider R. S. Bell L. P. Lee H. D. Middell O. F. Hill F. J. Leitz H. M. Parker H. A. Kornberg C. M. Patterson C. C. Gamertsfelder A. B. Greninger O. H. Greager A. B. Greninger O. H. Greager R. H. Beaton W. K. Woods T. W. Hauff D. W. Pearce D. M. Knott C. A. Rohrmann B. F. Butler C. A. Rohrmann B. F. Butler C. G. Stevenson F. W. Albaugh A. H. Bushey L. M. Knights R. B. Richards A. R. Maguire J. D. Work B. Weidenbaum A. A. Johnson V. R. Lewis J. C. L. Chatten W. M. Harty P. F. Gast R. Ward Extra Copies 70 300 File	J. R. Rue C. N. Gross W. K. MacCready J. E. Maider R. S. Bell R. S. Bell E. P. Lee H. D. Middell O. F. Hill F. J. Leitz H. M. Parker H. M. Parker H. A. Komberg C. M. Patterson C. C. Gamertsfelder A. B. Greninger C. M. Beaton W. K. Woods T. W. Hauff D. W. Pearce D. M. Knott C. A. Rohmann B. F. Butler C. A. Rohmann B. F. Butler C. C. G. Stevenson F. W. Albaugh A. H. Bushey J. B. Work B. Weidenbaum A. A. Johnson W. R. Lewis J. C. L. Chatten W. M. Harty P. F. Gast R. Ward Extra Copies 300 File 700 File 700 File	CUFT AUMDER	INITIAL DISTALDULA
72 Pink Copy 73 Yellow Copy		9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 70 71 72	F. K. McCure F. E. Baker G. C. Butler W. E. Johnson G. G. Lail W. D. Norwood W. I. Patnode J. R. Rue C. N. Gross W. K. MacCready J. E. Maider R. S. Bell E. P. Lee H. D. Middell O. F. Hill F. J. Leitz H. M. Parker H. A. Kornberg G. M. Patterson C. C. Gamertsfelder A. B. Greninger O. H. Greager R. H. Beaton W. Woods T. W. Hauff D. W. Pearce D. M. Knott C. A. Rohrmann B. F. Butler C. G. Stevenson F. W. Albaugh A. H. Bushey L. M. Knights R. B. Richards A. R. Maguire J. B. Work B. Weidenbaum A. A. Johnson W. R. Lewis J. C. L. Chatten W. M. Harty P. F. Gast R. Ward Extra Copies 300 File 700 File

HANFORD CODES AND JARCON

In accordance with HW Instructions Letter No. 135, Section IXIII, this list of codes and jargon has been compiled by the Abstracting Unit of the Information Group to define terms which appear in Hanford Works correspondence and reports. It is recognized to be incomplete in some respects, and will be subject to periodic revisions. Users of the list are cautioned that the minimum document classification indicated for each code does not in any way imply or approve similar reduction in the classification of information relating to uses, production rates, hazards, technological details, etc.

			•	10.0
	<u>∞DE</u>	DEFINITION	CLASSIFICATION*	30
1	OFFICIAL SECURITY	CODES		
EQUIPMENT AND INSTITUTENTS	Monster	Shipping cask (Prior to 2-23-50, this code carried the classification SECRET),	For Official Use Only	
INST	Phoenix	Shipping cask for MJ-3 (Prior to 2-23-50, this code carried the classification SECRET).	For Official Use Only	Line there
IALS	Chemical 12-7	Calcium metal (Approval predates GEH-16,379, 2-23-50. Put in use 7-11-49, per letter of R. C. Hageman GEH-14,943, 7-8-49).	Secret	では一個ない
MATERIALS	Chemical 14-92	Referred to in Domment XX-279 (Approval predates GEH-16,379, 2-23-50)	Top Secret	
i i		MgO (Approval predates GEH- 16,379 2-23-50. Put in use 7-11-49, per letter of R. Ge Hageman, GEH-14,943, 7-8-49).	Secret	

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but <u>not</u> any related information of higher classification e.g., uses, production rates, hazards, technological details, etc.

-		CODE	DEFINITION	CLASSIFICATIO	V*
	TPROGRAMICA B	OFFICIAL SECURITY	CODES (continued)		
(Chemical 37-77	Referred to in Document XX=279 (Approval predates GEH-16,379, 2=23=50).	Top Secret	
MATERIALS	! !	Chemical 40m3	Referred to in Document XX-279 (Approval predates GEH-16,379, 2-23-50)	Top Secret	
¥.	F [[Chemical 5440	Lithium-aluminum alloy, (Approval predates (GEH-16,379, 2-23-50).	S ecret	Control of the contro
		F Material	Finished of purified graphice (Prior to 2-23-50, this code carried the classification SECRET)	For Official Use	hy
(((8 8 8 5	P-9	Heavy water (Prior to 2-23-50 this code carried the classification SECRET).	For Official Use	coly
	1	P=10	Tritium (Approval predates GEH-16_379_ 2-23-50)	Secret	Control of the contro
4 4	8	MJ-1	Redox Process (Prior to 2-23-50, this code carried the classification SECRET).	For Official Use	Only
. 1	8	HJ=2	234-5 Facility (Prior to 2-23-50 this code carried the classification SECRET).	For Official Use	Only
CIESSES	; ; ;	MJ-3 Rala, R-40	"Radio-lanthanum" Process (Prior to 2-23-50, this code carried the classification SECRET)	For Official Use	Only
PROGRAMS AND PRO		MJ=4	Tributyl Phosphate Process (Prior to 2-23-50, this code carried the classification SECRET).	For Official Use	Only
PROGRA	1	P-11	Critical Mass Program (Prior to 2-23-50, this code carried the classification SECRET).	For Official Use	Only
	9	P-12	Exponential Pile Program (Prior to 2-23-50, this code carried the classification SECRET).	For Official Use	Only
		reference to the of higher classif	classification which will suffice meaning of the code but not any redication e.g., uses, production rat	lated information	1 1 2
		technological det	GILS, CUC.	DECLAC	

Talenesia senala 18430a)	MARKET MARKET THE STATE OF THE	THE PARTY AND TH		···
		Control Contro	W	LACUIFICATION P
b .	OFFICIAL SECURITY	CODES (continued)		***************************************
PROGRAMS AND ROCESSES	RW .	Radiological Warfare (Prior to 2-23-50, this code carried the classification SECRET).	For	Official Use (
	UNOFFICIAL SECURI	TY CODES		
8 8 8	Group IV Ketal	4m rolled, triple-dipped partially transformed slugs.	Not	Established
!	Group V Metrl	"Completely" transformed, rolled, triple-dipped slugs.	Not	Established
1	H-2	Ti pin (Beta Experiment).	Not	Established
7	J-1	Ugûg in stainless steel pin (Beta Experiment).	Not	Established
e 9 1	J-Slug	An 8" standard slug containing enriched fuel alloyed with aluminum (P-10 Process).	Not	Established
MATERIALS	Z-Slug	A 4" standard slug of aluminum- lithium alloy (P-10 Process). Also used (in 300 Arca) to desig- nate a recovered uranium slug having a certain lowered weight.	Not	Established
W	EFC-6	Bronze flux (metal wastes for recovery).	Not	Established
1 1 5	BT	Extrusion butts and very dirty rod ends (metal wastes for recovery).	Not	Established
: :	C-6	Sodium diuranate salt from waste acid neutralization cycle (metal wastes for recovery)	Not	Established
9 9	D-2	Oxide and X-metal fines grossly contaminated with foreign material (metal wastes for recovery).	Not	Established
i i	D-6	Pure oxide from machining and extrusion press and quench tank (metal wastes for recovery).	Not	Established

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but not any related information of higher classification e.g., uses, production rates, hazards, technological details, etc.

	CODE	DEFINITION	CLASSIFICATION*
	UNOFFICIAL_SECURIT	Y-00L/S-(continued)	
1 0 8:	ис-6	Floor sweepings from melt plant (metal wastes for recovery)	Not Established
@· @)	MD-6	Uranium oxide - mel's plant (metal wastes for recovery)	Not Established
1	TX .	Turnings from machining (metal wastes for recovery)	Not Established
IALS	UM .	Rod ends from machining - reject- cd slugs (metal wastes for re- covery)	Not Established
MATERIALS	Oralloy	Uranium isotopic alloy (U-235 U-236, U-238)	Not Established
‡ 1	T-Metal	Uranium	Not Established
5 .	Tuballoy	Uranium	Not Established
Ø I	X-Metal	Uranium	Not Established
è. 1	Myrnalloy	Thorium	Not Established
	Z-Metal	Lithium (Also thorium in early documents)	Not Established
· 5 · · 5 · · 1	Beta Experiment	To test the corrosion of U-235 metal in liquid Na upon pile exposure to neutrons.	Not Established
AND PROCESSES	H-10	Program in which some of the plu- tonium production in the H-pile would be sacrificed in order to load P-10 slugs into this pile in sufficient quantity to achieve the desired temporary production requirement.	Not Established
PROGRAMS AND P	MJ-5	Metal sweetening and conversion of UNH to UO3	Not Established
al •	P-13	Navy Fuel Test Channel (In-pile experiment, Hapile).	Not Established
6 .	Rm2.0	Program in which the DR pile would be devoted embirely to P-10 product	Not Established ion.

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but <u>not</u> any related information of higher classification e.g., uses, production rates, hazards, technological details, etc.

The following codes have been assigned for use in reporting the complete analysis of aranium metal and oxide to the AD. This permits issuance of this analysis as "Official Use Only".

·		,
<u> CODE</u>	DEFINITION	CLASSIFICATION*
Roughage	Density	Secret
1	Carbon	Secret
2	Silicon	Secret
3	Hydrogen	Secret
4	Silver	Secret
5	Iron	Secret
6	Arsenic	Secret
7 .	Nitrogen	Secret
8	Cadmium	Secret
9	Beryllium	Secre
10	Chromium	Secret
11	Bismuth	Secret
12	Potassium	Secret
13	Cobalt	Secret
Z	Lithium	Secret
15	Copper	Secret
16	Sodium	Secret
17	Magnesium	Secret
18	Molybdenum	Secres
19	Phosphorous	Secret
20	Manganese	Secret

Minimum document classification which will suffice to cover direct reference to the meaning of the code but not any related information of higher classification e.g., uses, production rates, hazards, technological details, etc.

	CODE	DEFINITION	CLASSIFICATION*
	UNOFFICIAL SECURITO	CODES (continued)	
	21	Antimony	Secret
	22	Lead	Secret
	23	Nickel	Secret
	24	Zinc	Secret 💮
	Vitamin (Vit.)	Boron	Secret
	26	Tin	Secret
T	CONVENIENCE CODES		
EQUIPMENT AND INSTRUMENTS	MTR	Material Testing Reactor	Unclassified
t i	Chemical 10.66	Thorium (Prior to 2-23-50 the code carried the classification SECRET)	
1 1 1	Chemical 18-12	Thorium oxide (Prior to 2-23- this code carried the classi- fication SECRET)	50, Unclassified
1 t t t t t t t t t t t t t t t t t t t	Chemical 19:29	Nickel carbonyl (Prior to 2-2 this code carried the classification SECRET). (Put in us 7 11-49, per letter of R. Carageman, GEN-14,943, 7-8-49).	
ALS	Chemical 54-40	LiF ₃ (Prior to 2-23-50 this carried the classification SE	code Unclassified CCRET).
i i i		i i i i i i i i i i i i i i i i i i i	<u>.</u> ~
A	JARCON)
1 1	Plutonium Cows	Plutonium nitrate solutions us in solvent extraction concent of americium-241 which had grant plutonium-241.	cration

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but not any related information of higher classification e.g., uses, production rates, hazards, technological details, etc.

	 · .		6-7		
	*.		ų.		,
				17.7	

Air filter type instrument used for counting alpha radiation by collecting dust in areas where there is some possibility of product being associated with the dust

Big Sucker

Unclassified

Unclassified

Unclassified

Unclassified

Unclassified

in the air or as an aerosol of the product compound itself. Measures the intensity of fast Chang and Eng neutrons. Cutie - Pie Measuring instrument for beta and gamma radiation. Fish Polo Measuring instrument for beta and gamma radiation. Handee Colloquial name given to the alpha hand counter. H.M., or Health Measuring instrument used with Beck- Unclassified man Micro-Microammeters or Micro-Monitoring, Chamber max Recorders to give a continuous record of gamma radiation level at points throughout the Process Buildings. It may be used to

> Air filter typo instrument used for Unclassified counting alpha radiation by collecting dust in areas where there is some possibility of product

being associated with the dust in the air or as an acrosol of the product compound itself.

measure beta particles when desirable.

Unclassified M-22(Ionization Measuring instrument used for Chamber, Type 22) checking gamma radiation in stack gases on a shift basis.

Unclassified Paint Pail Measuring instrument for beta and

gamma radiation.

Radiation detection instrument used Unclassified "Pete"

in determining the counting rate of P-10 contaminated samples. Primarily a qualitative rather than quantitative instrument, it is

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but not any related information of higher classification e.g., uses, production rates hazards tuchnological details etc.

INSTRUMENTS **GNV** EQUIPMENT

Little Sucker

Ū,

A Company	ODE TO THE RESERVE TO THE PERSON OF THE PERS	DEFINITION	CLASSIFICATION*
	JARCON (continued)		
	"Pete" (continued)	semiquantitative only in that it gives a higher counting rate for more highly contaminated samples.	Unclassified
1	Poppy	Scanning instrument for alpha radiation.	Unclassified
	Precipitron	Measuring instrument for alpha, beta, and gamma radiation. It is used to precipitate and deposit fine particles of dust, present in the air, on a suitable receiver.	Unclassified
1 1 1 1	S-22 (Ionization Chamber, Type 22)	Measuring instrument used for checking green radiation in ponds and drainage canals on a bi-weekly basis.	Unclassifi∝i
1	Sandy (Formerly Pluto)	Portable ionization chamber used specifically to measure alpha surface contemination.	Unclassified
1	Vac-Sniff	Qualitative measuring instrument used to detect active gases.	Unclassified
1	Vacuum Cans	Measuring instrument for beta and gamma radiation.	Unclassified
	Walkie-Talk	Scanning instrument for beta and gamma radiation.	Unclassified
1	Water Probe Counter	Portable Geiger-Mueller counter used to measure the activity of water in the retention ponds.	Unclassified
. 1	X-22 (Icnization Chamber, Type 22)	Measuring instrument used for checking gamma radiation in suspected locations for periods of 30 minutes to 4 hours.	Unclassified
	i 1 7.eus	Fortable ionization chamber for measuring separately the intensity of alpha, teta, and gamma rays.	Unclassified

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but not any related information of higher-classification e.g., uses, production rates, hazards, technological details, etc.

DECLASSIFIED

11

HW-18223.

CODE

DEFINITION

CLASSIFICATION*

JARSON (continued)

Zeuto

0

Meacuring instrument for alpha radia- Unclassified tion.

00 ---

C. G. Stevenson, Chief Librarian Information Group Technical Services Division

 \cap

*Minimum document classification which will suffice to cover direct reference to the meaning of the code but <u>not</u> any related information of higher classification e.g., uses, production rates, hazards, technological details, etc.

)