



The Road Inventory of Yosemite National Park



national park service



Road Inventory Program

Prepared By:
Federal Highway Administration
Eastern Federal Lands Highway Division
December 1999





CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	<u>INTRODUCTION</u>	1 - 1
II.	<u>PARK SUMMARY INFORMATION</u>	
	Yosemite National Park Summaries	2 - 1
	Cost to Improve Based on Historical and Estimated Data	2 - 2
	Route Miles and Parking Lot Lane Miles by Condition	2 - 3
III.	<u>PARK SUMMARY MAPS</u>	
	Route Location Key Map	3 - 1
	Route Location Area Maps	3 - 2
	Route Condition Key Map - PCR / DCR Mile by Mile	3 - 10
IV.	<u>PARK ROUTE INVENTORY</u>	
	Route Identification Lists (Numeric & Alphabetic)	4 - 1
V.	<u>PAVED ROUTE CONDITION RATING SHEETS</u>	5 - 1
VI.	<u>MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS</u>	6 - 1
VII.	<u>PARKING LOT CONDITION SUMMARY</u>	7 - 1
VIII.	<u>MAINTENANCE FEATURES SUMMARIES</u>	8 - 1
IX.	<u>PARK MAINTENANCE FEATURES ROAD LOG</u>	9 - 1
X.	<u>PHOTOGRAPHIC SHEETS</u>	10 - 1
XI.	<u>UNPAVED ROUTES</u>	11 - 1
XII.	<u>VIDEO TAPE INFORMATION</u>	12 - 1
XIII.	<u>APPENDIX</u>	
	Glossary of Terms and Abbreviations	13 - 1
	General Park Road Classification Table	13 - 3
	Description of Rating System	13 - 4
XIV.	<u>NOTES</u>	

INTRODUCTION

Background: In July 1976, amended December 1980, The National Park Service (NPS) and the Federal Highway Administration (FHWA) entered into a Memorandum of Agreement (MOA), establishing the Road Inventory Program (RIP). The purpose of RIP, per the 1980 MOA, was to develop long range and short range costs and programs to bring NPS roads up to, or to maintain, designated standards; as well as provide a database so the NPS can revise their Maintenance Management System, if necessary.

Since 1984 the funding has been derived from the NPS FLHP (Title 23) planning funds and coordinated by the National Park Service Park Facility Management Division. The need for a total road information data base was mandated by the requirements for continuing, comprehensive, and coordinated (3-C) planning process and Maintenance Management System.

The Federal Lands Highway (FLH) was assigned the task to inventory maintenance items (pavement type and quantities; location of culverts, signs, guardrail, etc.), identify pavement distresses and evaluate the condition of existing park roads, summarize the data and findings in a report, and provide a videolog of the NPS roads system.

Objective: The objective of the RIP report is to provide NPS personnel at all levels with the basic information needed for effective road and road system planning, management, operations, and maintenance. This information will be documented in a Blue Book for each park, which will replace the old Brown Books.

The Blue Book reports will be in a standard format and content with comprehensive data analysis for each park. The data presented in each report will vary greatly from park to park, but the presentation of the report will be uniform in format. Therefore, the Blue Book will become a seamless document throughout the park system displaying site specific data for each park.

Scope: The Road Inventory Program is a national program coordinated by the FHWA for the NPS. The FHWA goal for the paved park roads is stated as "the quality, standard and condition of the paved portion of park roads and parkways that serves the resource goals of the National Park System does not deteriorate further over the next five years".

In an effort to track the condition of the park roads, per the FHWA goal, a cyclic data collection and reporting process was implemented for all parks and regions. Monitoring the condition and system performance of the paved roads over time using a percent good, fair, and poor condition rating provided a realistic means of assessing the funding needs for road improvements. The pavement condition rating system is described in Section IX of this report. This pavement condition performance assessment will determine the level of paved park road deterioration throughout the park road system as identified in the FHWA goal.

The report will include a Park Summary, a Park Summary Map, a Park Route Inventory, a Maintenance Features Summary, a Paved Route Condition Rating and a Features

Inventory. Also included is a listing of all unpaved routes in each park and various Appendices.

The FHWA highway engineers and technicians inspect, rate, inventory the roads, and prepare the final reports for distribution to the National Park Service. All the field work is coordinated with the site specific park and the regional offices to ensure customer satisfaction. The FHWA Washington office coordinates policy and prepares national reports and needs assessment studies to congress.

The FHWA is responsible for all the data presented in this report. Anyone having questions or comments regarding the contents of this report are encouraged to contact the FHWA RIP Coordinator or the NPS RIP Coordinator in your Cluster Support Office.

FHWA RIP Coordinator:

James A. Amenta
FHWA/EFLHD
Technical Services, HTS-15
21400 Ridgetop Circle
Sterling, VA 20166
(703) 285-0076

Yosemite National Park Summaries

Overall Park Mileage Summary

PARK TOTAL SUMMARY ITEMS	TOTAL	DATE
PAVED ROUTE MILES	194.92	9/99
UNPAVED ROUTE ESTIMATED MILES	0.00	9/99
PAVED AND UNPAVED ROUTE MILES	194.92	9/99
PARKING LOT LANE MILES	26.95	9/99
PAVED LANE MILES	379.92	9/99
DEFICIENT LANE MILES	46.17	9/99

Note: Paved and Deficient Lane Miles includes parking lot areas which have been converted to lane miles using an 11-foot lane width.

Estimated Unpaved Mileage Summary By Functional Class

F. C.	MILEAGE	PERCENTAGE
I	0	0%
II	0	0%
III	0	0%
IV	0	0%
V	0	0%
VI	0	0%
VII	0	0%
VIII	0	0%

Yosemite National Park Summaries

Cost to Improve to "Excellent" Condition

Based on Historic and Estimated Data

AWARD DATE	SOURCE	WORK PERFORMED	LENGTH (MILES)	COST	COST PER MILE	INITIAL CONDITION
1995-97	FHWA Projects	3-R (Resurfacing)	52.07	\$3,776,479	\$72,527	Good
1995-97	FHWA Projects	3-R (Resurfacing, Restoration, and Rehabilitation) Projects	12.80	\$3,252,902	\$254,133	Fair
1998	FHWA Current Projects	4-R (Resurfacing, Restoration, Rehabilitation, and Reconstruction) Projects	9.18	\$5,185,644	\$564,885	Poor

Based on the above table, the cost to improve existing condition miles to "Excellent" PCR are:

Existing Condition	Existing Miles	Estimated Cost to improve
Excellent	8.32	\$0
Good	49.06	\$3,558,173
Fair	109.07	\$27,718,286
Poor	27.45	\$15,506,092
Totals	193.90	\$46,782,552

Yosemite National Park Summaries

Paved Route Miles and Percentages by Functional Class and PCR


F. C.	Pavement Condition Rating (PCR)								NO DATA	TOTAL MILES
	Excellent (95-100)		Good (85-94)		Fair (61-84)		Poor (<=60)			
	MILES	%	MILES	%	MILES	%	MILES	%		
I	8.28	6.45%	42.6	33.19%	69.26	53.96%	8.18	6.37%	0.04	128.36
II	0.04	0.34%	0.12	1.02%	9.44	80.41%	2.14	18.23%	0.00	11.74
III	0	0	5.25	11.91%	21.43	48.63%	16.47	37.37%	0.92	44.07
IV	0	0	0	0	0	0	0	0	0	0
V	0	0	0.25	2.70%	8.82	95.35%	0.18	1.95%	0	9.25
VI	0	0	0.84	56.00%	0.12	8.00%	0.48	32.00%	0.06	1.50
VII	0	0	0	0	0	0	0	0	0	0
VIII	0	0	0	0	0	0	0	0	0	0
Totals	8.32	4.27%	49.06	25.17%	109.07	55.96%	27.45	14.08%	1.02	194.92

Includes paved roads visually rated that were not driven with the ARAN.


Paved Lane Miles (Parking Areas)

F. C.	Visual Condition Rating								TOTAL LANE MILES	
	Excellent		Good		Fair		Poor			
	LANE MILES	%	LANE MILES	%	LANE MILES	%	LANE MILES	%		
-		0	9.67	35.88%	12.81	47.53%	4.47	16.59%		26.95


YOSEMITE NATIONAL PARK ROUTE LOCATION KEY MAP




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 1



YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 2




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 3




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 4




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 5



YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 6




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 7



YOSEMITE NATIONAL PARK ROUTE CONDITION KEY MAP 1 PCR/DCR - Mile by Mile

FUNCTIONAL CLASSIFICATION I, II, VII, VIII ROADS



PCR Excellent	Good	Fair	Poor	DCR Poor



* If the PCR rating is not available for a section, the SCR rating will be displayed



YOSEMITE NATIONAL PARK ROUTE CONDITION KEY MAP 2


PCR/DCR - Mile by Mile

FUNCTIONAL CLASSIFICATION I, II, VII, VIII ROADS



YOSEMITE NATIONAL PARK ROUTE CONDITION KEY MAP 3 PCR/DCR - Mile by Mile

FUNCTIONAL CLASSIFICATION I, II, VII, VIII ROADS



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
011	El Capitan Bridge Road	0.38	From Rte 500 Southside to Rte 500 Northside	0.38		2	1
012	Sentinel Bridge Road	0.30	From Rte 500 Southside to Rte 500 Northside	0.30		2	1
013	Big Oak Flat Road	18.96	From Rte 500 to West Park Boundary	18.96		2	1
014	Wawona Road	27.08	From South Park Boundary to Rte 500	27.08		2	1
015	Glacier Point Road	15.72	From Rte 14 to Glacier Point	15.72		2	1
016	El Portal Road	6.74	From West Boundary to Rte 013	6.74		2	1
017	Tioga Road	46.72	From Rte 013 to East Boundary	46.72		2	1
100	Hetch Hetchy Road	8.02	From West Boundary to Rte 238	8.02		2	2
101	White Wolf Road	1.14	From Rte 017 to White Wolf	1.14		2	2
203	Housekeeping Campground	1.45	From Rte 500 east	1.45		1	3
206	Stable Road	0.54	From Rte 500 to Rte 408	0.54		2	2
207	Ahwahnee Hotel Road	0.70	From Rte 500 to Hotel	0.70		2	3
210	Upper Pines Campground	4.14	From Rte 206, right side	4.14		1	3
211	Lower Pines Campground	2.21	From Rte 206, left side	2.21		1	3
212	North Pines Campground	1.98	From Rte 206, left side	1.98		1	3
213	Curry Village Road	0.28	From Rte 500 to Rte 206	0.28		2	3
214	Curry Village Parking and Registration Loop	0.72	From Rte 500 to Rte 213	0.72		2	3
215	Curry Village Exit Road	0.24	From Rte 954 to Rte 408	0.24		1	3
219	Mariposa Grove Road	2.04	From Rte 014 to Mariposa Grove	2.04		2	2
220	Wawona History Center Road	0.80	From Rte 014 to County Line	0.80		2	3
221	Chilnuana Falls Road	0.82	From Rte 014 to County Line	0.82		2	3
222	Wawona Campground	1.68	From Rte 014, left side	1.68		1	3
223	Bridalveil Creek Campground	1.93	From Rte 015, right side	1.93		2	3
224	Hodgdon Meadow Road	0.48	From Rte 013 to Rte 415	0.48		2	3
225	Hodgdon Meadow Campground	0.73	At end of Rte 224	0.73		1	3
226	Crane Flat Campground	2.25	From Rte 013 left side	2.25		1	3
227	Foresta Road (East)	0.74	From Rte 013 to county line	0.74		2	3
229	Tuolumne Meadows Campground	2.08	From Rte 017, right side	2.08		1	3
230	Tuolumne Lodge Road	0.66	From Rte 017 to Tuolumne Lodge	0.66		2	3
231	White Wolf Campground	1.13	From end of Rte 101	1.13		1	3
232	Tamarack Flat Campground	5.14	From Rte 017, right side	5.14		1	3
233	Yosemite Creek Campground	5.01	From Rte 017, right side	5.01		1	3
234	May Lake Road	1.75	From Rte 017 to May Lake	1.75		1	3
235	Wawona Ranger Station	0.21	From Rte 221 to Ranger Station	0.21		2	3
236	Mariposa Grove Tram Road	4.04	From end of Rte 219 to end of loop	4.04		2	3
238	O'Shaughnessy Dam Access	0.81	From end of Rte 100 to Rte 100	0.81		1	3
239	Cathedral Picnic Area	0.08	From Rte 500, left side	0.08		1	3
240	Porcupine Flat Campground	0.14	From Rte 017, left side	0.14		1	3
241	Castle Cliffs Court	0.10	From Rte 400 to Courthouse	0.10		2	3
400	Yosemite Village Administration Road	0.46	From Rte 207 to Rte 409	0.46		2	5

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
402	Muir Tree Campground	0.29	From Rte 500, left side	0.29		1	5
404	Crane Flat Heliport Road	1.82	From Rte 013 to Heliport	1.82		1	5
405	Tuolumne Stable Road	0.00	From Rte 017 to Stables	-		2	3
406	Foresta Road (West)	2.50	From SR 140 to Fire Station	2.50		2	5
407	Mirror Lake Road	0.80	From Rte 408 to Mirror Lake	0.80		2	3
408	Happy Isles Shuttle Loop	1.44	From End of Rte 206 to Rte 206	1.44		2	3
409	Village Shuttle Road	0.50	From Rte 500 to Rte 400	0.50		2	3
410	El Portal Residence Area	1.20	From Rte 406, left side	1.20		2	5
411	El Portal Water Tank Access	0.10	From Rte 410 to water tank	0.10		1	6
412	El Portal Trail Area	0.82	From SR 140, left side	0.82		1	5
413	Wawona Water Treatment Facility	0.12	From Rte 221, left side	0.12		2	5
414	Wawona Wastewater Treatment Facility	0.28	From Rte 221, left side	0.28		2	5
415	Hodgdon Meadow Residence Area	0.80	At end of Rte 224	0.80		2	5
416	Tuolumne Residences and Ranger Station	0.05	From Rte 230	0.05		1	5
417	Happy Isles Water Tank Access	0.84	From Rte 408 to Water Tank	0.84		1	6
418	Wawona Point Heliport Road	0.56	From Rte 236 to Heliport	0.56		1	6
419	Glacier Point Residence Area	0.05	From Rte 015 to Residences	0.05		1	5
500	Valley Loop Road	12.46	from Rte 013 to Rte 013	12.46		2	1
600	Valley Residence Area	0.87	From Rte 409 to 400	0.87		2	5
900	Sentinel Bridge Parking Area	-	From Rte 012, left side	-	-	-	-
901	Cascade Creek Turnout	-	From Rte 013, left side	-	-	-	-
902	Fire Overlook	-	From Rte 013, left side	-	-	-	-
903	Big Meadows Overlook	-	From Rte 013, left side	-	-	-	-
904	San Joaquin Overlook	-	From Rte 013, left side	-	-	-	-
905	Merced Grove	-	From Rte 013, left side	-	-	-	-
906	Hodgdon Meadow Maintenance Area	-	From Rte 415, right side	-	-	-	-
907	Big Oak Flat Entrance Parking	-	From Rte 013, left side	-	-	-	-
908	Big Oak Flat Entrance Sign Parking	-	From Rte 013, left side	-	-	-	-
909	Mariposa Grove Entrance Parking	-	From Rte 219, left side	-	-	-	-
910	Mariposa Grove Bus Parking	-	From Rte 219, right side	-	-	-	-
911	Mariposa Grove Parking	-	At end of Rte 219	-	-	-	-
912	Wawona History Center Parking	-	From Rte 220, right side	-	-	-	-
913	Wawona Dump Station	-	From Rte 220, left side	-	-	-	-
914	Wawona Utility Area	-	From Rte 235, right side	-	-	-	-
915	Wawona District Office	-	From Rte 413, left side	-	-	-	-
916	Restroom Parking	-	From Rte 014, right side	-	-	-	-
917	Tunnel View Parking	-	From Rte 014, both sides	-	-	-	-
918	Bridalveil Falls Parking	-	From Rte 014, right side	-	-	-	-
919	Badger Pass Ski Area	-	Form Rte 015, right side	-	-	-	-

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
920	Sentinel Dome Taft Point	-	From Rte 015, left side	-	-	-	-
921	Washburn Point	-	From Rte 015, right side	-	-	-	-
922	Glacier Point Parking	-	At end of Rte 015	-	-	-	-
923	Tuolumne Grove Parking	-	From Rte 017, left side	-	-	-	-
924	Historic Tioga Road Turnout	-	From Rte 017, right side	-	-	-	-
925	White Wolf Lodge Parking	-	From Rte 101, both sides	-	-	-	-
926	Lukens Lake	-	From Rte 017, right side	-	-	-	-
927	Yosemite Creek Turnout	-	From Rte 017, right side	-	-	-	-
928	Yosemite Creek Canyon Turnout	-	From Rte 017, right side	-	-	-	-
929	Yosemite Creek and Ten Lakes Trailhead	-	From Rte 017, right side	-	-	-	-
930	Yosemite Creek Picnic Loop	-	From Rte 017, right side	-	-	-	-
931	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
932	Cones and Needles Trailhead Parking	-	From Rte 017, right side	-	-	-	-
933	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
934	May Lake Parking	-	At end of Rte 234	-	-	-	-
935	Snow Creek Turnout	-	From Rte 017, right side	-	-	-	-
936	May Lake Trail Turnout	-	From Rte 017, left side	-	-	-	-
937	Olmstead Point	-	From Rte 017, right side	-	-	-	-
938	Sunrise Trailhead	-	From Rte 017, right side	-	-	-	-
939	Comfort Station Parking Loop	-	From Rte 017, right side	-	-	-	-
940	Tenaya Lake Picnic Parking	-	From Rte 017, right side	-	-	-	-
941	Tuolumne Meadows Visitor Center and Maintenance	-	From Rte 017, right side	-	-	-	-
942	Tuolumne Meadows Dump Station	-	From Rte 017, right side	-	-	-	-
943	Lambert Dome Picnic Area	-	At Intersection of Rtes 017 and 405	-	-	-	-
944	Tuolumne Wilderness Center Parking	-	From Rte 230, right side	-	-	-	-
945	Dog Lake and John Muir Trail Parking	-	From Rte 230, left side	-	-	-	-
946	Island Above the Ice	-	From Rte 017, right side	-	-	-	-
947	Mono Pass	-	From Rte 017, right side	-	-	-	-
948	Dana Meadows	-	From Rte 017, right side	-	-	-	-
949	Tioga Pass Entrance Station Parking	-	From Rte 017, left side	-	-	-	-
950	Swinging Bridge Parking Area	-	From Rte 500, left side	-	-	-	-
951	Chapel Parking Area	-	From Rte 500, right side	-	-	-	-

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
952	LeConte Memorial Parking	-	From Rte 500, right side	-	-	-	-
953	Curry Village Recreation Center Parking	-	From Rte 013, right side	-	-	-	-
954	Curry Village Parking Area	-	From Rte 013, right side	-	-	-	-
955	North Dome Parking	-	From Rte 500, right side	-	-	-	-
956	Medical Clinic Parking	-	From Rte 207, left side	-	-	-	-
957	US District Court Parking	-	At end of Rte 241	-	-	-	-
958	Yosemite Valley Maintenance Area	-	At intersection of Rtes 400 and 600	-	-	-	-
959	Administration Parking	-	From Rte 400, left side	-	-	-	-
960	Ranger Club Parking	-	From Rte 409, right side	-	-	-	-
961	Lower Yosemite Falls Parking	-	From Rte 500, right side	-	-	-	-
962	El Capitan Picnic Area	-	From Rte 500, right side	-	-	-	-
963	Yosemite Valley Parking	-	From Rte 500, left side	-	-	-	-
964	El Portal Maintenance Area	-	From Rte 406, left side	-	-	-	-
965	Yosemite Research Center	-	From SR 140	-	-	-	-

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
959	Administration Parking	-	From Rte 400, left side	-	-	-	-
207	Ahwahnee Hotel Road	0.70	From Rte 500 to Hotel	0.70		2	3
919	Badger Pass Ski Area	-	Form Rte 015, right side	-	-	-	-
903	Big Meadows Overlook	-	From Rte 013, left side	-	-	-	-
907	Big Oak Flat Entrance Parking	-	From Rte 013, left side	-	-	-	-
908	Big Oak Flat Entrance Sign Parking	-	From Rte 013, left side	-	-	-	-
013	Big Oak Flat Road	18.96	From Rte 500 to West Park Boundary	18.96		2	1
223	Bridalveil Creek Campground	1.93	From rte 015, right side	1.93		2	3
918	Bridalveil Falls Parking	-	From Rte 014, right side	-	-	-	-
901	Cascade Creek Turnout	-	From Rte 013, left side	-	-	-	-
241	Castle Cliffs Court	0.10	From Rte 400 to Courthouse	0.10		2	3
239	Cathedral Picnic Area	0.08	From Rte 500, left side	0.08		1	3
951	Chapel Parking Area	-	From Rte 500, right side	-	-	-	-
221	Chilnuana Falls Road	0.82	From Rte 014 to County Line	0.82		2	3
939	Comfort Station Parking Loop	-	From Rte 017, right side	-	-	-	-
932	Cones and Needles Trailhead Parking	-	From Rte 017, right side	-	-	-	-
226	Crane Flat Campground	2.25	From Rte 013 left side	2.25		1	3
404	Crane Flat Heliport Road	1.82	From Rte 013 to Heliport	1.82		1	5
215	Curry Village Exit Road	0.24	From Rte 954 to Rte 408	0.24		1	3
214	Curry Village Parking and Registration Loop	0.72	From Rte 500 to Rte 213	0.72		2	3
954	Curry Village Parking Area	-	From Rte 013, right side	-	-	-	-
953	Curry Village Recreation Center Parking	-	From Rte 013, right side	-	-	-	-
213	Curry Village Road	0.28	From Rte 500 to Rte 206	0.28		2	3
948	Dana Meadows	-	From Rte 017, right side	-	-	-	-
945	Dog Lake and John Muir Trail Parking	-	From Rte 230, left side	-	-	-	-
011	El Capitan Bridge Road	0.38	From Rte 500 Southside to Rte 500 Northside	0.38		2	1
962	El Capitan Picnic Area	-	From Rte 500, right side	-	-	-	-
964	El Portal Maintenance Area	-	From Rte 406, left side	-	-	-	-
016	El Portal Road	6.74	From West Boundary to Rte 013	6.74		2	1
410	El Portal Residence Area	1.20	From Rte 406, left side	1.20		2	5
412	El Portal Trail Area	0.82	From SR 140, left side	0.82		1	5
411	El Portal Water Tank Access	0.10	From Rte 410 to water tank	0.10		1	6
902	Fire Overlook	-	From Rte 013, left side	-	-	-	-
227	Foresta Road (East)	0.74	From Rte 013 to county line	0.74		2	3
406	Foresta Road (West)	2.50	From SR 140 to Fire Station	2.50		2	5
922	Glacier Point Parking	-	At end of Rte 015	-	-	-	-
419	Glacier Point Residence Area	0.05	From Rte 015 to Residences	0.05		1	5
015	Glacier Point Road	15.72	From Rte 14 to Glacier Point	15.72		2	1
408	Happy Isles Shuttle Loop	1.44	From End of Rte 206 to Rte 206	1.44		2	3
417	Happy Isles Water Tank Access	0.84	From Rte 408 to Water Tank	0.84		1	6
100	Hetch Hetchy Road	8.02	From West Boundary to Rte 238	8.02		2	2

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
924	Historic Tioga Road Turnout	-	From Rte 017, right side	-	-	-	-
225	Hodgdon Meadow Campground	0.73	At end of Rte 224	0.73		1	3
906	Hodgdon Meadow Maintenance Area	-	From Rte 415, right side	-	-	-	-
415	Hodgdon Meadow Residence Area	0.80	At end of Rte 224	0.80		2	5
224	Hodgdon Meadow Road	0.48	From Rte 013 to Rte 415	0.48		2	3
203	Housekeeping Campground	1.45	From Rte 500 east	1.45		1	3
946	Island Above the Ice	-	From Rte 017, right side	-	-	-	-
952	LeConte Memorial Parking	-	From Rte 500, right side	-	-	-	-
943	Lambert Dome Picnic Area	-	At Intersection of Rtes 017 and 405	-	-	-	-
211	Lower Pines Campground	2.21	From Rte 206, left side	2.21		1	3
961	Lower Yosemite Falls Parking	-	From Rte 500, right side	-	-	-	-
926	Lukens Lake	-	From Rte 017, right side	-	-	-	-
910	Mariposa Grove Bus Parking	-	From Rte 219, right side	-	-	-	-
909	Mariposa Grove Entrance Parking	-	From Rte 219, left side	-	-	-	-
911	Mariposa Grove Parking	-	At end of Rte 219	-	-	-	-
219	Mariposa Grove Road	2.04	From Rte 014 to Mariposa Grove	2.04		2	2
236	Mariposa Grove Tram Road	4.04	From end of Rte 219 to end of loop	4.04		2	3
934	May Lake Parking	-	At end of Rte 234	-	-	-	-
234	May Lake Road	1.75	From Rte 017 to May Lake	1.75		1	3
936	May Lake Trail Turnout	-	From Rte 017, left side	-	-	-	-
956	Medical Clinic Parking	-	From Rte 207, left side	-	-	-	-
905	Merced Grove	-	From Rte 013, left side	-	-	-	-
407	Mirror Lake Road	0.80	From Rte 408 to Mirror Lake	0.80		2	3
947	Mono Pass	-	From Rte 017, right side	-	-	-	-
402	Muir Tree Campground	0.29	From Rte 500, left side	0.29		1	5
955	North Dome Parking	-	From Rte 500, right side	-	-	-	-
212	North Pines Campground	1.98	From Rte 206, left side	1.98		1	3
937	Olmstead Point	-	From Rte 017, right side	-	-	-	-
238	O'Shaughnessy Dam Access	0.81	From end of Rte 100 to Rte 100	0.81		1	3
240	Porcupine Flat Campground	0.14	From Rte 017, left side	0.14		1	3
931	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
933	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
960	Ranger Club Parking	-	From Rte 409, right side	-	-	-	-
916	Restroom Parking	-	From Rte 014, right side	-	-	-	-
904	San Joaquin Overlook	-	From Rte 013, left side	-	-	-	-
900	Sentinel Bridge Parking Area	-	From Rte 012, left side	-	-	-	-
012	Sentinel Bridge Road	0.30	From Rte 500 Southside to Rte 500 Northside	0.30		2	1
920	Sentinel Dome Taft Point	-	From Rte 015, left side	-	-	-	-
935	Snow Creek Turnout	-	From Rte 017, right side	-	-	-	-
206	Stable Road	0.54	From Rte 500 to Rte 408	0.54		2	2

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
938	Sunrise Trailhead	-	From Rte 017, right side	-	-	-	-
950	Swinging Bridge Parking Area	-	From Rte 500, left side	-	-	-	-
232	Tamarack Flat Campground	5.14	From Rte 017, right side	5.14	-	1	3
940	Tenaya Lake Picnic Parking	-	From Rte 017, right side	-	-	-	-
949	Tioga Pass Entrance Station Parking	-	From Rte 017, left side	-	-	-	-
017	Tioga Road	46.72	From Rte 013 to East Boundary	46.72	-	2	1
917	Tunnel View Parking	-	From Rte 014, both sides	-	-	-	-
923	Tuolumne Grove Parking	-	From Rte 017, left side	-	-	-	-
230	Tuolumne Lodge Road	0.66	From Rte 017 to Tuolumne Lodge	0.66	-	2	3
942	Tuolumne Meadows Dump Station	-	From Rte 017, right side	-	-	-	-
941	Tuolumne Meadows Visitor Center and Maintenance Area	-	From Rte 017, right side	-	-	-	-
229	Tuolumne Meadows Campground	2.08	From Rte 017, right side	2.08	-	1	3
416	Tuolumne Residences and Ranger Station	0.05	From Rte 230	0.05	-	1	5
405	Tuolumne Stable Road	0.00	From Rte 017 to Stables	-	-	2	3
944	Tuolumne Wilderness Center Parking	-	From Rte 230, right side	-	-	-	-
210	Upper Pines Campground	4.14	From Rte 206, right side	4.14	-	1	3
957	US District Court Parking	-	At end of Rte 241	-	-	-	-
500	Valley Loop Road	12.46	from Rte 013 to Rte 013	12.46	-	2	1
600	Valley Residence Area	0.87	From Rte 409 to 400	0.87	-	2	5
409	Village Shuttle Road	0.50	From Rte 500 to Rte 400	0.50	-	2	3
921	Washburn Point	-	From Rte 015, right side	-	-	-	-
222	Wawona Campground	1.68	From Rte 014, left side	1.68	-	1	3
915	Wawona District Office	-	From Rte 413, left side	-	-	-	-
913	Wawona Dump Station	-	From Rte 220, left side	-	-	-	-
912	Wawona History Center Parking	-	From Rte 220, right side	-	-	-	-
220	Wawona History Center Road	0.80	From Rte 014 to County Line	0.80	-	2	3
418	Wawona Point Hellport Road	0.56	From Rte 236 to Hellport	0.56	-	1	6
235	Wawona Ranger Station	0.21	From Rte 221 to Ranger Station	0.21	-	2	3
014	Wawona Road	27.08	From South Park Boundary to Rte 500	27.08	-	2	1
914	Wawona Utility Area	-	From Rte 235, right side	-	-	-	-
413	Wawona Water Treatment Facility	0.12	From Rte 221, left side	0.12	-	2	5
414	Wawona Wastewater Treatment Facility	0.28	From Rte 221, left side	0.28	-	2	5
231	White Wolf Campground	1.13	From end of Rte 101	1.13	-	1	3



YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
925	White Wolf Lodge Parking	-	From Rte 101, both sides	-	-	-	-
101	White Wolf Road	1.14	From Rte 017 to White Wolf	1.14	-	2	2
929	Yosemite Creek and Ten Lakes Trailhead	-	From Rte 017, right side	-	-	-	-
233	Yosemite Creek Campground	5.01	From Rte 017, right side	5.01	-	1	3
928	Yosemite Creek Canyon Turnout	-	From Rte 017, right side	-	-	-	-
930	Yosemite Creek Picnic Loop	-	From Rte 017, right side	-	-	-	-
927	Yosemite Creek Turnout	-	From Rte 017, right side	-	-	-	-
965	Yosemite Research Center	-	From SR 140	-	-	-	-
958	Yosemite Valley Maintenance Area	-	At Intersection of Rtes 400 and 600	-	-	-	-
963	Yosemite Valley Parking	-	From Rte 500, left side	-	-	-	-
400	Yosemite Village Administration Road	0.46	From Rte 207 to Rte 409	0.46	-	2	5



WR: Western Region
YOSE: Yosemite NP

ROUTE: 011 EL CAPITAN BRIDGE ROAD

TOTAL LENGTH: 0.38 Miles


Section Number	1				
Section Length (mi)	0.38				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	73				
Roughness Index	59				
SCR (Surface Condition Rating)	81				
Alligator Cracking	100				
Rutting Index	81				
Patching Index	100				
Transverse Cracking	93				
Longitudinal Cracking	97				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 500
MP 0.08 Pic #3480 - Typical Pavement Section
MP 0.38 End at Rte 500

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 011 EL CAPITAN BRIDGE ROAD



PCR Excellent Good Fair Poor DCR Poor
 No Rating Data*

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region

YOSE: Yosemite NP

ROUTE: 012 SENTINEL BRIDGE ROAD

TOTAL LENGTH: 0.30 Miles

Section Number	1				
Section Length (mi)	0.30				
AADT	2180				
SADT	3134				
ADT Date	1994				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	63				
Roughness Index	38				
SCR (Surface Condition Rating)	80				
Alligator Cracking	99				
Rutting Index	77				
Patching Index	100				
Transverse Cracking	95				
Longitudinal Cracking	98				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 500


MP 0.03 Intersection left (900)

MP 0.08 Pic #3478 - Typical Pavement Section

MP 0.30 End at Rte 500

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 012 SENTINEL BRIDGE ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP


ROUTE: 013 BIG OAK FLAT ROAD

TOTAL LENGTH: 18.96 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2606	2606	2606	2606	2606
SADT	4334	4334	4334	4334	4334
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	71	85	88	81	87
Roughness Index	63	79	88	87	86
SCR (Surface Condition Rating)	76	88	88	77	88
Alligator Cracking	100	100	100	100	100
Rutting Index	69	82	83	83	84
Patching Index	100	100	100	100	100
Transverse Cracking	93	98	97	87	97
Longitudinal Cracking	98	99	99	98	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:
 MP 0.00 Begin at Rte 500
 MP 0.02 Pic #3454 - Typical Pavement Section
 MP 0.95 Intersection left (016)
 MP 2.86 Intersection left (901)
 MP 4.12 Intersection left (902)
 MP 4.38 Intersection left (227)

ROUTE: 013 BIG OAK FLAT ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP


ROUTE: 013 BIG OAK FLAT ROAD

TOTAL LENGTH: 18.96 Miles

	6	7	8	9	10
Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2606	2606	2606	2606	2606
SADT	4334	4334	4334	4334	4334
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	85	85	87	87	86
Roughness Index	79	80	85	85	84
SCR (Surface Condition Rating)	90	89	89	89	87
Alligator Cracking	100	100	100	100	100
Rutting Index	85	84	85	85	82
Patching Index	100	100	100	100	100
Transverse Cracking	97	97	98	98	97
Longitudinal Cracking	99	99	98	98	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:
MP 8.24 Intersection left (903)

ROUTE: 013 BIG OAK FLAT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 013 BIG OAK FLAT ROAD


TOTAL LENGTH: 18.96 Miles

	11	12	13	14	15
Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2606	2127	2127	2127	2127
SADT	4334	3159	3159	3159	3159
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	93	94	94	92
Roughness Index	79	95	96	98	95
SCR (Surface Condition Rating)	87	92	92	92	91
Alligator Cracking	100	100	100	100	100
Rutting Index	81	84	85	85	84
Patching Index	100	100	100	100	100
Transverse Cracking	98	100	100	99	99
Longitudinal Cracking	98	99	100	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 10.51 Intersection right (017)
- MP 10.65 Intersection left (226)
- MP 11.12 Intersection right (404)
- MP 11.92 Intersection left (904)

ROUTE: 013 BIG OAK FLAT ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 013 BIG OAK FLAT ROAD

TOTAL LENGTH: 18.96 Miles


Section Number	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	0.96
AADT	2127	2127	2127	2127
SADT	3159	3159	3159	3159
ADT Date	1994	1994	1994	1994
Cross Section Information				
Number of Lanes	2	2	2	2
Paved Width (ft)	22	22	22	22
Lane Width (ft)	11	11	11	11
Shoulder Width (ft)	4	4	4	4
Roadway Condition Information				
PCR (Pavement Condition Rating)	94	92	94	85
Roughness Index	97	94	97	85
SCR (Surface Condition Rating)	92	90	92	86
Alligator Cracking	100	100	100	99
Rutting Index	85	83	85	82
Patching Index	100	100	100	100
Transverse Cracking	100	99	99	97
Longitudinal Cracking	100	99	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 15.31 Pic #3455 - Typical Pavement Section
- MP 18.18 Intersection left (907)
- MP 18.19 Intersection right (224)
- MP 18.38 Intersection left (908)
- MP 18.96 End at Park Boundary

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 013 BIG OAK FLAT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*



WR: Western Region
 YOSE: Yosemite NP

ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles


Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2622	2622	2622	2622	2622
SADT	3328	3328	3328	3328	3328
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	72	81	81	86	82
Roughness Index	42	64	62	76	67
SCR (Surface Condition Rating)	91	92	94	93	92
Alligator Cracking	100	100	100	100	100
Rutting Index	97	97	98	97	96
Patching Index	100	100	100	100	100
Transverse Cracking	97	97	98	97	97
Longitudinal Cracking	98	99	99	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 0.00 Begin at Park Boundary
 MP 0.02 Pic #3449 - Typical Pavement Section
 MP 0.78 Intersection right (219, 909)

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 014 WAWONA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 014 WAWONA ROAD


TOTAL LENGTH: 27.08 Miles

Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2622	2435	2047	2047	2047
SADT	3328	3035	2732	2732	2732
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	79	80	80	80	76
Roughness Index	61	61	63	61	55
SCR (Surface Condition Rating)	91	93	91	92	91
Alligator Cracking	100	100	100	100	100
Rutting Index	98	97	97	98	96
Patching Index	100	100	100	100	100
Transverse Cracking	96	97	96	96	96
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 5.68 Intersection right (221)
MP 6.54 Intersection left (222)

ROUTE: 014 WAWONA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP


ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles

Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2047	2047	2047	2047	2047
SADT	2732	2732	2732	2732	2732
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	82	82	82	75
Roughness Index	66	67	67	66	66
SCR (Surface Condition Rating)	94	93	92	93	81
Alligator Cracking	100	100	100	100	100
Rutting Index	98	97	96	98	85
Patching Index	100	100	100	100	100
Transverse Cracking	98	97	98	98	90
Longitudinal Cracking	99	99	99	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

ROUTE: 014 WAWONA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP


ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles

	16	17	18	19	20
Section Number	16	17	18	19	20
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2047	2047	2047	2613	2613
SADT	2732	2732	2732	3488	3488
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	74	74	70	79	77
Roughness Index	64	62	52	73	71
SCR (Surface Condition Rating)	81	81	82	83	81
Alligator Cracking	100	100	100	100	100
Rutting Index	85	86	84	86	83
Patching Index	100	100	100	100	100
Transverse Cracking	90	90	91	91	91
Longitudinal Cracking	98	98	99	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:
MP 17.74 Intersection right (916)
MP 17.80 Pic #3450 - Typical Pavement Section
MP 17.82 Intersection right (015)

ROUTE: 014 WAWONA ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
 YOSE: Yosemite NP


ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles

	21	22	23	24	25
Section Number	21	22	23	24	25
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2613	2613	2613	2613	2613
SADT	3488	3488	3488	3488	3488
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	72	69	66	69	68
Roughness Index	68	55	57	62	66
SCR (Surface Condition Rating)	75	78	73	74	70
Alligator Cracking	100	100	100	100	100
Rutting Index	79	80	76	79	75
Patching Index	100	100	100	100	100
Transverse Cracking	88	90	86	87	84
Longitudinal Cracking	97	98	98	97	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

ROUTE: 014 WAWONA ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 014 WAWONA ROAD


TOTAL LENGTH: 27.08 Miles

Section Number	26	27	28		
Section Length (mi)	1.00	1.00	0.08		
AADT	2613	2613	2613		
SADT	3488	3488	3488		
ADT Date	1994	1994	1994		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	22	22	22		
Lane Width (ft)	11	11	11		
Shoulder Width (ft)	2	2	2		
Roadway Condition Information					
PCR (Pavement Condition Rating)	61	68	59		
Roughness Index	56	61	27		
SCR (Surface Condition Rating)	65	73	81		
Alligator Cracking	100	100	100		
Rutting Index	72	63	75		
Patching Index	100	100	100		
Transverse Cracking	84	94	94		
Longitudinal Cracking	95	98	99		
Shoulder Condition Rating	GOOD	GOOD	GOOD		
Drainage Condition Rating	GOOD	GOOD	GOOD		

COMMENTS:

- MP 25.47 Intersection right (917)
- MP 25.72 Intersection left (917)
- MP 26.99 Intersection right (918)
- MP 27.08 End at at Rte 500

ROUTE: 014 WAWONA ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed


WR: Western Region
YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD TOTAL LENGTH: 15.72 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1378	1378	1378	1378	1378
SADT	1947	1947	1947	1947	1947
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	65	68	75	71	78
Roughness Index	55	63	77	61	70
SCR (Surface Condition Rating)	72	71	74	79	83
Alligator Cracking	100	100	100	100	100
Rutting Index	73	71	69	72	73
Patching Index	100	100	100	100	100
Transverse Cracking	90	90	93	95	98
Longitudinal Cracking	95	95	96	97	98
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:
MP 0.00 Begin at Rte 014
MP 0.02 Pic #3434 - Typical Pavement Section

ROUTE: 015 GLACIER POINT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD


TOTAL LENGTH: 15.72 Miles

Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1378	1032	1032	1032	1032
SADT	1947	1519	1519	1519	1519
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	90	85	84	84	83
Roughness Index	86	77	75	78	82
SCR (Surface Condition Rating)	93	90	90	88	85
Alligator Cracking	100	100	100	100	100
Rutting Index	86	81	81	79	82
Patching Index	100	100	100	100	100
Transverse Cracking	100	99	99	98	94
Longitudinal Cracking	100	100	100	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 5.02 Intersection right (919)
MP 5.03 Pic #3435 - Pavement Change
MP 7.81 Intersection right (223)

ROUTE: 015 GLACIER POINT ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD


TOTAL LENGTH: 15.72 Miles

Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1032	1032	1032	1032	1032
SADT	1519	1519	1519	1519	1519
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	77	79	83	81	NA
Roughness Index	74	71	77	72	NA
SCR (Surface Condition Rating)	79	84	88	87	92
Alligator Cracking	100	100	100	100	100
Rutting Index	82	82	84	83	83
Patching Index	100	100	100	100	100
Transverse Cracking	90	94	96	96	100
Longitudinal Cracking	98	98	99	99	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 13.45 Intersection left (920)

ROUTE: 015 GLACIER POINT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*



WR: Western Region
 YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD

TOTAL LENGTH: 15.72 Miles


Section Number	16				
Section Length (mi)	0.72				
AADT	1032				
SADT	1519				
ADT Date	1994				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	2				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	92				
Alligator Cracking	100				
Rutting Index	84				
Patching Index	100				
Transverse Cracking	100				
Longitudinal Cracking	100				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 15.03 Intersection right (921)
 MP 15.38 Intersection left (419)
 MP 15.72 End at Rte 922

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 015 GLACIER POINT ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 016 EL PORTAL ROAD


TOTAL LENGTH: 6.74 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2192	2192	2192	2192	2192
SADT	2633	2633	2633	2633	2633
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	18	18	18	18	18
Lane Width (ft)	9	9	9	9	9
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	54	65	62	56	64
Roughness Index	39	45	38	33	45
SCR (Surface Condition Rating)	64	79	77	71	77
Alligator Cracking	96	100	100	100	100
Rutting Index	68	77	71	74	76
Patching Index	100	100	100	100	100
Transverse Cracking	90	93	96	93	94
Longitudinal Cracking	92	96	96	91	95
Shoulder Condition Rating	POOR	POOR	POOR	POOR	POOR
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 0.00 Begin at Park Boundary - Pic #3439 - Typical Pavement Section
MP 4.90 Pic #3440 - Typical Pavement Section

ROUTE: 016 EL PORTAL ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP


ROUTE: 016 EL PORTAL ROAD

TOTAL LENGTH: 6.74 Miles

	6	7			
Section Number	6	7			
Section Length (mi)	1.00	0.74			
AADT	2192	2192			
SADT	2633	2633			
ADT Date	1994	1994			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	18	18			
Lane Width (ft)	9	9			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	64	65			
Roughness Index	40	48			
SCR (Surface Condition Rating)	79	77			
Alligator Cracking	100	100			
Rutting Index	74	74			
Patching Index	100	100			
Transverse Cracking	95	94			
Longitudinal Cracking	97	96			
Shoulder Condition Rating	POOR	POOR			
Drainage Condition Rating	GOOD	GOOD			

COMMENTS:
MP 6.74 End at Rte 013

ROUTE: 016 EL PORTAL ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1613	1309	1309	1309	1309
SADT	3923	3321	3321	3321	3321
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	79	78	82	82	81
Roughness Index	65	61	70	69	71
SCR (Surface Condition Rating)	88	90	90	90	89
Alligator Cracking	100	100	100	100	100
Rutting Index	81	81	84	82	82
Patching Index	100	100	100	100	100
Transverse Cracking	98	99	98	99	97
Longitudinal Cracking	99	100	99	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 0.00 Begin at Rte 013
- MP 0.04 Pic #3470 - Typical Pavement Section
- MP 0.65 Intersection left (923)
- MP 3.86 Intersection right (232)
- MP 2.89 Intersection right (924)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP


ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1309	1309	1309	1309	1309
SADT	3321	3321	3321	3321	3321
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	84	86	86	87	83
Roughness Index	76	78	78	80	72
SCR (Surface Condition Rating)	89	91	91	92	92
Alligator Cracking	100	100	100	100	100
Rutting Index	85	85	84	84	83
Patching Index	100	100	100	100	100
Transverse Cracking	96	98	98	100	99
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1309	1309	1309	1309	1309
SADT	3321	3321	3321	3321	3321
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	81	83	81	83
Roughness Index	63	65	71	69	72
SCR (Surface Condition Rating)	91	92	91	89	91
Alligator Cracking	100	100	100	100	100
Rutting Index	83	83	84	81	83
Patching Index	100	100	100	100	100
Transverse Cracking	100	99	99	98	99
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

MP 14.63 Intersection left (101)
MP 14.94 Intersection right (233)

ROUTE: 017 TIOGA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

	16	17	18	19	20
Section Number	16	17	18	19	20
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	87	86	88	86	86
Roughness Index	91	89	91	89	87
SCR (Surface Condition Rating)	84	85	86	84	86
Alligator Cracking	100	100	100	100	100
Rutting Index	81	81	83	82	83
Patching Index	100	100	100	100	100
Transverse Cracking	94	95	95	94	94
Longitudinal Cracking	100	99	100	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 16.56 Intersection right (926)
- MP 16.73 Intersection right (927)
- MP 18.37 Intersection right (928)
- MP 19.75 Intersection right (929)
- MP 19.99 Intersection right (930)

ROUTE: 017 TIOGA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP


ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

Section Number	21	22	23	24	25
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	85	77	79	83	84
Roughness Index	89	70	70	80	84
SCR (Surface Condition Rating)	83	82	84	85	83
Alligator Cracking	100	100	100	100	100
Rutting Index	80	82	82	82	82
Patching Index	100	100	100	100	100
Transverse Cracking	93	91	94	94	93
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:
 MP 20.03 Pic #3471 - Typical Pavement Section
 MP 23.90 Intersection right (931)
 MP 23.95 Intersection left (240)
 MP 24.43 Intersection right (932)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	26	27	28	29	30
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	81	80	83	76
Roughness Index	83	77	74	83	68
SCR (Surface Condition Rating)	84	84	84	83	81
Alligator Cracking	100	100	100	100	100
Rutting Index	82	82	82	82	82
Patching Index	100	100	100	100	100
Transverse Cracking	93	93	93	92	90
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 25.00 Intersection right (933)
- MP 27.13 Intersection left (234)
- MP 27.16 Intersection right (935)
- MP 27.19 Intersection left (234)
- MP 27.22 Intersection right (935)
- MP 27.70 Intersection left (936)
- MP 29.38 Intersection right (937)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

	31	32	33	34	35
Section Number	31	32	33	34	35
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	80	80	83	87
Roughness Index	77	74	76	85	90
SCR (Surface Condition Rating)	83	85	83	82	85
Alligator Cracking	100	100	100	100	100
Rutting Index	82	82	82	81	82
Patching Index	100	100	100	100	100
Transverse Cracking	92	94	92	92	95
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 30.85 Intersection right (938)
- MP 30.98 Intersection right (939)
- MP 32.20 Intersection right (940)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

	36	37	38	39	40
Section Number	36	37	38	39	40
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1241
SADT	3280	3280	3280	3280	3141
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	81	84	74	73
Roughness Index	69	69	75	50	48
SCR (Surface Condition Rating)	88	89	90	90	89
Alligator Cracking	100	100	100	100	100
Rutting Index	79	80	83	83	83
Patching Index	100	100	100	100	100
Transverse Cracking	98	99	98	99	98
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 35.86 Pic #3472 - Typical Pavement Section
- MP 38.47 Intersection right (941)
- MP 38.59 Intersection right (942)
- MP 39.59 Intersection right (229)
- MP 39.79 Intersection left (405)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	41	42	43	44	45
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1241	1241	1241	1241	1241
SADT	3141	3141	3141	3141	3141
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	87	89	94	94
Roughness Index	74	80	84	96	96
SCR (Surface Condition Rating)	89	92	93	93	93
Alligator Cracking	100	100	100	100	100
Rutting Index	79	84	85	85	85
Patching Index	100	100	100	100	100
Transverse Cracking	99	100	100	100	100
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 40.11 Pic #3473 - Typical Pavement Section
- MP 40.17 Intersection right (230)
- MP 43.86 Intersection right (946)

ROUTE: 017 TIOGA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
 YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	46	47			
Section Length (mi)	1.00	0.72			
AADT	1241	1241			
SADT	3141	3141			
ADT Date	1994	1994			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	20			
Lane Width (ft)	10	10			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	92	90			
Roughness Index	92	86			
SCR (Surface Condition Rating)	93	92			
Alligator Cracking	100	100			
Rutting Index	85	84			
Patching Index	100	100			
Transverse Cracking	100	100			
Longitudinal Cracking	100	100			
Shoulder Condition Rating	FAIR	FAIR			
Drainage Condition Rating	FAIR	FAIR			

COMMENTS:

MP 45.27 Intersection right (947)
 MP 46.52 Intersection right (948)
 MP 46.66 Intersection left (949)
 MP 46.72 End at Park Boundary

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 100 HETCH HETCHY ROAD


TOTAL LENGTH: 8.02 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	75	75	75	75	75
SADT	190	190	190	190	190
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	16	16	16	16	16
Lane Width (ft)	8	8	8	8	8
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	64	63	59	63	67
Roughness Index	41	45	33	38	48
SCR (Surface Condition Rating)	79	75	76	81	79
Alligator Cracking	100	100	100	100	100
Rutting Index	83	83	78	79	79
Patching Index	100	100	100	100	100
Transverse Cracking	94	90	96	97	96
Longitudinal Cracking	98	98	95	98	98
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

MP 0.00 Begin at Park Boundary - Pic #3456 - Typical Pavement Section

ROUTE: 100 HETCH HETCHY ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 100 HETCH HETCHY ROAD


TOTAL LENGTH: 8.02 Miles

Section Number	6	7	8	9	
Section Length (mi)	1.00	1.00	1.00	0.02	
AADT	75	75	75	75	
SADT	190	190	190	190	
ADT Date	1994	1994	1994	1994	
Cross Section Information					
Number of Lanes	2	2	2	2	
Paved Width (ft)	16	16	16	16	
Lane Width (ft)	8	8	8	8	
Shoulder Width (ft)	1	1	1	1	
Roadway Condition Information					
PCR (Pavement Condition Rating)	65	68	67	65	
Roughness Index	38	45	43	34	
SCR (Surface Condition Rating)	83	83	84	86	
Alligator Cracking	100	100	100	100	
Rutting Index	81	83	80	79	
Patching Index	100	100	100	100	
Transverse Cracking	98	96	98	100	
Longitudinal Cracking	99	99	99	100	
Shoulder Condition Rating	POOR	POOR	POOR	POOR	
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	

COMMENTS:

MP 5.60 Pic #3457 - Shoulder Washout
MP 7.51 Intersection left (238)
MP 8.02 End at Rte 238

ROUTE: 100 HETCH HETCHY ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP

ROUTE: 101 WHITE WOLF ROAD



TOTAL LENGTH: 1.14 Miles

	1	2			
Section Number	1	2			
Section Length (mi)	1.00	0.14			
AADT	NA	NA			
SADT	NA	NA			
ADT Date	NA	NA			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	18	18			
Lane Width (ft)	9	9			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	68	68			
Roughness Index	50	52			
SCR (Surface Condition Rating)	80	79			
Alligator Cracking	100	100			
Rutting Index	78	79			
Patching Index	100	100			
Transverse Cracking	93	91			
Longitudinal Cracking	98	98			
Shoulder Condition Rating	FAIR	FAIR			
Drainage Condition Rating	GOOD	GOOD			

COMMENTS:

- MP 0.00 Begin at Rte 017 - Pic #3476 - Typical Pavement Section
- MP 1.06 Intersection left (925)
- MP 1.13 Intersection right (231)
- MP 1.14 Intersection left (925)
- MP 1.14 End at Unpaved section

ROUTE: 101 WHITE WOLF ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 206 STABLE ROAD

TOTAL LENGTH: 0.54 Miles



Section Number	1				
Section Length (mi)	0.54				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	74				
Roughness Index	55				
SCR (Surface Condition Rating)	86				
Alligator Cracking	100				
Rutting Index	81				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 500
 MP 0.10 Pic #3464 - Typical Pavement Section
 MP 0.14 Intersection right (213)
 MP 0.36 Intersection right (408)
 MP 0.46 Intersection right (210)
 MP 0.46 Intersection left (211)
 MP 0.54 Intersection left (212)
 MP 0.54 End at Rte 408

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 206 STABLE ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 207 AHWAHNEE HOTEL ROAD

TOTAL LENGTH: 0.70 Miles



Section Number	1				
Section Length (mi)	0.70				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	79				
Alligator Cracking	100				
Rutting Index	75				
Patching Index	100				
Transverse Cracking	94				
Longitudinal Cracking	98				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	FAIR				

COMMENTS:

- MP 0.00 Begin at Rte 500
- MP 0.07 Pic #3469 - Typical Pavement Section
- MP 0.16 Intersection left (400)
- MP 0.23 Intersection left (956)
- MP 0.70 End at Hotel Parking

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 207 AHWAHNEE HOTEL ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 213 CURRY VILLAGE ROAD


TOTAL LENGTH: .28 Miles

Section Number	1				
Section Length (mi)	0.28				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	63				
Roughness Index	34				
SCR (Surface Condition Rating)	83				
Alligator Cracking	100				
Rutting Index	76				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 213 CURRY VILLAGE ROAD

COMMENTS:
 MP 0.00 Begin at Rte 500 - Pic #3463 - Typical Pavement Section
 MP 0.04 Intersection right (953)
 MP 0.07 Intersection right (214)
 MP 0.12 Intersection right (954)
 MP 0.28 End at Rte 206

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
 YOSE: Yosemite NP



ROUTE: 219 MARIPOSA GROVE ROAD TOTAL LENGTH: 2.04 Miles

	1	2	3		
Section Number	1	2	3		
Section Length (mi)	1.00	1.00	0.04		
AADT	1046	1046	1046		
SADT	1582	1582	1582		
ADT Date	1994	1994	1994		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	22	22	22		
Lane Width (ft)	11	11	11		
Shoulder Width (ft)	1	1	1		
Roadway Condition Information					
PCR (Pavement Condition Rating)	67	68	NA		
Roughness Index	44	45	NA		
SCR (Surface Condition Rating)	83	84	51		
Alligator Cracking	98	100	100		
Rutting Index	84	88	84		
Patching Index	100	100	100		
Transverse Cracking	95	95	89		
Longitudinal Cracking	97	95	71		
Shoulder Condition Rating	FAIR	FAIR	FAIR		
Drainage Condition Rating	FAIR	FAIR	FAIR		

COMMENTS:
 MP 0.00 Begin at Rte 014
 MP 0.03 Pic #3448 - Typical Pavement Section
 MP 0.04 Intersection left (909)
 MP 2.00 Intersection right (910)
 MP 2.04 End at Rte 911

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 219 MARIPOSA GROVE ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 220 WAWONA HISTORY CENTER ROAD

TOTAL LENGTH: 0.80 Miles


Section Number	1				
Section Length (mi)	0.80				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	14				
Lane Width (ft)	7				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	58				
Roughness Index	22				
SCR (Surface Condition Rating)	82				
Alligator Cracking	98				
Rutting Index	79				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	98				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 014 - Pic #3442 - Typical Pavement Section
MP 0.13 Intersection right (912)
MP 0.80 End at County Line

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 220 WAWONA HISTORY CENTER ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
YOSE: Yosemite NP

ROUTE: 221 CHILNUANA FALLS ROAD


TOTAL LENGTH: 0.82 Miles

Section Number	1				
Section Length (mi)	0.82				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	58				
Roughness Index	28				
SCR (Surface Condition Rating)	78				
Alligator Cracking	98				
Rutting Index	85				
Patching Index	100				
Transverse Cracking	98				
Longitudinal Cracking	94				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:
 MP 0.00 Begin at Rte 014 - Pic #3441 - Typical Pavement Section
 MP 0.35 Intersection right (235)
 MP 0.46 Intersection left (413)
 MP 0.59 Intersection left (414)
 MP 0.82 End at County Line

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 221 CHILNUANA FALLS ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 224 HODGDON MEADOW ROAD

TOTAL LENGTH: 0.48 Miles


Section Number	1				
Section Length (mi)	0.48				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	88				
Roughness Index	88				
SCR (Surface Condition Rating)	82				
Alligator Cracking	100				
Rutting Index	83				
Patching Index	100				
Transverse Cracking	94				
Longitudinal Cracking	96				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 013 - Pic #3459 - Typical Pavement Section
MP 0.48 End at Rte 415

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 224 HODGDON MEADOW ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
 YOSE: Yosemite NP



ROUTE: 227 FORESTA ROAD (EAST)

TOTAL LENGTH: 0.74 Miles

Section Number	1				
Section Length (mi)	0.74				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	51				
Roughness Index	45				
SCR (Surface Condition Rating)	55				
Alligator Cracking	100				
Rutting Index	79				
Patching Index	100				
Transverse Cracking	71				
Longitudinal Cracking	94				
Shoulder Condition Rating	POOR				
Drainage Condition Rating	FAIR				

COMMENTS:
 MP 0.00 Begin at Rte 013 - Pic #3477 - Typical Pavement Section
 MP 0.74 End at Pavement Change

ROUTE: 227 FORESTA ROAD



WR: Western Region
YOSE: Yosemite NP


ROUTE: 230 TUOLUMNE LODGE ROAD TOTAL LENGTH: 0.66 Miles

Section Number	1				
Section Length (mi)	0.66				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	88				
Alligator Cracking	100				
Rutting Index	82				
Patching Index	100				
Transverse Cracking	98				
Longitudinal Cracking	99				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:
 MP 0.00 Begin at Rte 017
 MP 0.02 Pic #3474 - Typical Pavement Section
 MP 0.05 Intersection right (944)
 MP 0.40 Intersection left (945)
 MP 0.50 Pic #3475 - Typical Pavement Section
 MP 0.66 End at Lodge Parking

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 230 TUOLUMNE LODGE ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 236 MARIPOSA GROVE TRAM ROAD

TOTAL LENGTH: 4.04 Miles


Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	0.04
AADT	NA	NA	NA	NA	NA
SADT	NA	NA	NA	NA	NA
ADT Date	NA	NA	NA	NA	NA
Cross Section Information					
Number of Lanes	2	2	2	1	1
Paved Width (ft)	18	18	18	12	12
Lane Width (ft)	9	9	12	12	12
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA	NA	NA	NA	NA
Roughness Index	NA	NA	NA	NA	NA
SCR (Surface Condition Rating)	74	78	77	71	84
Alligator Cracking	92	94	95	92	98
Rutting Index	74	74	72	66	74
Patching Index	100	100	100	100	100
Transverse Cracking	96	97	97	95	99
Longitudinal Cracking	99	99	99	99	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 0.00 Begin at Rte 219
- MP 0.08 Pic #3443 - Typical Pavement Section
- MP 2.50 Pic #3444 - Width Change
- MP 3.06 Intersection right (418)
- MP 4.04 End at Rte 236

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 236 MARIPOSA GROVE TRAM ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
YOSE: Yosemite NP

ROUTE: 400 YOSEMITE VILLAGE ADMINISTRATION ROAD TOTAL LENGTH: 0.46 Miles

Section Number	1				
Section Length (mi)	0.46				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	85				
Alligator Cracking	100				
Rutting Index	73				
Patching Index	100				
Transverse Cracking	98				
Longitudinal Cracking	99				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	FAIR				

COMMENTS:
 MP 0.00 Begin at Rte 207
 MP 0.03 Pic #3479 - Typical Pavement Section
 MP 0.08 Intersection left (409)
 MP 0.46 End at Rte 409

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 400 YOSEMITE VILLAGE ADMINISTRATION ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 406 FORESTA ROAD (WEST)



TOTAL LENGTH: 2.50 Miles

Section Number	1	2	3		
Section Length (mi)	1.00	1.00	0.50		
AADT	NA	NA	NA		
SADT	NA	NA	NA		
ADT Date	NA	NA	NA		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	20	20	20		
Lane Width (ft)	10	10	10		
Shoulder Width (ft)	1	1	1		
Roadway Condition Information					
PCR (Pavement Condition Rating)	77	71	70		
Roughness Index	67	63	51		
SCR (Surface Condition Rating)	84	76	82		
Alligator Cracking	100	100	100		
Rutting Index	82	80	81		
Patching Index	100	100	100		
Transverse Cracking	95	90	93		
Longitudinal Cracking	98	96	98		
Shoulder Condition Rating	FAIR	FAIR	FAIR		
Drainage Condition Rating	FAIR	FAIR	FAIR		

COMMENTS:

- MP 0.00 Begin at SR 140
- MP 0.09 Intersection left (964)
- MP 0.15 Pic #3438 - Typical Pavement Section
- MP 0.18 Intersection left (964)
- MP 0.33 Intersection left (964)
- MP 0.37 Intersection left (964)
- MP 0.38 Intersection left (964)
- MP 0.40 Intersection left (964)
- MP 0.45 Intersection left (964)
- MP 1.05 Intersection left (410)
- MP 1.27 Intersection left (410)
- MP 2.50 End at Fire Station

ROUTE: 406 FORESTA ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 407 MIRROR LAKE ROAD

TOTAL LENGTH: 0.80 Miles



Section Number	1				
Section Length (mi)	0.80				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	83				
Alligator Cracking	100				
Rutting Index	79				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	97				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 408 - Pic #3468 - Typical Pavement Section
MP 0.80 End at Mirror Lake

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 407 MIRROR LAKE ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 408 HAPPY ISLES SHUTTLE LOOP

TOTAL LENGTH: 1.44 Miles



Section Number	1	2			
Section Length (mi)	1.00	0.44			
AADT	NA	NA			
SADT	NA	NA			
ADT Date	NA	NA			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	20			
Lane Width (ft)	10	10			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	69	75			
Roughness Index	46	59			
SCR (Surface Condition Rating)	84	85			
Alligator Cracking	100	100			
Rutting Index	83	80			
Patching Index	100	100			
Transverse Cracking	96	99			
Longitudinal Cracking	97	96			
Shoulder Condition Rating	FAIR	FAIR			
Drainage Condition Rating	GOOD	GOOD			

COMMENTS:

- MP 0.00 Begin at Rte 206 - Pic #3465 - Typical Pavement Section
- MP 0.21 Intersection left (407)
- MP 0.86 Intersection left (417)
- MP 1.32 Intersection left (215)
- MP 1.44 End at Rte 206

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 408 HAPPY ISLES SHUTTLE LOOP



WR: Western Region
YOSE: Yosemite NP

ROUTE: 418 WAWONA POINT HELIPORT ROAD



TOTAL LENGTH: 0.56 Miles

Section Number	1				
Section Length (mi)	0.56				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	44				
Alligator Cracking	82				
Rutting Index	59				
Patching Index	100				
Transverse Cracking	86				
Longitudinal Cracking	96				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:
MP 0.00 Begin at Rte 236
MP 0.56 End at Loop

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 418 WAWONA POINT HELIPORT ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 500 VALLEY LOOP ROAD


TOTAL LENGTH: 12.46 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	3316	3316	3316	3761	3761
SADT	4767	4767	4767	5193	5193
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	66	69	69	69	68
Roughness Index	50	63	60	57	62
SCR (Surface Condition Rating)	77	73	75	77	72
Alligator Cracking	100	100	100	100	100
Rutting Index	71	66	69	74	76
Patching Index	100	100	100	100	100
Transverse Cracking	92	91	92	93	89
Longitudinal Cracking	99	99	98	97	95
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 0.00 Begin at Rte 013
- MP 0.12 Pic #3460 - Typical Pavement Section
- MP 0.91 Intersection right (014)
- MP 2.35 Intersection left (011)
- MP 2.55 Intersection left (239)
- MP 4.03 Intersection left (402)
- MP 4.35 Intersection left (950)

ROUTE: 500 VALLEY LOOP ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 500 VALLEY LOOP ROAD

TOTAL LENGTH: 12.46 Miles


Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	3761	3761	3761	3761	3761
SADT	5193	5193	5193	5193	5193
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	72	64	69	81	79
Roughness Index	54	47	57	66	65
SCR (Surface Condition Rating)	84	75	78	91	89
Alligator Cracking	100	100	100	100	100
Rutting Index	79	68	72	85	82
Patching Index	100	100	100	100	100
Transverse Cracking	95	92	93	98	99
Longitudinal Cracking	99	100	99	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 5.08 Intersection left (012)
- MP 5.67 Intersection left (203)
- MP 6.08 Intersection right (214)
- MP 6.08 Intersection right (206, 213)
- MP 6.52 Intersection right (955)
- MP 6.83 Intersection right (207)
- MP 6.94 Intersection left (012)
- MP 6.96 Intersection right (409)
- MP 7.62 Intersection left (961)
- MP 7.64 Intersection right (961)
- MP 7.92 Intersection left (217)
- MP 9.60 Intersection right (962)
- MP 9.70 Intersection right (962)

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 500 VALLEY LOOP ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 500 VALLEY LOOP ROAD TOTAL LENGTH: 12.46 Miles

Section Number	11	12	13		
Section Length (mi)	1.00	1.00	0.46		
AADT	3761	3761	3761		
SADT	5193	5193	5193		
ADT Date	1994	1994	1994		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	22	22	22		
Lane Width (ft)	11	11	11		
Shoulder Width (ft)	2	2	2		
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	78	81		
Roughness Index	66	69	78		
SCR (Surface Condition Rating)	89	84	83		
Alligator Cracking	100	100	100		
Rutting Index	83	74	76		
Patching Index	100	100	100		
Transverse Cracking	98	98	98		
Longitudinal Cracking	99	98	97		
Shoulder Condition Rating	GOOD	GOOD	GOOD		
Drainage Condition Rating	GOOD	GOOD	GOOD		

COMMENTS:
MP 10.37 Intersection left (011)
MP 10.45 Intersection left (011)
MP 12.21 Intersection left (963)
MP 12.46 End at Rte 013

ROUTE: 500 VALLEY LOOP ROAD

VI. MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS.

The following section contains routes that the ARAN cannot be driven on safely and accurately. Typically these are campground roads, which include aspects of both main routes and parking lot features. Also, these routes are designated for low-speed traffic, which does not allow the ARAN to effectively rate them.

In order to report the condition of these routes most accurately, they have been collected with both the ARAN and GPS data collection procedures. The entire route is collected using GPS, providing lane miles. Then, if possible, a sample section is collected using the ARAN, to get an objective rating of its condition. The portion is usually main thoroughfares or entrance roads.

Thus, SCR, RI, and PCR are reported, along with lane miles and a condition derived from the ARAN rating. Below the ratings will be the entire route mapped, with the sample section shown as a line in its corresponding condition color. If the ARAN could not be driven on the route, the ratings will be reported as 'NA', and the condition will be from subjective visual observation only.


Yosemite National Park

Route 203

Housekeeping Campground
From Rte 500 east

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
203	84366	1.45						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



120 0 120 240 360 480 600 720 Feet




Yosemite National Park

Route 210

Upper Pines Campground
From Rte 206, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
210	240868	4.14						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



400 0 400 800 Feet




Yosemite National Park

Route 211

Lower Pines Campground
From Rte 206, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
211	128651	2.21						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet

A scale bar with markings at 300, 0, 300, and 600 feet.


Yosemite National Park

Route 212

North Pines Campground
From Rte 206, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
212	115234	1.98						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park

Route 214

Curry Village Parking and Registration Loop
From Rte 500 to Rte 213

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
214	83789	1.44						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 215

Curry Village Exit Road
From Rte 954 to Rte 408

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
215	14300	0.24						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 222

Wawona Campground

From Rte 014, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
222	97308	1.68						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 223

Bridalveil Creek Campground
From rte 015, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
223	112398	1.93	0.36		58	36	48	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



800 0 800 1600 Feet



PCR Excellent  Good  Fair  Poor  DCR Poor 

* If the PCR rating is not available for a section, the SCR rating will be displayed


Yosemite National Park

Route 225

Hodgdon Meadow Campground
At end of Rte 224

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
225	42814	0.73						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 226

Crane Flat Campground

From Rte 013 left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
226	130771	2.25						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



600 0 600 1200 1800 Feet




Yosemite National Park

Route 229

Tuolumne Meadows Campground
From Rte 017, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
229	121378	2.08						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



800 0 800 1600 Feet




Yosemite National Park

Route 231

White Wolf Campground
From end of Rte 101

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
231	66184	1.13						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 232

Tamarack Flat Campground
From Rte 017, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
232	298561	5.14						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



2000 0 2000 4000 Feet



Yosemite National Park

Route 233

Yosemite Creek Campground
From Rte 017, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
233	291187	5.01						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 234

May Lake Road


From Rte 017 to May Lake

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
234	101681	1.75						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



1000 0 1000 2000 Feet




Yosemite National Park

Route 235

Wawona Ranger Station
From Rte 221 to Ranger Station

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
235	24555	0.42						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 238

O'Shaughnessy Dam Access
From end of Rte 100 to Rte 100

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
238	46810	0.81	.68		86	NA	NA	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



500 0 500 1000 Feet

PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

Yosemite National Park


Route 239

Cathedral Picnic Area

From Rte 500, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
239	5018	0.08						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 240

Porcupine Flat Campground
From Rte 017, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
240	8668	0.14						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 Feet



Yosemite National Park

Route 241

Castle Cliffs Court
From Rte 400 to Courthouse

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
241	11836	0.20						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 300 400 500 Feet



Yosemite National Park

Route 402

Muir Tree Campground
From Rte 500, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
402	17007	0.29						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 404

Crane Flat Heliport Road
From Rte 013 to Heliport

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
404	106093	1.82						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



900 0 900 1800 Feet




Yosemite National Park

Route 409

Village Shuttle Road
From Rte 500 to Rte 400

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
409	58517	1.00						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 600 800 1000 Feet




Yosemite National Park

Route 410

El Portal Residence Area
From Rte 406, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
410	139612	2.40						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 411

El Portal Water Tank Access
From Rte 410 to water tank

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
411	6341	0.10						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 412

El Portal Trail Area
From SR 140, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
412	47697	0.82						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 413

Wawona Water Treatment Facility
From Rte 221, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
413	14330	0.24						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 414

Wawona Wastewater Treatment Facility
From Rte 221, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
414	32970	0.56						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 415

Hodgdon Meadow Residence Area
At end of Rte 224

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
415	92767	1.59	0.60		83	72	79	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



500 0 500 1000 Feet



PCR Excellent  Good  Fair  Poor  DCR Poor 

* If the PCR rating is not available for a section, the SCR rating will be displayed

Yosemite National Park


Route 416

Tuolumne Residences and Ranger Station
From Rte 230

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
416	3295	0.05						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths

**NO PHOTOS
AVAILABLE**



60 0 60 120 Feet



Yosemite National Park


Route 417

Happy Isles Water Tank Access

From Rte 408 to Water Tank

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
417	49205	0.84						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 419

Glacier Point Residence Area
From Rte 015 to Residences

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
419	3096	0.05						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths

**NO PHOTOS
AVAILABLE**





Yosemite National Park

Route 600

Valley Residence Area
From Rte 409 to 400

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
600	101164	1.74	0.18		83	30	63	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



400 0 400 800 1200 Feet

PCR Excellent  Good  Fair  Poor  DCR Poor 

* If the PCR rating is not available for a section, the SCR rating will be displayed



Yosemite National Park


Route 900P

Sentinel Bridge Parking Area

From Rte 012, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
900P	CA	990910			15067	0.25	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 901P

Cascade Creek Turnout

From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
901P	CA	990911			3595	0.06	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



30 0 30 60 Feet

A horizontal scale bar with alternating black and white segments. The markings are labeled 30, 0, 30, and 60 Feet.

Yosemite National Park


Route 902P

Fire Overlook

From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
902P	CA	990911			6509	0.11	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 903P

Big Meadows Overlook
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
903P	CA	990911			5730	0.09	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 904P

San Joaquin Overlook
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
904P	CA	990911			15224	0.26	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 Feet

A horizontal scale bar with alternating black and white segments. The markings are at 100, 0, 100, and 200 feet.

Yosemite National Park


Route 905P

Merced Grove

From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
905P	CA	990911			5936	0.10	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



40 0 40 80 Feet





Yosemite National Park

Route 906N

Hodgdon Meadow Maintenance Area
From Rte 415, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
906N	CA	990911			20092	0.34	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 907P

Big Oak Flat Entrance Parking
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
907P	CA	990911			20772	0.35	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 908P

Big Oak Flat Entrance Sign Parking
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
908P	CA	990911			7561	0.13	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 909P

Mariposa Grove Entrance Parking
From Rte 219, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
909P	CA	990909			4304	0.07	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



30 0 30 60 Feet



Yosemite National Park

Route 910N

Mariposa Grove Bus Parking
From Rte 219, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
910N	CA	990909					FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



NO GPS AVAILABLE



Yosemite National Park

Route 911P

Mariposa Grove Parking
At end of Rte 219

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
911P	CA	990909					FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths

NO GPS AVAILABLE

**NO PHOTOS
AVAILABLE**



Yosemite National Park

Route 912P

Wawona History Center Parking
From Rte 220, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
912P	CA	990909			18613	0.32	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



90 0 90 180 Feet

A horizontal scale bar with four segments. The first segment is labeled '90', the second '0', the third '90', and the fourth '180 Feet'. The segments are separated by vertical lines.


Yosemite National Park

Route 913P

Wawona Dump Station
From Rte 220, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
913P	CA	990909			6658	0.11	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet

A scale bar with markings at 50, 0, 50, and 100 feet.


Yosemite National Park

Route 914N

Wawona Utility Area
From Rte 235, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
914N	CA	990909			35268	0.60	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park


Route 915N

Wawona District Office

From Rte 413, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
915N	CA	990909			9311	0.16	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet




Yosemite National Park

Route 916P

Restroom Parking
From Rte 014, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
916P	CA	990909			10140	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 917P

Tunnel View Parking
From Rte 014, both sides

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
917P	CA	990910			34339	0.59	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 918P

Bridalveil Falls Parking
From Rte 014, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
918P	CA	990910			29765	0.51	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 919P

Badger Pass Ski Area
Form Rte 015, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
919P	CA	990910			115017	1.98	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park


Route 920P

Sentinel Dome Taft Point

From Rte 015, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
920P	CA	990910			11054	0.19	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 921P

Washburn Point

From Rte 015, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
921P	CA	990910			18176	0.31	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet



Yosemite National Park


Route 922P

Glacier Point Parking

At end of Rte 015

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
922P	CA	990910			72118	1.24	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet




Yosemite National Park

Route 923P

Tuolumne Grove Parking
From Rte 017, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
923P	CA	990911			17010	0.29	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



70 0 70 140 Feet

A horizontal scale bar with four segments. The first segment is labeled '70', the second '0', the third '70', and the fourth '140 Feet'.

Yosemite National Park



Route 924P

Historic Tioga Road Turnout

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
924P	CA	990911			6944	0.11	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



40 0 40 80 Feet



Yosemite National Park

Route 925P

White Wolf Lodge Parking
From Rte 101, both sides

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
925P	CA	990912			29050	0.50	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 926P

Lukens Lake

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
926P	CA	990912			12001	0.20	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 927P

Yosemite Creek Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
927P	CA	990912			9981	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



90 0 90 180 Feet

A horizontal scale bar with alternating black and white segments. The markings are labeled 90, 0, 90, and 180 Feet.



Yosemite National Park

Route 928P

Yosemite Creek Canyon Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
928P	CA	990912			10236	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 929P

Yosemite Creek and Ten Lakes Trailhead
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
929P	CA	990912			16530	0.28	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 930P

Yosemite Creek Picnic Loop

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
930P	CA	990912			9701	0.16	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 931P

Porcupine Flat Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
931P	CA	990912			6974	0.12	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 932P

Cones and Needles Trailhead Parking
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
932P	CA	990912			24226	0.41	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 933P

Porcupine Flat Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
933P	CA	990912			25417	0.43	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



70 0 70 140 Feet

A scale bar with markings at 70, 0, 70, and 140 feet.

Yosemite National Park


Route 934P

May Lake Parking

At end of Rte 234

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
934P	CA	990912			14249	0.24	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 935P

Snow Creek Turnout

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
935P	CA	990912			15847	0.27	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 936P

May Lake Trail Turnout
From Rte 017, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
936P	CA	990912			7072	0.12	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet



Yosemite National Park



Route 937P

Olmstead Point

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
937P	CA	990912			33195	0.57	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 938P

Sunrise Trailhead

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
938P	CA	990912			10011	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



70 0 70 140 Feet





Yosemite National Park

Route 939P

Comfort Station Parking Loop
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
939P	CA	990912			14862	0.25	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 940P

Tenaya Lake Picnic Parking
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
940P	CA	990912			24310	0.41	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 942P

Tuolumne Meadows Dump Station
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
942P	CA	990912			7493	0.12	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park



Route 943P

Lembert Dome Picnic Area

At Intersection of Rtes 017 and 405

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
943P	CA	990912			8075	0.13	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet




Yosemite National Park

Route 944P

Tuolumne Wilderness Center Parking
From Rte 230, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
944P	CA	990912			29864	0.51	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 945P

Dog Lake and John Muir Trail Parking
From Rte 230, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
945P	CA	990912			33430	0.57	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park



Route 946P

Island Above the Ice

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
946P	CA	990912			4878	0.08	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 947P

Mono Pass

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
947P	CA	990912			12594	0.21	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 948P

Dana Meadows

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
948P	CA	990912			10558	0.18	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 949P

Tioga Pass Entrance Station Parking
From Rte 017, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
949P	CA	990912			7276	0.12	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 950P

Swinging Bridge Parking Area
From Rte 500, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
950P	CA	990910			17440	0.30	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 951P

Chapel Parking Area

From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
951P	CA	990910					FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



NO GPS AVAILABLE



Yosemite National Park


Route 952P

LeConte Memorial Parking

From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
952P	CA	990912			5056	0.08	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 953P

Curry Village Recreation Center Parking
From Rte 013, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
953P	CA	990910			7802	0.13	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 954P

Curry Village Parking Area

From Rte 013, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
954P	CA	990912			112264	1.93	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park

Route 955P

North Dome Parking

From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
955P	CA	990912			2223	0.03	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 956P

Medical Clinic Parking

From Rte 207, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
956P	CA	990912			6064	0.10	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



40 0 40 80 Feet

A scale bar with markings at 40, 0, 40, and 80 Feet.

Yosemite National Park

Route 957P

US District Court Parking

At end of Rte 241

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
957P	CA	990912			2242	0.03	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 958N

Yosemite Valley Maintenance Area
At intersection of Rtes 400 and 600

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
958N	CA	990910			146833	2.52	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park



Route 959P

Administration Parking

From Rte 400, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
959P	CA	990912			9238	0.15	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 960P

Ranger Club Parking
From Rte 409, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
960P	CA	990912			9432	0.16	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 961P

Lower Yosemite Falls Parking
From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
961P	CA	990910			55785	0.96	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 962P

El Capitan Picnic Area
From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
962P	CA	990910			20617	0.35	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 963P

Yosemite Valley Parking
From Rte 500, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
963P	CA	990910			4388	0.07	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 964N

El Portal Maintenance Area

From Rte 406, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
964N	CA	990911			267276	4.60	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



400 0 400 800 Feet

A horizontal scale bar with four segments. The first segment is labeled '400', the second '0', the third '400', and the fourth '800 Feet'.

Yosemite National Park


Route 965N

Yosemite Research Center

From SR 140

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
965N	CA	990912			3587	0.06	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



PARKWIDE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	212	EACH
1153	INTERSECTION	139	EACH
1190	TURNOUT (PASSING LANE)	6214	LINEAR FEET
1320	PAVED DITCH	31209	LINEAR FEET
1331	CULVERT	773	EACH
1333	DROP INLET	215	EACH
1340	CURB	165068	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	834	LINEAR FEET
1542	GUARD WALL	23889	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	18	EACH
1740	TUNNEL	4	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	4	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:011 : EL CAPITAN BRIDGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	3	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	480	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:012 : SENTINEL BRIDGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	286	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	5	EACH
1340	CURB	617	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:013 : BIG OAK FLAT ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	39	EACH
1153	INTERSECTION	8	EACH
1190	TURNOUT (PASSING LANE)	1309	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	19	EACH
1333	DROP INLET	55	EACH
1340	CURB	65811	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	9087	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	3	EACH
1740	TUNNEL	3	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:014 : WAWONA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	59	EACH
1153	INTERSECTION	10	EACH
1190	TURNOUT (PASSING LANE)	1040	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	193	EACH
1333	DROP INLET	35	EACH
1340	CURB	34065	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	338	LINEAR FEET
1542	GUARD WALL	2365	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	1	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:015 : GLACIER POINT ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	17	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	195	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	47	EACH
1333	DROP INLET	1	EACH
1340	CURB	1351	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	258	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:016 : EL PORTAL ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	4	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	839	LINEAR FEET
1331	CULVERT	29	EACH
1333	DROP INLET	10	EACH
1340	CURB	37	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	8838	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:017 : TIOGA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	53	EACH
1153	INTERSECTION	30	EACH
1190	TURNOUT (PASSING LANE)	3384	LINEAR FEET
1320	PAVED DITCH	30370	LINEAR FEET
1331	CULVERT	282	EACH
1333	DROP INLET	92	EACH
1340	CURB	50954	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	79	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	3	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:100 : HETCH HETCHY ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	2	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	65	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	137	LINEAR FEET
1542	GUARD WALL	2338	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:101 : WHITE WOLF ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	2	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	2	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:206 : STABLE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	6	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	1	EACH
1340	CURB	1341	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:207 : AHWAHNEE HOTEL ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	0	EACH
1340	CURB	16	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:213 : CURRY VILLAGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:219 : MARIPOSA GROVE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	4	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	20	EACH
1333	DROP INLET	0	EACH
1340	CURB	987	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:220 : WAWONA HISTORY CENTER ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	1	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	0	EACH
1340	CURB	127	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:221 : CHILNUANA FALLS ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	15	EACH
1333	DROP INLET	0	EACH
1340	CURB	137	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:224 : HODGDON MEADOW ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	1	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:227 : FORESTA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	1	EACH
1340	CURB	74	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:230 : TUOLUMNE LODGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	3	EACH
1153	INTERSECTION	2	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	7	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:236 : MARIPOSA GROVE TRAM ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	2	EACH
1153	INTERSECTION	1	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	63	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:238 : O'SHAUGHNESSY DAM ACCESS

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	824	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:400 : YOSEMITE VILLAGE ADMINISTRATION ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	4	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	5	EACH
1333	DROP INLET	1	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:406 : FORESTA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	12	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	8	EACH
1333	DROP INLET	7	EACH
1340	CURB	1816	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	164	LINEAR FEET
1542	GUARD WALL	100	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:407 : MIRROR LAKE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	1	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:408 : HAPPY ISLES SHUTTLE LOOP

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	4	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	9	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	195	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:500 : VALLEY LOOP ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	27	EACH
1153	INTERSECTION	27	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	64	EACH
1333	DROP INLET	5	EACH
1340	CURB	7192	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	3	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 011

El Capitan Bridge Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 500
0.032	0.000		Intersection	
0.063	0.000	Intersection		
0.267	0.304	Curb		
0.275	0.307		Bridge	
0.289	0.312		Curb	
0.293	0.000	Pullout		
0.310	0.341	Curb		
0.329	0.000		Intersection	Rte 011 Spur
0.380	0.000			End at Rte 500

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 012

Sentinel Bridge Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.000	0.039	Curb		
0.002	0.032		Bridge	
0.002	0.000		Drop Inlet	
0.002	0.000	Drop Inlet		
0.005	0.042		Curb	
0.032	0.084	Turnout		Rte 900
0.032	0.000		Drop Inlet	
0.032	0.000	Drop Inlet		
0.047	0.000		Drop Inlet	
0.051	0.092	Curb		
0.082	0.000		Pullout	
0.300	0.000			End at Rte 500

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.090	0.000		Culvert	
0.122	0.000	Culvert		
0.193	0.000		Culvert	
0.485	0.000		Culvert	
0.543	0.000		Culvert	
0.586	0.000		Culvert	
0.863	0.939	Guardwall		
0.906	0.924		Curb	
0.946	0.000	Intersection		Rte 016
0.950	0.000		Drop Inlet	
1.007	1.041	Guardwall		
1.056	1.341	Guardwall		
1.085	1.153		Curb	
1.165	1.207		Curb	
1.228	1.270		Curb	
1.272	0.000		Drop Inlet	
1.275	1.303		Curb	
1.335	0.000		Pullout	
1.353	1.381	Guardwall		
1.367	1.383		Curb	
1.391	1.410	Guardwall		
1.440	1.633	Guardwall		
1.586	1.613		Curb	
1.630	1.633		Curb	
1.651	1.741	Guardwall		
1.653	1.685		Curb	
1.752	1.870	Guardwall		
1.807	1.838		Curb	
1.846	1.919		Tunnel	
1.929	1.957		Curb	
1.951	2.199	Guardwall		
1.970	1.989		Curb	
2.001	2.072		Curb	
2.041	0.000	Pullout		
2.111	2.137		Curb	
2.213	2.238	Guardwall		
2.215	2.261		Tunnel	
2.268	2.288		Curb	
2.308	2.317	Guardwall		
2.334	2.519	Guardwall		
2.525	2.678	Guardwall		
2.548	0.000		Pullout	
2.561	2.600		Curb	
2.588	0.000		Drop Inlet	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
2.622	2.690		Curb	
2.677	0.000		Drop Inlet	
2.684	2.796	Guardwall		
2.726	2.792		Curb	
2.806	2.841		Bridge	
2.808	0.000	Pullout		
2.849	2.907		Curb	
2.858	2.880	Turnout		Rte 901
2.864	2.903		Bridge	
2.865	2.871	Curb		
2.932	2.949	Curb		
2.947	3.007		Curb	
3.049	0.000		Pullout	
3.082	0.000		Culvert	
3.117	3.186		Curb	
3.137	3.181		Bridge	
3.228	0.000	Pullout		
3.254	3.372	Guardwall		
3.257	0.000		Pullout	
3.271	0.000		Culvert	
3.290	0.000	Pullout		
3.295	3.356		Curb	
3.363	3.761		Tunnel	
3.765	3.838		Curb	
3.860	0.000		Pullout	
3.917	3.942		Curb	
3.953	3.995	Curb		
3.960	0.000		Pullout	
3.998	4.065		Curb	
4.035	0.000		Culvert	
4.068	0.000		Drop Inlet	
4.072	4.130		Curb	
4.116	4.141	Turnout		Rte 902
4.139	4.200		Curb	
4.152	0.000		Drop Inlet	
4.186	0.000		Drop Inlet	
4.311	4.390		Curb	
4.379	0.000	Intersection		Rte 227
4.440	4.486	Curb		
5.039	5.076	Curb		
5.067	0.000		Culvert	
5.223	0.000	Pullout		
5.401	5.429	Guardwall		
5.415	0.000		Culvert	
5.477	5.519	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
5.581	5.653	Curb		
5.620	0.000		Pullout	
6.225	0.000		Pullout	
6.543	6.558	Curb		
6.606	6.623	Curb		
6.980	7.040	Curb		
7.140	7.200	Curb		
7.176	0.000		Culvert	
7.443	0.000		Pullout	
8.241	8.281	Turnout		Rte 903
8.310	0.000		Culvert	
8.446	0.000		Culvert	
8.648	0.000	Pullout		
8.687	0.000		Pullout	
9.269	9.322	Curb		
9.490	9.545	Curb		
9.550	0.000		Pullout	
9.560	0.000		Culvert	
9.971	0.000		Culvert	
10.076	0.000		Culvert	
10.132	0.000		Culvert	
10.290	0.000		Pullout	
10.427	10.451	Curb		
10.440	0.000		Intersection	
10.461	10.484	Curb		
10.507	0.000		Intersection	Rte 017
10.649	0.000	Intersection		Rte 226
10.667	10.694		Curb	
10.795	10.829	Curb		
10.819	0.000	Pullout		
10.870	10.916	Curb		
10.888	11.160		Curb	
11.083	0.000		Drop Inlet	
11.101	0.000	Intersection		
11.110	0.000		Pullout	
11.122	0.000		Intersection	Rte 404
11.152	0.000	Pullout		
11.170	11.350		Curb	
11.172	11.188	Curb		
11.227	11.299	Curb		
11.378	11.502		Curb	
11.442	0.000		Drop Inlet	
11.474	11.489	Curb		
11.508	11.558	Curb		
11.549	11.766		Curb	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
11.550 0.000	Pullout		
11.657 0.000		Drop Inlet	
11.704 11.827	Curb		
11.786 11.880		Curb	
11.899 0.000		Drop Inlet	
11.918 12.085		Curb	
11.922 12.004	Turnout		Rte 904
11.928 0.000		Drop Inlet	
11.930 11.999	Curb		
12.064 12.359	Curb		
12.177 12.196		Curb	
12.232 12.253		Curb	
12.283 12.359		Curb	
12.369 12.490	Curb		
12.383 12.446		Curb	
12.485 12.516		Curb	
12.493 0.000	Drop Inlet		
12.500 0.000		Pullout	
12.547 12.627	Curb		
12.570 12.662		Curb	
12.706 12.991		Curb	
12.746 0.000		Drop Inlet	
12.748 12.834	Curb		
12.763 0.000		Drop Inlet	
12.861 0.000		Drop Inlet	
12.894 13.000	Curb		
12.919 0.000	Pullout		
13.007 13.179	Curb		
13.052 13.162		Curb	
13.187 13.194	Curb		
13.202 13.255		Curb	
13.214 0.000	Pullout		
13.232 13.353	Curb		
13.313 13.374		Curb	
13.398 13.700		Curb	
13.434 0.000		Drop Inlet	
13.482 13.580	Curb		
13.492 0.000		Drop Inlet	
13.605 0.000		Drop Inlet	
13.624 14.024	Curb		
13.766 13.833		Curb	
13.868 14.024		Curb	
13.986 0.000	Drop Inlet		
14.074 14.234		Curb	
14.157 14.174	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
14.189 14.484	Curb		
14.244 14.264		Curb	
14.258 0.000	Drop Inlet		
14.284 14.319		Curb	
14.395 0.000	Drop Inlet		
14.424 14.492		Curb	
14.515 14.770	Curb		
14.557 0.000	Pullout		
14.577 14.585		Curb	
14.630 14.794		Curb	
14.802 15.000		Curb	
14.884 0.000		Drop Inlet	
14.912 15.025	Curb		
14.928 0.000		Drop Inlet	
14.980 0.000		Pullout	
15.034 15.124	Curb		
15.142 15.749		Curb	
15.151 15.231	Curb		
15.178 0.000		Culvert	
15.266 15.466	Curb		
15.324 0.000		Pullout	
15.325 0.000	Pullout		
15.349 0.000		Drop Inlet	
15.475 0.000		Drop Inlet	
15.501 0.000		Drop Inlet	
15.517 15.596	Curb		
15.591 0.000		Drop Inlet	
15.620 15.740	Curb		
15.652 0.000	Pullout		
15.753 15.841	Curb		
15.781 15.853		Curb	
15.803 0.000	Pullout		
15.856 0.000		Drop Inlet	
15.964 0.000		Pullout	
16.018 16.148	Curb		
16.042 16.330		Curb	
16.207 16.328	Curb		
16.237 0.000		Drop Inlet	
16.296 0.000		Drop Inlet	
16.307 0.000		Pullout	
16.325 0.000	Drop Inlet		
16.363 0.000		Pullout	
16.449 16.599		Curb	
16.458 16.553	Curb		
16.484 0.000	Drop Inlet		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
16.493	0.000		Drop Inlet	
16.523	0.000	Drop Inlet		
16.558	0.000		Drop Inlet	
16.569	16.894	Curb		
16.636	0.000	Drop Inlet		
16.650	0.000		Pullout	
16.705	0.000	Drop Inlet		
16.745	16.824		Curb	
16.821	0.000		Drop Inlet	
16.879	16.994		Curb	
16.987	0.000		Drop Inlet	
17.049	17.171		Curb	
17.116	17.248	Curb		
17.176	0.000	Drop Inlet		
17.185	17.200		Curb	
17.204	17.394		Curb	
17.306	0.000		Drop Inlet	
17.371	0.000		Drop Inlet	
17.384	17.546	Curb		
17.455	0.000	Drop Inlet		
17.521	0.000	Drop Inlet		
17.556	0.000	Pullout		
17.576	0.000	Drop Inlet		
17.578	17.702	Curb		
17.628	17.800		Curb	
17.705	0.000	Drop Inlet		
17.726	0.000		Drop Inlet	
17.737	17.798	Curb		
17.757	0.000	Drop Inlet		
17.809	17.836		Curb	
17.845	0.000		Drop Inlet	
17.857	17.915	Curb		
17.860	17.904		Curb	
17.883	0.000		Pullout	
17.951	18.106	Curb		
17.966	18.166		Curb	
17.983	0.000		Pullout	
18.012	0.000		Drop Inlet	
18.016	0.000	Drop Inlet		
18.038	0.000		Pullout	
18.084	0.000	Drop Inlet		
18.120	18.171	Curb		
18.178	18.224	Turnout		Rte 907
18.180	0.000		Intersection	Rte 224
18.185	18.217	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
18.367	18.486		Curb	
18.380	18.413	Turnout		Rte 908
18.388	18.408	Curb		
18.482	0.000		Drop Inlet	
18.523	18.651	Curb		
18.545	18.766		Curb	
18.777	18.821	Curb		
18.778	18.905		Curb	
18.830	18.966	Curb		
18.913	0.000	Drop Inlet		
18.960	0.000	Boundary		
18.960	0.000			End at Park Boundary

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000 0.000			Begin at Park Boundary
0.005 0.000		Boundary	
0.050 0.070	Curb		
0.066 0.000		Intersection	
0.126 0.000		Culvert	
0.206 0.228	Curb		
0.213 0.000	Culvert		
0.214 0.000		Culvert	
0.324 0.000		Culvert	
0.325 0.000	Culvert		
0.464 0.000		Culvert	
0.465 0.000	Culvert		
0.574 0.640	Curb		
0.585 0.000	Drop inlet		
0.609 0.000	Culvert		
0.717 0.000		Culvert	
0.761 0.000		Pullout	
0.797 0.000		Intersection	Rte 219, 909
0.821 0.000		Culvert	
0.936 0.000		Culvert	
0.954 0.979	Curb		
1.050 1.061	Curb		
1.092 0.000		Culvert	
1.195 0.000		Culvert	
1.211 1.249		Curb	
1.301 0.000		Culvert	
1.369 0.000		Culvert	
1.528 1.613	Curb		
1.537 0.000		Culvert	
1.592 0.000		Culvert	
1.718 0.000		Culvert	
1.759 0.000		Culvert	
1.884 2.008	Curb		
1.983 0.000		Culvert	
2.048 0.000	Pullout		
2.217 2.268	Curb		
2.332 0.000	Pullout		
2.363 0.000		Culvert	
2.375 2.428		Curb	
2.391 2.405	Curb		
2.443 0.000		Culvert	
2.505 2.558	Curb		
2.543 0.000		Culvert	
2.628 0.000		Culvert	
2.637 2.665	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
2.662	0.000		Culvert	
2.755	0.000		Culvert	
2.770	2.804	Curb		
2.812	2.872	Curb		
2.862	0.000		Culvert	
2.929	0.000		Culvert	
2.936	2.947	Curb		
3.031	3.057	Curb		
3.046	0.000		Culvert	
3.173	0.000		Culvert	
3.265	3.303	Curb		
3.362	0.000		Culvert	
3.412	3.441	Curb		
3.450	0.000		Culvert	
3.554	0.000		Culvert	
3.678	3.698	Curb		
3.890	0.000		Culvert	
3.937	0.000		Culvert	
3.969	0.000		Culvert	
4.156	0.000		Culvert	
4.225	0.000	Pullout		
4.246	0.000		Culvert	
4.326	0.000		Culvert	
4.339	4.372	Curb		
4.359	0.000		Culvert	
4.375	4.386	Curb		
4.421	0.000		Culvert	
4.430	4.457	Curb		
4.474	0.000		Culvert	
4.521	0.000		Culvert	
4.563	4.626	Curb		
4.576	0.000		Culvert	
4.669	0.000		Culvert	
4.721	0.000		Culvert	
4.768	4.793	Curb		
4.772	0.000		Culvert	
4.821	0.000		Culvert	
4.846	4.878	Curb		
4.863	0.000		Culvert	
4.906	4.919	Curb		
4.947	0.000		Culvert	
5.010	0.000		Culvert	
5.115	0.000		Intersection	
5.174	5.235	Curb		
5.241	0.000	Pullout		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
5.267	0.000		Drop Inlet	
5.346	0.000		Culvert	
5.349	0.000		Intersection	
5.503	0.000		Culvert	
5.536	5.578		Bridge	
5.554	5.618	Guardrail		
5.683	0.000		Intersection	Rte 221
5.746	0.000		Pullout	
5.778	0.000		Culvert	
6.008	0.000		Culvert	
6.240	0.000		Culvert	
6.330	0.000	Pullout		
6.360	0.000		Culvert	
6.452	0.000		Culvert	
6.502	0.000		Intersection	
6.535	0.000	Intersection		Rte 222
6.614	0.000		Culvert	
6.639	6.650	Curb		
6.642	0.000	Drop Inlet		
6.697	6.708	Curb		
6.780	6.803		Curb	
6.821	6.843		Curb	
6.853	0.000		Culvert	
6.944	0.000		Culvert	
6.987	0.000		Culvert	
7.066	0.000		Culvert	
7.067	7.093	Curb		
7.201	7.211	Curb		
7.219	7.236	Curb		
7.287	7.309	Curb		
7.289	0.000	Drop Inlet		
7.289	0.000		Pullout	
7.359	0.000		Pullout	
7.368	0.000	Drop Inlet		
7.371	7.402	Curb		
7.405	0.000	Pullout		
7.490	0.000		Culvert	
7.508	7.550	Curb		
7.514	0.000	Drop Inlet		
7.576	0.000		Pullout	
7.578	7.609	Curb		
7.624	0.000		Culvert	
7.664	0.000		Culvert	
7.767	0.000		Culvert	
7.770	7.787	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
7.773	0.000 Drop Inlet		
7.914	0.000	Pullout	
7.974	7.990 Guardwall		
8.028	8.047 Guardwall		
8.071	0.000	Culvert	
8.078	8.169 Curb		
8.238	0.000	Culvert	
8.396	0.000	Culvert	
8.474	0.000 Pullout		
8.479	0.000	Culvert	
8.564	0.000 Pullout		
8.574	0.000	Culvert	
8.628	0.000	Culvert	
8.669	0.000	Culvert	
8.682	8.702	Curb	
8.759	8.829 Curb		
8.760	0.000	Culvert	
8.763	0.000 Drop Inlet		
8.776	0.000	Pullout	
8.792	0.000 Drop Inlet		
8.803	0.000	Culvert	
8.887	0.000	Culvert	
8.937	0.000	Culvert	
8.973	0.000 Pullout		
8.978	0.000	Culvert	
9.046	0.000 Pullout		
9.065	0.000	Culvert	
9.217	0.000	Culvert	
9.218	0.000 Drop Inlet		
9.239	9.281 Curb		
9.239	9.281	Curb	
9.245	0.000	Pullout	
9.287	9.335 Curb		
9.340	9.345 Curb		
9.349	0.000 Pullout		
9.392	0.000	Culvert	
9.476	0.000	Culvert	
9.515	0.000	Culvert	
9.547	9.563 Curb		
9.642	0.000 Drop Inlet		
9.649	9.689 Curb		
9.653	0.000	Pullout	
9.871	0.000	Culvert	
9.928	0.000	Culvert	
10.110	10.137 Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
10.126	0.000		Culvert
10.241	0.000		Culvert
10.314	0.000		Pullout
10.344	10.379		Curb
10.351	0.000		Drop Inlet
10.417	0.000		Pullout
10.428	0.000		Culvert
10.529	0.000		Culvert
10.639	10.656		Curb
10.650	0.000		Culvert
10.720	10.740		Curb
10.723	0.000		Pullout
10.739	0.000		Culvert
10.858	0.000		Culvert
10.880	10.906		Curb
11.001	11.017		Curb
11.005	0.000		Drop Inlet
11.093	0.000		Pullout
11.119	0.000		Culvert
11.129	11.156		Curb
11.187	11.227		Curb
11.200	0.000		Drop Inlet
11.202	0.000		Culvert
11.286	0.000		Culvert
11.378	0.000		Culvert
11.390	11.408		Curb
11.430	11.463		Curb
11.491	0.000		Culvert
11.610	11.639		Curb
11.785	0.000		Culvert
11.820	0.000		Pullout
11.840	11.863		Curb
11.973	0.000		Culvert
12.047	0.000		Culvert
12.088	0.000		Culvert
12.100	12.120		Curb
12.352	0.000		Culvert
12.462	0.000		Drop Inlet
12.468	12.492		Curb
12.497	0.000		Culvert
12.530	0.000		Pullout
12.599	0.000		Drop Inlet
12.606	12.618		Curb
12.613	0.000		Culvert
12.792	0.000		Culvert

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
12.886	12.941	Curb		
12.901	0.000		Pullout	
13.040	0.000		Culvert	
13.136	13.173	Curb		
13.183	0.000		Culvert	
13.207	0.000	Pullout		
13.212	0.000		Culvert	
13.319	0.000		Culvert	
13.749	13.768	Curb		
13.806	0.000	Pullout		
13.897	0.000	Pullout		
13.951	0.000		Culvert	
14.139	0.000		Culvert	
14.417	0.000	Pullout		
14.455	0.000		Culvert	
14.472	14.496	Curb		
14.601	0.000		Culvert	
14.633	14.665	Curb		
14.654	0.000		Pullout	
14.669	0.000		Culvert	
14.855	0.000	Culvert		
14.863	0.000		Culvert	
14.896	0.000	Pullout		
14.943	0.000	Culvert		
14.944	0.000		Culvert	
15.058	15.070	Curb		
15.060	0.000		Pullout	
15.068	0.000		Culvert	
15.151	15.166	Curb		
15.156	0.000		Pullout	
15.163	0.000		Culvert	
15.297	0.000		Culvert	
15.458	0.000	Culvert		
15.461	0.000		Culvert	
15.470	15.500	Curb		
15.500	15.523		Curb	
15.546	0.000	Culvert		
15.658	15.679		Curb	
15.691	0.000		Culvert	
15.728	0.000	Pullout		
15.761	0.000	Culvert		
15.766	0.000		Culvert	
15.846	0.000	Culvert		
15.851	0.000		Culvert	
15.940	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
15.967	0.000	Culvert		
15.974	0.000		Culvert	
16.002	0.000	Pullout		
16.022	0.000	Culvert		
16.035	0.000		Culvert	
16.121	16.138	Curb		
16.131	0.000	Drop Inlet		
16.137	0.000		Culvert	
16.163	0.000	Pullout		
16.235	0.000		Culvert	
16.315	0.000	Drop Inlet		
16.320	0.000		Culvert	
16.352	0.000		Culvert	
16.436	0.000		Culvert	
16.458	0.000		Pullout	
16.566	0.000		Culvert	
16.719	0.000		Culvert	
16.742	0.000	Pullout		
16.782	0.000		Culvert	
16.843	0.000	Drop Inlet		
16.854	16.905	Curb		
16.968	0.000	Drop Inlet		
16.975	17.000	Curb		
17.009	0.000		Culvert	
17.107	17.121	Curb		
17.125	0.000		Culvert	
17.220	0.000		Culvert	
17.374	0.000		Culvert	
17.378	0.000	Intersection		
17.544	0.000		Culvert	
17.581	0.000	Pullout		
17.615	17.639	Curb		
17.746	17.818		Turnout	Rte 916
17.766	17.812		Curb	
17.784	0.000		Drop Inlet	
17.792	17.816	Turnout		
17.799	17.805	Curb		
17.821	0.000		Intersection	Rte 015
17.839	17.861		Curb	
17.855	0.000		Drop Inlet	
17.874	0.000		Pullout	
17.962	0.000		Culvert	
18.071	18.090	Curb		
18.086	0.000		Culvert	
18.233	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
18.435	18.485	Curb		
18.471	0.000	Drop Inlet		
18.550	18.589	Curb		
18.620	0.000	Pullout		
18.665	0.000		Culvert	
18.761	0.000		Culvert	
18.887	18.915	Curb		
18.927	0.000		Culvert	
19.090	0.000		Culvert	
19.197	0.000		Culvert	
19.220	0.000	Pullout		
19.425	19.432	Curb		
19.473	0.000	Pullout		
19.568	19.580	Curb		
19.572	0.000		Culvert	
19.753	0.000		Culvert	
19.868	0.000		Culvert	
19.974	0.000		Culvert	
20.121	20.146	Curb		
20.243	0.000	Pullout		
20.270	0.000		Culvert	
20.337	0.000		Culvert	
20.489	0.000		Culvert	
20.687	0.000		Pullout	
20.735	0.000	Pullout		
21.033	21.049	Curb		
21.061	21.079	Curb		
21.173	0.000		Pullout	
21.360	21.433	Curb		
21.440	0.000	Pullout		
21.476	0.000		Culvert	
21.633	0.000	Pullout		
21.688	0.000		Culvert	
21.739	0.000	Pullout		
21.773	0.000		Culvert	
21.950	0.000		Culvert	
21.966	22.000		Curb	
22.057	0.000		Culvert	
22.266	0.000	Drop Inlet		
22.298	0.000	Drop Inlet		
22.512	0.000	Drop Inlet		
22.519	22.556	Curb		
22.598	0.000		Drop Inlet	
22.703	0.000	Pullout		
22.718	22.744	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
22.752 0.000	Drop Inlet		
22.807 0.000		Culvert	
22.928 22.932	Curb		
22.976 0.000		Culvert	
23.003 0.000	Drop Inlet		
23.056 0.000		Culvert	
23.167 23.243	Curb		
23.210 0.000		Pullout	
23.213 0.000		Culvert	
23.301 0.000		Culvert	
23.363 0.000		Culvert	
23.381 23.396	Curb		
23.394 0.000		Culvert	
23.417 23.434	Curb		
23.461 23.485		Curb	
23.557 0.000		Culvert	
23.680 0.000		Culvert	
23.761 0.000		Culvert	
23.773 24.080	Guardwall		
23.828 0.000	Pullout		
23.848 0.000		Culvert	
23.923 0.000		Culvert	
24.063 0.000		Culvert	
24.126 24.151		Curb	
24.138 0.000	Pullout		
24.202 0.000		Culvert	
24.415 0.000		Culvert	
24.476 0.000		Culvert	
24.502 0.000		Culvert	
24.565 24.602		Curb	
24.612 0.000		Drop Inlet	
24.631 25.612	Curb		
24.631 25.612		Curb	
24.638 25.445		Tunnel	
24.650 0.000	Pullout		
24.805 25.436		Curb	
25.470 25.543		Turnout	Rte 917
25.478 25.536		Curb	
25.489 25.595	Guardwall		
25.502 25.530	Turnout		Rt 917
25.629 25.723	Curb		
25.666 0.000		Culvert	
25.717 0.000	Pullout		
25.734 25.747	Curb		
25.761 25.926	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
25.838 0.000	Drop Inlet		
25.920 0.000	Drop Inlet		
26.054 26.202	Curb		
26.072 0.000		Culvert	
26.206 0.000	Pullout		
26.207 0.000		Culvert	
26.273 26.294	Curb		
26.308 26.356	Curb		
26.346 0.000	Drop Inlet		
26.380 0.000		Culvert	
26.406 26.452	Curb		
26.499 0.000		Culvert	
26.509 26.537	Curb		
26.527 0.000	Drop Inlet		
26.597 0.000		Culvert	
26.634 26.707	Curb		
26.634 0.000		Culvert	
26.755 0.000		Culvert	
26.987 0.000		Intersection	Rte 918
27.024 27.057	Curb		
27.039 0.000	Drop Inlet		
27.080 0.000			End at Rte 500

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 015

Glacier Point Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000 0.000			Begin at Rte 014
0.000 0.042	Curb		
0.017 0.000		Intersection	
0.282 0.295	Curb		
0.302 0.000	Pullout		
0.307 0.310	Curb		
0.312 0.352		Curb	
0.337 0.000		Pullout	
0.809 0.000		Culvert	
0.839 0.857	Curb		
0.862 0.000	Pullout		
0.912 0.000		Culvert	
1.358 0.000	Pullout		
1.839 1.860	Curb		
1.853 0.000	Pullout		
1.881 1.904	Guardwall		
1.926 0.000	Pullout		
1.936 1.962	Guardwall		
1.999 0.000	Pullout		
2.011 2.034	Curb		
2.334 0.000		Culvert	
2.881 2.897	Curb		
2.906 0.000	Pullout		
3.164 0.000		Culvert	
3.221 0.000	Pullout		
3.356 0.000	Pullout		
3.424 0.000		Culvert	
3.879 0.000	Pullout		
4.221 0.000	Pullout		
4.284 0.000		Culvert	
4.511 0.000		Culvert	
4.769 0.000	Pullout		
4.947 0.000	Pullout		
4.981 5.028		Curb	
4.991 0.000		Pullout	
5.018 0.000		Intersection	Rte 919
6.013 0.000		Pullout	
6.575 0.000		Culvert	
7.807 0.000		Intersection	Rte 223
8.263 0.000	Pullout		
8.273 8.289		Bridge	
8.714 0.000		Culvert	
9.678 0.000		Culvert	
9.937 0.000		Culvert	
10.430 0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 015

Glacier Point Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
10.608	0.000	Culvert		
10.877	0.000	Culvert		
11.116	0.000	Culvert		
11.187	0.000	Culvert		
11.571	0.000	Culvert		
11.622	0.000	Culvert		
11.822	0.000	Culvert		
11.932	0.000	Culvert		
12.301	0.000		Culvert	
12.641	0.000		Culvert	
12.662	0.000		Culvert	
12.728	0.000		Culvert	
13.245	0.000		Culvert	
13.445	0.000	Intersection		Rte 920
13.498	0.000		Culvert	
13.737	0.000	Culvert		
13.867	0.000		Culvert	
13.904	0.000	Culvert		
13.962	0.000	Culvert		
13.975	0.000		Culvert	
14.064	0.000	Culvert		
14.199	0.000	Culvert		
14.311	0.000		Culvert	
14.774	0.000		Drop Inlet	
14.907	0.000		Culvert	
14.970	0.000	Culvert		
14.975	0.000		Culvert	
15.033	15.070		Turnout	Rte 921
15.112	0.000	Culvert		
15.213	0.000	Culvert		
15.223	0.000		Culvert	
15.231	0.000	Culvert		
15.239	0.000		Culvert	
15.295	0.000	Culvert		
15.304	0.000		Culvert	
15.383	0.000	Intersection		Rte 419
15.572	0.000	Culvert		
15.672	0.000		Culvert	
15.675	0.000	Culvert		
15.699	15.700		Curb	
15.702	15.734	Curb		
15.720	0.000			End at Rte 922

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 016

El Portal Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Park Boundary
0.001	0.000		Boundary	
0.040	0.353		Guardwall	
0.383	0.534		Guardwall	
0.462	0.502	Ditch		
0.564	0.000	Culvert		
0.643	0.712		Guardwall	
0.686	0.805	Ditch		
0.755	1.100		Guardwall	
1.111	1.142		Guardwall	
1.132	0.000	Pullout		
1.148	1.185		Guardwall	
1.190	1.268		Guardwall	
1.278	1.348		Guardwall	
1.445	1.458		Guardwall	
1.469	1.494		Guardwall	
1.491	0.000	Culvert		
1.525	1.540		Guardwall	
1.545	0.000	Culvert		
1.547	1.767		Guardwall	
1.605	0.000		Pullout	
1.662	0.000	Culvert		
1.680	0.000	Culvert		
1.844	1.958		Guardwall	
1.964	0.000	Culvert		
2.173	2.200		Guardwall	
2.251	2.299		Guardwall	
2.293	0.000	Culvert		
2.327	2.353		Guardwall	
2.605	2.623		Guardwall	
2.627	0.000	Culvert		
2.659	0.000	Drop Inlet		
2.730	0.000	Culvert		
2.799	0.000	Culvert		
2.814	0.000	Culvert		
3.089	0.000	Drop Inlet		
3.325	3.341		Guardwall	
3.350	0.000	Drop Inlet		
3.683	0.000	Culvert		
3.944	0.000		Drop Inlet	
3.951	0.000	Drop Inlet		
3.968	0.000	Drop Inlet		
4.135	0.000	Culvert		
4.311	0.000	Culvert		
4.472	0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 016

El Portal Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
4.616 0.000	Culvert		
4.671 0.000	Culvert		
4.783 0.000	Pullout		
4.840 0.000		Culvert	
4.990 0.000		Culvert	
5.012 5.019	Curb		
5.031 5.063		Bridge	
5.032 0.000	Pullout		
5.112 0.000	Culvert		
5.349 0.000	Culvert		
5.368 0.000	Culvert		
5.459 5.488		Guardwall	
5.488 0.000	Culvert		
5.537 0.000		Culvert	
5.608 0.000	Drop Inlet		
5.841 0.000	Drop Inlet		
5.882 5.908		Guardwall	
5.934 0.000	Drop Inlet		
5.972 0.000	Culvert		
6.117 0.000	Drop Inlet		
6.237 0.000	Culvert		
6.366 0.000	Culvert		
6.687 0.000	Culvert		
6.701 0.000	Culvert		
6.740 0.000			End at Rte 013

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000 0.000			Begin at Rte 013
0.042 0.000		Intersection	
0.652 0.000	Intersection		Rte 923
0.765 0.000	Culvert		
1.166 0.000	Culvert		
1.282 1.339		Curb	
1.672 0.000	Culvert		
1.705 1.765		Curb	
1.888 0.000	Culvert		
1.960 0.000	Culvert		
2.128 0.000		Culvert	
2.254 0.000		Culvert	
2.312 0.000	Culvert		
2.336 2.415		Curb	
2.507 0.000		Culvert	
2.659 0.000	Culvert		
2.691 0.000		Culvert	
3.148 0.000	Culvert		
3.351 0.000	Culvert		
3.774 0.000		Intersection	
3.833 0.000	Intersection		
3.858 0.000		Intersection	Rte 232
3.889 0.000		Intersection	Rte 924
4.226 0.000	Culvert		
4.387 0.000	Culvert		
4.683 0.000	Culvert		
4.895 0.000	Pullout		
4.993 0.000		Culvert	
5.228 0.000		Culvert	
5.328 0.000		Culvert	
5.339 5.374	Curb		
5.713 0.000	Pullout		
5.911 0.000	Culvert		
6.278 0.000		Culvert	
6.328 6.348	Curb		
6.368 6.402	Curb		
6.411 0.000		Culvert	
6.532 0.000		Culvert	
6.616 0.000		Culvert	
6.761 0.000		Culvert	
7.059 0.000	Culvert		
7.337 7.522	Curb		
7.401 0.000		Culvert	
7.499 7.523		Bridge	
7.543 0.000		Pullout	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
7.567 0.000		Culvert	
7.682 7.780	Curb		
7.717 0.000		Culvert	
7.809 0.000		Culvert	
7.978 8.024	Curb		
8.050 8.151	Curb		
8.570 0.000	Pullout		
8.632 0.000	Culvert		
8.765 0.000		Culvert	
8.810 0.000		Culvert	
8.902 0.000		Culvert	
9.588 9.622		Curb	
9.911 0.000	Culvert		
10.041 0.000	Culvert		
10.133 0.000	Culvert		
10.224 0.000	Culvert		
10.410 0.000	Culvert		
10.485 0.000	Culvert		
10.603 0.000	Culvert		
10.708 0.000	Culvert		
10.713 0.000		Culvert	
10.733 10.749		Curb	
10.789 0.000	Culvert		
10.819 0.000		Culvert	
11.172 0.000	Culvert		
11.235 0.000	Culvert		
11.325 0.000	Culvert		
11.337 0.000		Culvert	
11.380 0.000	Culvert		
11.403 0.000		Culvert	
11.446 0.000	Culvert		
11.530 0.000	Culvert		
11.616 0.000	Culvert		
11.670 0.000	Culvert		
11.744 0.000	Culvert		
11.826 0.000	Drop Inlet		
11.881 0.000	Culvert		
11.928 0.000	Culvert		
11.986 0.000	Culvert		
12.181 0.000	Culvert		
12.226 0.000	Culvert		
12.293 0.000	Culvert		
12.380 0.000	Culvert		
12.589 0.000	Culvert		
12.961 0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
13.032 0.000		Culvert	
13.177 0.000		Culvert	
13.247 0.000		Culvert	
13.478 0.000	Culvert		
13.638 0.000	Pullout		
13.683 0.000		Pullout	
14.315 0.000	Pullout		
14.336 0.000		Culvert	
14.523 0.000		Culvert	
14.634 0.000	Intersection		Rte 101
14.942 0.000		Intersection	Rte 233
14.988 15.019		Ditch	
15.791 15.970		Ditch	
15.810 15.966	Curb		
15.831 0.000	Pullout		
15.922 0.000	Drop inlet		
15.942 0.000	Pullout		
16.068 16.105		Curb	
16.080 0.000		Pullout	
16.122 16.165	Curb		
16.148 0.000	Pullout		
16.216 16.265		Curb	
16.242 0.000		Pullout	
16.421 16.530		Curb	
16.563 16.608		Turnout	Rte 926
16.572 16.600		Curb	
16.608 16.674	Ditch		
16.619 0.000	Drop Inlet		
16.706 16.805		Curb	
16.726 16.784		Turnout	Rte 927
16.935 17.206		Curb	
17.024 0.000		Drop Inlet	
17.113 0.000		Drop Inlet	
17.225 17.554	Ditch		
17.274 17.346		Curb	
17.314 0.000		Pullout	
17.353 17.365		Curb	
17.460 0.000		Culvert	
17.490 0.000	Drop Inlet		
17.525 17.679		Curb	
17.620 0.000		Drop Inlet	
17.716 17.857	Ditch		
17.756 18.059		Curb	
17.816 0.000	Drop Inlet		
17.993 0.000		Pullout	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
18.073	18.141	Ditch		
18.106	18.221		Curb	
18.137	0.000	Drop inlet		
18.157	18.451	Ditch		
18.176	0.000		Pullout	
18.196	0.000	Drop inlet		
18.291	0.000	Drop Inlet		
18.365	18.408		Turnout	Rte 928
18.394	0.000	Drop inlet		
18.493	0.000	Culvert		
18.523	18.823	Ditch		
18.632	0.000	Drop inlet		
18.672	18.825		Curb	
18.711	0.000		Pullout	
18.716	0.000	Drop inlet		
18.758	0.000		Drop Inlet	
18.764	0.000	Drop inlet		
18.849	18.919		Curb	
18.942	19.019		Ditch	
19.005	19.045	Ditch		
19.025	19.117		Curb	
19.153	19.334		Curb	
19.179	0.000	Drop Inlet		
19.185	19.315	Ditch		
19.188	0.000		Pullout	
19.209	0.000	Drop Inlet		
19.285	0.000	Culvert		
19.371	0.000	Culvert		
19.438	19.504	Ditch		
19.450	0.000	Culvert		
19.516	19.594	Ditch		
19.604	19.698		Curb	
19.611	0.000		Culvert	
19.642	0.000	Culvert		
19.690	0.000	Culvert		
19.753	19.804		Turnout	Rte 929
19.829	19.849		Bridge	
19.860	19.976		Curb	
19.877	0.000		Pullout	
19.950	0.000	Culvert		
19.962	0.000		Drop Inlet	
19.991	0.000		Intersection	Rte 930
20.016	20.034		Ditch	
20.039	20.116		Curb	
20.049	0.000		Drop Inlet	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
20.160	20.291	Ditch		
20.246	0.000	Culvert		
20.290	20.348		Curb	
20.304	0.000	Pullout		
20.313	0.000		Drop Inlet	
20.331	0.000		Pullout	
20.343	20.594	Ditch		
20.351	0.000	Culvert		
20.393	0.000	Culvert		
20.445	0.000	Culvert		
20.483	0.000	Culvert		
20.517	20.597		Curb	
20.549	0.000	Culvert		
20.568	0.000	Culvert		
20.656	20.914	Ditch		
20.728	0.000	Drop inlet		
20.830	0.000	Drop inlet		
20.892	0.000	Culvert		
20.934	21.308	Ditch		
20.940	0.000	Culvert		
20.949	21.065		Curb	
20.982	0.000	Culvert		
20.988	0.000		Pullout	
21.082	0.000	Culvert		
21.161	0.000	Culvert		
21.222	0.000		Culvert	
21.247	0.000	Culvert		
21.258	21.431		Curb	
21.373	0.000		Drop Inlet	
21.414	21.468	Ditch		
21.442	21.478		Curb	
21.485	21.496		Curb	
21.514	21.885	Ditch		
21.519	0.000	Drop Inlet		
21.615	0.000	Drop Inlet		
21.709	0.000	Drop Inlet		
21.768	21.856		Curb	
21.802	0.000		Drop Inlet	
21.805	0.000	Drop Inlet		
21.813	0.000		Pullout	
21.941	21.962		Curb	
21.967	22.054		Curb	
21.985	0.000		Drop Inlet	
22.044	0.000	Culvert		
22.065	22.318	Ditch		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
22.139	0.000	Drop Inlet		
22.173	22.388		Curb	
22.189	0.000	Drop Inlet		
22.226	0.000		Pullout	
22.236	0.000	Drop Inlet		
22.429	22.500	Ditch		
22.523	0.000	Drop Inlet		
22.529	22.675	Ditch		
22.639	0.000	Drop Inlet		
22.692	22.779		Curb	
22.716	0.000	Drop Inlet		
22.743	0.000		Pullout	
22.799	0.000	Culvert		
23.349	23.455	Curb		
23.650	23.739		Ditch	
23.729	23.938	Curb		
23.767	0.000		Culvert	
23.841	0.000	Drop Inlet		
23.899	23.936		Turnout	Rte 931
23.915	23.925		Curb	
23.947	0.000	Intersection		Rte 240
24.432	24.468		Turnout	Rte 932
24.517	24.597		Curb	
24.534	0.000	Culvert		
24.585	0.000		Drop Inlet	
24.750	0.000	Culvert		
24.801	0.000	Culvert		
24.828	24.909		Curb	
24.854	0.000	Culvert		
24.893	0.000		Culvert	
24.965	0.000	Culvert		
24.978	25.033		Curb	
25.001	0.000		Pullout	Rte 933
25.152	25.259		Curb	
25.175	0.000	Culvert		
25.251	0.000		Drop Inlet	
25.268	0.000	Culvert		
25.582	0.000	Drop Inlet		
25.647	25.747		Curb	
25.662	0.000		Drop Inlet	
25.690	0.000		Pullout	
25.798	25.874		Curb	
25.812	0.000		Drop Inlet	
25.831	0.000	Drop Inlet		
26.155	0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
26.327	0.000	Culvert	
26.420	0.000	Drop Inlet	
26.641	0.000	Culvert	
26.705	0.000	Drop Inlet	
26.760	26.834	Curb	
26.763	0.000	Drop Inlet	
26.788	0.000	Pullout	
26.810	26.831	Curb	
26.816	0.000	Pullout	
26.878	26.910	Curb	
27.128	0.000	Intersection	Rte 234
27.137	0.000	Culvert	
27.161	0.000	Intersection	Rte 935
27.191	0.000	Intersection	Rte 234
27.220	0.000	Intersection	Rte 935
27.244	27.532	Curb	
27.248	27.441	Ditch	
27.297	0.000	Drop Inlet	
27.325	0.000	Drop Inlet	
27.353	0.000	Drop Inlet	
27.404	0.000	Pullout	
27.418	0.000	Drop Inlet	
27.429	0.000	Drop Inlet	
27.561	27.609	Curb	
27.583	0.000	Pullout	Rte 936
27.698	27.727	Turnout	
27.746	27.759	Ditch	
27.860	28.057	Curb	
27.902	0.000	Pullout	
27.918	0.000	Drop Inlet	
27.970	0.000	Drop Inlet	
27.994	0.000	Pullout	
28.018	0.000	Drop Inlet	
28.070	0.000	Drop Inlet	
28.233	0.000	Drop Inlet	
28.237	28.381	Ditch	
28.306	0.000	Drop Inlet	
28.399	28.445	Curb	
28.424	0.000	Pullout	
28.469	28.533	Ditch	
28.510	28.642	Curb	
28.566	0.000	Drop Inlet	
28.707	0.000	Drop Inlet	
28.767	0.000	Drop Inlet	
28.822	28.908	Curb	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
28.851 0.000		Pullout	
29.000 29.048		Curb	
29.018 29.084	Ditch		
29.028 0.000		Pullout	
29.164 29.196	Curb		
29.182 0.000	Pullout		
29.370 29.484		Curb	
29.382 29.472		Turnout	Rte 937
29.563 29.634		Curb	
29.576 30.023	Ditch		
29.595 0.000		Pullout	
29.651 0.000	Drop Inlet		
29.693 0.000	Drop Inlet		
29.730 0.000	Drop Inlet		
29.791 0.000	Drop Inlet		
29.822 29.997		Curb	
29.848 0.000		Pullout	
29.903 0.000	Drop Inlet		
29.935 0.000	Drop Inlet		
29.968 0.000		Pullout	
29.989 0.000	Drop Inlet		
30.023 0.000		Culvert	
30.053 30.250	Ditch		
30.058 0.000		Culvert	
30.080 0.000	Drop Inlet		
30.089 0.000		Culvert	
30.122 0.000	Drop Inlet		
30.124 30.177		Curb	
30.132 0.000		Culvert	
30.153 0.000		Pullout	
30.160 0.000	Drop Inlet		
30.182 0.000		Culvert	
30.215 0.000	Drop Inlet		
30.224 0.000		Culvert	
30.258 0.000	Culvert		
30.264 30.306	Ditch		
30.267 30.463		Curb	
30.273 0.000		Culvert	
30.307 0.000		Pullout	
30.430 0.000		Culvert	
30.450 30.465	Guardwall		
30.472 30.498	Ditch		
30.487 0.000		Culvert	
30.517 0.000	Culvert		
30.551 0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
30.845	0.000		Intersection	Rte 938
30.880	0.000		Intersection	Rte 938
30.979	0.000		Intersection	Rte 939
30.986	31.192		Curb	
31.127	0.000	Culvert		
31.161	0.000		Pullout	
31.229	31.254	Curb		
31.237	0.000	Pullout		
31.248	0.000		Culvert	
31.280	0.000		Culvert	
31.312	0.000	Culvert		
31.320	31.367		Curb	
31.341	0.000		Pullout	
31.405	31.440	Curb		
31.454	0.000	Culvert		
31.555	0.000	Culvert		
31.559	0.000		Culvert	
31.579	31.594		Curb	
31.585	0.000	Culvert		
31.605	0.000		Intersection	
31.610	31.646		Curb	
31.652	0.000		Intersection	
31.662	32.170		Curb	
31.794	31.826	Curb		
31.813	0.000	Pullout		
31.858	0.000		Culvert	
31.902	0.000		Drop Inlet	
31.944	0.000		Pullout	
32.115	0.000		Pullout	
32.152	0.000		Drop Inlet	
32.201	0.000		Intersection	Rte 940
32.224	0.000	Culvert		
32.312	0.000		Intersection	Rte 940
32.444	0.000	Culvert		
32.517	0.000		Culvert	
32.538	0.000		Culvert	
32.611	0.000	Culvert		
32.626	0.000		Culvert	
32.629	32.684	Curb		
32.694	32.807	Ditch		
32.725	0.000	Drop Inlet		
32.834	0.000	Drop Inlet		
32.846	0.000	Pullout		
32.852	33.186	Ditch		
32.881	0.000	Drop Inlet		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
32.947 0.000	Drop Inlet		
32.979 33.217		Curb	
32.996 0.000	Drop Inlet		
33.038 0.000	Drop Inlet		
33.064 0.000		Drop Inlet	
33.095 0.000	Drop Inlet		
33.132 0.000		Drop Inlet	
33.206 0.000	Culvert		
33.278 0.000	Pullout		
33.550 33.592	Curb		
33.559 0.000	Drop Inlet		
33.599 33.637	Ditch		
33.630 0.000		Culvert	
33.646 0.000	Drop Inlet		
33.662 0.000		Culvert	
33.760 34.020	Ditch		
33.842 0.000	Culvert		
33.886 33.960		Curb	
33.919 0.000		Pullout	
34.070 0.000	Culvert		
34.286 0.000		Culvert	
34.294 0.000	Culvert		
34.321 0.000		Culvert	
34.393 0.000	Culvert		
34.535 34.610	Curb		
34.577 0.000	Pullout		
35.088 0.000		Culvert	
35.106 0.000		Culvert	
35.192 0.000		Culvert	
35.244 0.000		Culvert	
35.297 0.000		Culvert	
35.302 35.359	Curb		
35.382 35.436	Curb		
35.395 0.000		Culvert	
35.477 0.000		Culvert	
35.480 35.500	Curb		
35.494 0.000		Culvert	
35.508 35.521	Curb		
35.526 35.540	Curb		
35.549 0.000		Culvert	
35.556 35.613	Curb		
35.679 35.718		Curb	
35.796 35.865		Curb	
35.847 0.000		Drop Inlet	
35.905 0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
35.950	0.000	Culvert		
36.135	0.000	Culvert		
36.171	0.000	Culvert		
36.242	0.000	Culvert		
36.436	36.469	Curb		
36.500	36.586		Curb	
36.620	36.689		Curb	
36.907	0.000	Culvert		
36.982	0.000	Culvert		
37.074	0.000		Culvert	
37.160	0.000		Culvert	
37.199	37.334	Curb		
37.235	0.000		Culvert	
37.295	0.000	Drop Inlet		
37.364	0.000	Pullout		
37.416	0.000		Culvert	
37.442	0.000	Culvert		
37.511	0.000		Culvert	
37.543	0.000	Culvert		
37.560	0.000		Culvert	
37.588	0.000	Culvert		
37.610	0.000		Culvert	
37.638	0.000	Culvert		
37.763	0.000		Culvert	
37.790	0.000	Culvert		
37.846	0.000	Culvert		
37.895	0.000	Culvert		
37.943	0.000		Culvert	
38.021	0.000	Culvert		
38.034	0.000		Culvert	
38.077	0.000		Culvert	
38.105	0.000	Culvert		
38.154	0.000		Culvert	
38.187	0.000	Culvert		
38.278	0.000	Culvert		
38.380	0.000		Culvert	
38.465	0.000		Intersection	Rte 941
38.538	0.000		Intersection	Rte 941
38.594	0.000		Intersection	Rte 942
38.622	0.000		Drop Inlet	
38.641	0.000	Culvert		
38.658	0.000		Intersection	
38.785	0.000		Culvert	
38.817	0.000	Culvert		
38.875	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
38.906	0.000	Culvert		
38.974	0.000	Culvert		
38.991	0.000		Culvert	
39.023	0.000	Culvert		
39.052	0.000		Culvert	
39.070	0.000		Culvert	
39.107	0.000		Culvert	
39.137	0.000	Culvert		
39.175	0.000	Culvert		
39.324	0.000		Culvert	
39.356	0.000	Culvert		
39.384	0.000		Intersection	
39.416	0.000		Intersection	
39.445	39.508		Turnout	
39.545	39.586		Turnout	
39.566	0.000	Culvert		
39.593	0.000		Intersection	Rte 229
39.630	39.659		Bridge	
39.789	0.000	Intersection		Rte 405
39.830	0.000	Culvert		
39.886	0.000	Culvert		
39.919	0.000		Culvert	
39.949	0.000	Culvert		
40.134	0.000	Culvert		
40.172	0.000	Culvert		
40.174	0.000		Intersection	Rte 230
40.198	0.000	Culvert		
40.232	0.000	Culvert		
40.347	0.000	Culvert		
40.382	0.000	Culvert		
40.405	0.000		Culvert	
40.430	0.000	Culvert		
40.461	0.000	Culvert		
40.487	0.000		Culvert	
40.512	0.000	Culvert		
40.537	0.000		Culvert	
40.550	0.000	Culvert		
40.577	0.000	Culvert		
40.675	0.000		Culvert	
40.685	0.000	Drop Inlet		
40.692	41.164	Curb		
40.756	0.000		Culvert	
40.775	0.000	Drop Inlet		
40.886	0.000	Drop Inlet		
40.971	0.000	Drop Inlet		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
41.047 0.000		Culvert	
41.067 0.000	Drop Inlet		
41.101 41.457		Curb	
41.170 41.416	Curb		
41.462 0.000	Culvert		
41.541 0.000	Culvert		
41.646 0.000	Culvert		
41.695 0.000		Culvert	
41.797 0.000		Culvert	
41.965 0.000	Culvert		
42.048 0.000	Culvert		
42.149 0.000	Culvert		
42.288 0.000	Culvert		
42.448 0.000	Culvert		
42.537 0.000	Culvert		
42.614 0.000	Culvert		
42.692 0.000		Culvert	
42.699 0.000	Culvert		
42.785 0.000	Culvert		
43.017 0.000	Culvert		
43.094 0.000	Culvert		
43.182 0.000	Culvert		
43.259 0.000	Culvert		
43.401 0.000	Culvert		
43.449 0.000	Culvert		
43.562 0.000	Culvert		
43.826 0.000	Culvert		
43.856 43.883		Turnout	Rte 946
43.911 0.000	Culvert		
44.255 0.000	Culvert		
44.337 0.000	Culvert		
44.358 0.000		Culvert	
44.419 0.000	Culvert		
44.426 0.000		Culvert	
44.558 0.000		Culvert	
44.565 0.000	Culvert		
44.673 0.000		Culvert	
44.687 0.000	Culvert		
44.722 0.000	Culvert		
44.739 0.000		Culvert	
44.812 0.000	Culvert		
44.898 0.000	Culvert		
44.913 0.000		Culvert	
44.946 0.000		Pullout	
45.027 0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
45.217	0.000	Culvert		
45.268	45.311		Turnout	Rte 947
45.313	0.000	Culvert		
45.389	0.000	Culvert		
45.499	0.000	Culvert		
45.570	0.000	Culvert		
45.613	0.000	Culvert		
45.683	0.000	Culvert		
45.798	0.000	Culvert		
45.890	0.000	Culvert		
45.971	0.000	Culvert		
46.034	0.000	Culvert		
46.098	0.000	Culvert		
46.127	0.000		Culvert	
46.143	0.000	Culvert		
46.183	0.000	Culvert		
46.271	0.000	Culvert		
46.307	0.000		Culvert	
46.354	0.000	Culvert		
46.383	0.000	Culvert		
46.430	46.514	Curb		
46.459	46.512		Curb	
46.519	0.000	Culvert		
46.519	46.561		Turnout	Rte 948
46.588	0.000	Culvert		
46.655	46.691	Turnout		Rte 949
46.719	0.000	Boundary		
46.720	0.000			End at Park Boundary

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 100

Hetch Hetchy Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Park Boundary
0.243	0.000	Culvert		
0.300	0.000		Culvert	
0.595	0.000		Culvert	
0.601	0.000		Culvert	
0.741	0.000		Culvert	
0.770	0.000		Culvert	
0.896	0.000		Culvert	
0.995	0.000	Culvert		
1.038	0.000		Culvert	
1.049	0.000	Culvert		
1.103	0.000		Culvert	
1.235	0.000		Culvert	
1.790	0.000		Culvert	
1.800	0.000	Culvert		
1.829	0.000	Culvert		
2.212	0.000		Culvert	
2.275	0.000		Culvert	
2.341	0.000		Culvert	
2.526	0.000		Culvert	
2.605	0.000		Culvert	
2.736	0.000		Culvert	
2.784	0.000		Culvert	
2.992	0.000		Culvert	
3.086	0.000		Culvert	
3.374	0.000		Culvert	
3.415	0.000		Culvert	
3.482	0.000	Culvert		
3.521	0.000		Culvert	
3.794	0.000		Culvert	
3.941	0.000	Culvert		
3.988	0.000		Culvert	
4.109	0.000		Culvert	
4.377	0.000		Culvert	
4.598	0.000		Culvert	
4.624	0.000	Culvert		
4.710	0.000	Culvert		
4.835	0.000		Culvert	
4.930	0.000		Culvert	
4.961	0.000	Culvert		
4.996	5.048	Guardwall		
5.006	0.000		Culvert	
5.059	5.114	Guardwall		
5.079	0.000		Culvert	
5.125	5.139	Guardwall		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 100

Hetch Hetchy Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
5.182	0.000		Culvert	
5.246	5.257	Guardwall		
5.275	5.304	Guardwall		
5.322	5.370	Guardwall		
5.327	0.000		Culvert	
5.384	0.000		Culvert	
5.401	0.000	Culvert		
5.420	0.000		Culvert	
5.475	5.561	Guardwall		
5.563	5.589	Guardrail		
5.596	5.652	Guardwall		
5.638	0.000		Culvert	
5.852	0.000		Culvert	
5.901	0.000		Culvert	
6.001	0.000		Culvert	
6.074	0.000	Culvert		
6.088	0.000		Culvert	
6.227	0.000		Culvert	
6.284	0.000		Culvert	
6.325	0.000		Culvert	
6.434	0.000		Culvert	
6.481	0.000	Culvert		
6.496	0.000	Culvert		
6.519	0.000		Culvert	
6.889	0.000		Culvert	
6.927	6.953	Guardwall		
7.039	0.000		Culvert	
7.138	0.000		Culvert	
7.186	0.000		Culvert	
7.213	7.279	Guardwall		
7.320	0.000		Culvert	
7.516	0.000	Intersection		Rte 238
7.685	0.000		Culvert	
7.972	0.000		Intersection	
8.020	0.000			End at Rte 238

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 101

White Wolf Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 017
0.217	0.000		Drop Inlet	
0.827	0.000	Drop Inlet		
1.057	0.000	Intersection		Rte 925
1.069	0.000	Intersection		Rte 925
1.101	0.000		Pullout	
1.106	0.000	Pullout		
1.126	0.000		Intersection	Rte 231
1.135	0.000		Intersection	
1.140	0.000	Intersection		Rte 925
1.140	0.000			End at Unpaved road

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 206

Stable Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.005	0.131		Curb	
0.058	0.000		Drop Inlet	
0.139	0.000		Intersection	Rte 213
0.147	0.204		Curb	
0.355	0.000		Intersection	Rte 408
0.402	0.000	Culvert		
0.404	0.000		Culvert	
0.456	0.000		Intersection	Rte 210 Rte 211
0.459	0.000	Intersection		
0.483	0.519	Curb		
0.485	0.520		Curb	
0.490	0.516		Bridge	
0.536	0.000	Intersection		Rte 212
0.540	0.000			End at Rte 408

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 207

Ahwahnee Hotel Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.052	0.000		Intersection	
0.129	0.000		Intersection	
0.156	0.000	Intersection		Rte 400
0.188	0.000	Culvert		
0.225	0.000	Intersection		Rte 956
0.318	0.000		Pullout	
0.516	0.000	Culvert		
0.613	0.000		Intersection	
0.677	0.680		Curb	
0.700	0.000			End at Hotel Parking

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 213

Curry Village Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 500
0.043	0.000		Intersection	Rte 953
0.074	0.000		Intersection	Rte 214
0.120	0.000		Intersection	Rte 954
0.175	0.000		Intersection	Rte 954
0.204	0.000	Pullout		
0.246	0.000		Intersection	
0.280	0.000			End at Rte 206

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 219

Mariposa Grove Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 014
0.005	0.000	Intersection		
0.041	0.000	Intersection		Rte 909
0.139	0.000	Culvert		
0.209	0.000	Culvert		
0.357	0.000	Culvert		
0.602	0.000	Culvert		
0.614	0.000		Culvert	
0.631	0.638		Curb	
0.662	0.678		Curb	
0.727	0.799		Curb	
0.744	0.000	Culvert		
0.822	0.000	Culvert		
0.824	0.000		Culvert	
0.909	0.955		Curb	
0.915	0.000	Culvert		
0.930	0.000		Culvert	
1.087	0.000	Culvert		
1.220	1.266		Curb	
1.221	0.000	Culvert		
1.237	0.000		Culvert	
1.436	0.000	Culvert		
1.486	0.000	Culvert		
1.493	0.000		Culvert	
1.501	0.000	Culvert		
1.619	0.000	Culvert		
1.944	0.000		Culvert	
1.955	0.000	Culvert		
2.000	0.000		Intersection	Rte 910
2.038	0.000		Intersection	Rte 910
2.040	0.000			End at Rte 911

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 220

Wawona History Center Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 014
0.001	0.025		Curb	
0.131	0.000		Intersection	Rte 912
0.237	0.000		Culvert	
0.277	0.000		Culvert	
0.800	0.000			End at County Line

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 221

Chihuana Falls Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 014
0.031	0.000		Culvert	
0.192	0.000		Culvert	
0.196	0.000	Culvert		
0.211	0.237		Curb	
0.222	0.000		Pullout	
0.328	0.000	Culvert		
0.346	0.000		Intersection	Rte 235
0.439	0.000		Culvert	
0.444	0.000	Culvert		
0.461	0.000	intersection		Rte 413
0.467	0.000		Culvert	
0.470	0.000	Culvert		
0.530	0.000		Culvert	
0.533	0.000	Culvert		
0.585	0.000	Intersection		Rte 414
0.650	0.000	Culvert		
0.660	0.000		Culvert	
0.663	0.000	Culvert		
0.773	0.000	Culvert		
0.795	0.000	Culvert		
0.802	0.000	Intersection		
0.820	0.000	Intersection		
0.820	0.000			End at County Line

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 224

Hodgdon Meadow Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000 0.000			Begin at Rte 013
0.267 0.000	Culvert		
0.480 0.000			End at Rte 415

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 227

Foresta Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 013
0.307	0.000	Drop Inlet		
0.380	0.000	Culvert		
0.494	0.508		Curb	
0.525	0.000		Culvert	
0.740	0.000			End at Pavement Change

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 230

Tuolumne Lodge Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 017
0.046	0.000		Intersection	Rte 944
0.145	0.000		Pullout	
0.146	0.000	Pullout		
0.233	0.000	Culvert		
0.393	0.000		Culvert	
0.394	0.000	Culvert		
0.402	0.000	Intersection		Rte 945
0.446	0.000		Culvert	
0.453	0.000	Culvert		
0.475	0.000	Culvert		
0.559	0.000	Culvert		
0.577	0.000		Pullout	
0.660	0.000			End at Lodge Parking

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 236

Mariposa Grove Tram Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 219
0.008	0.020		Curb	
0.015	0.000		Pullout	
0.891	0.000		Pullout	
3.062	0.000		Intersection	Rte 418
4.040	0.000			End at Rte 236

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 238

O'Shaughnessy Dam Access

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 100
0.128	0.189		Guardwall	
0.158	0.000		Pullout	
0.206	0.301		Guardwall	
0.680	0.000			End at Rte 100

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 400

Yosemite Village Administration Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 207
0.040	0.000		Culvert	
0.075	0.000	Intersection		Rte 409
0.090	0.000		Intersection	
0.131	0.000	Intersection		
0.143	0.000	Intersection		
0.234	0.000		Culvert	
0.248	0.000		Culvert	
0.286	0.000		Culvert	
0.327	0.000		Drop Inlet	
0.354	0.000		Culvert	
0.460	0.000			End at Rte 409

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 406

Foresta Road (West)

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte SR 140
0.007	0.044		Bridge	
0.047	0.101		Curb	
0.088	0.000	Intersection		Rte 964
0.181	0.000	Intersection		Rte 964
0.330	0.000	Intersection		Rte 964
0.371	0.000	Intersection		Rte 964
0.381	0.000	Intersection		Rte 964
0.396	0.000	Intersection		Rte 964
0.451	0.000	Intersection		Rte 964
0.723	0.000	Drop Inlet		
0.834	0.000	Culvert		
1.050	0.000	Intersection		Rte 410
1.188	0.000		Culvert	
1.267	0.000	Intersection		Rte 410
1.352	1.383		Guardrail	
1.415	0.000	Drop Inlet		
1.497	1.768		Curb	
1.503	1.522	Guardwall		
1.567	0.000	Drop Inlet		
1.621	0.000	Drop Inlet		
1.636	0.000	Drop Inlet		
1.762	0.000	Culvert		
1.931	0.000	Drop Inlet		
2.118	0.000	Drop Inlet		
2.169	0.000		Culvert	
2.170	0.000	Culvert		
2.223	0.000		Culvert	
2.223	0.000	Culvert		
2.366	0.000	Culvert		
2.410	0.000		Intersection	
2.500	0.000			End at Fire Station

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 407

Mirror Lake Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 408
0.208	0.229		Bridge	
0.510	0.000		Culvert	
0.800	0.000			End at Mirror Lake

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 408

Happy Isles Shuttle Loop

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 206
0.209	0.000	Intersection		Rte 407
0.238	0.000	Intersection		
0.483	0.000	Culvert		
0.509	0.000	Culvert		
0.770	0.801		Bridge	
0.804	0.841	Guardrail		
0.864	0.000	Intersection		Rte 417
0.952	0.000	Culvert		
1.028	0.000		Culvert	
1.166	0.000	Culvert		
1.172	0.000		Culvert	
1.296	0.000	Culvert		
1.300	0.000		Culvert	
1.322	0.000	Intersection		Rte 215
1.454	0.000	Culvert		
1.440	0.000			End at Rte 206

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 013
0.002	0.025		Bridge	
0.053	0.000		Culvert	
0.097	0.000		Culvert	
0.131	0.000		Pullout	
0.291	0.000		Culvert	
0.607	0.000		Culvert	
0.853	0.000		Culvert	
0.907	0.000		Intersection	Rte 014
0.976	0.000		Culvert	
0.995	0.000		Culvert	
1.028	0.000		Culvert	
1.060	0.000		Culvert	
1.099	0.000	Pullout		
1.108	0.952	Curb		
1.139	1.228		Curb	
1.170	0.000		Pullout	
1.221	1.183	Curb		
1.296	1.236	Curb		
1.304	0.000		Culvert	
1.398	0.000	Pullout		
1.404	1.393	Curb		
1.413	0.000		Culvert	
1.429	0.000	Pullout		
1.438	1.421	Curb		
1.514	0.000	Pullout		
1.526	1.505	Curb		
1.689	0.000	Pullout		
1.830	0.000		Culvert	
1.958	0.000		Drop Inlet	
2.010	0.000		Culvert	
2.216	2.185	Curb		
2.256	0.000		Culvert	
2.287	0.000	Pullout		
2.297	2.281	Curb		
2.346	0.000	Intersection		Rte 011
2.411	0.000	Intersection		
2.547	0.000	Intersection		Rte 239
2.579	0.000		Pullout	
2.583	0.000	Pullout		
2.606	0.000		Culvert	
2.717	0.000		Culvert	
2.793	0.000	Pullout		
2.989	0.000		Culvert	
3.068	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
3.300	0.000		Culvert	
3.443	0.000		Culvert	
3.491	0.000		Culvert	
3.505	0.000		Pullout	
3.513	0.000	Pullout		
3.681	0.000		Culvert	
3.788	0.000		Culvert	
3.822	0.000		Culvert	
3.844	0.000		Culvert	
3.858	0.000		Culvert	
3.889	0.000		Culvert	
3.980	0.000		Culvert	
4.013	0.000		Culvert	
4.026	0.000	Intersection		Rte 402
4.053	0.000		Culvert	
4.141	0.000	Pullout		
4.147	0.000		Pullout	
4.351	0.000	Intersection		Rte 950
4.396	0.000	Intersection		Rte 950
4.484	0.000		Culvert	
4.635	0.000	Pullout		
4.928	0.000		Intersection	Rte 951
5.080	5.068	Curb		
5.084	0.000	Intersection		Rte 012
5.087	5.095		Curb	
5.103	5.090	Curb		
5.163	5.254		Curb	
5.283	5.391		Curb	
5.438	5.497		Curb	
5.503	0.000		Culvert	
5.674	0.000	Intersection		Rte 203
5.731	0.000		Pullout	
5.851	0.000		Pullout	
6.029	0.000		Culvert	
6.079	0.000		Intersection	Rte 214
6.081	0.000		Intersection	Rte 206, 213
6.121	6.163		Bridge	
6.272	0.000		Pullout	
6.285	0.000	Intersection		
6.342	0.000		Pullout	
6.460	6.779		Curb	
6.518	0.000		Pullout	Rte 955
6.596	0.000		Drop Inlet	
6.783	0.000		Intersection	
6.825	0.000		Intersection	Rte 207

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
6.939	0.000	Intersection		Rte 012
6.961	0.000		Intersection	Rte 409
7.245	0.000		Intersection	Rte 409
7.258	7.471		Curb	
7.273	7.312	Curb		
7.335	0.000		Pullout	
7.345	0.000		Drop Inlet	
7.360	0.000	Pullout		
7.490	7.506		Curb	
7.510	7.517		Curb	
7.523	7.538		Bridge	
7.618	0.000		Pullout	
7.622	0.000	Intersection		Rte 961
7.638	0.000		Intersection	Rte 961
7.924	0.000	Intersection		Rte 217
7.970	0.000		Drop Inlet	
7.994	0.000	Intersection		
8.090	0.000		Culvert	
8.120	0.000		Culvert	
8.172	0.000		Culvert	
8.199	0.000		Culvert	
8.429	0.000		Drop Inlet	
8.815	0.000		Pullout	
8.897	0.000		Culvert	
8.990	0.000		Culvert	
9.012	0.000		Culvert	
9.022	0.000		Culvert	
9.087	0.000		Culvert	
9.108	0.000		Culvert	
9.155	0.000		Culvert	
9.336	0.000		Culvert	
9.527	0.000		Culvert	
9.604	0.000		Intersection	Rte 962
9.638	0.000		Culvert	
9.696	0.000		Intersection	Rte 962
9.761	0.000		Culvert	
9.803	0.000		Culvert	
9.834	0.000		Culvert	
9.938	0.000		Culvert	
9.976	0.000		Culvert	
10.005	0.000		Culvert	
10.367	0.000	Intersection		Rte 011
10.448	0.000	Intersection		Rte 011
10.506	0.000		Culvert	
10.528	0.000	Pullout		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
10.949	0.000		Culvert	
11.230	0.000		Culvert	
11.304	0.000		Culvert	
11.378	0.000	Pullout		
11.391	0.000		Culvert	
11.394	11.356	Curb		
11.485	0.000		Culvert	
11.651	0.000		Culvert	
11.780	0.000		Culvert	
11.968	0.000		Culvert	
12.109	0.000		Culvert	
12.201	0.000		Culvert	
12.205	0.000	Intersection		Rte 963
12.460	0.000			End at Rte 013

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 011
DATE: 09/99



Photo #3480 - MP 0.08 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 012
DATE: 09/99




Photo #3478 - MP 0.08 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 013
DATE: 09/99



Photo #3454 - MP 0.02 - Typical Pavement Section



Photo #3455 - MP 15.31 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 013
DATE: 09/99




Photo #3469 - MP 0.07 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 014
DATE: 09/99



Photo #3449 - MP 0.03 - Typical Pavement Section



Photo #3450 - MP 17.80 - Typical Pavement Section, with sealed cracks.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 015
DATE: 09/99



Photo #3434- MP 0.02 - Typical Pavement Section



Photo #3450 - MP 5.02 - Pavement Change to new asphalt

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 016
DATE: 09/99



Photo #3439 - MP 0.00 - Begin at Park Boundary. Note alligator cracking.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 017
DATE: 09/99




Photo #3470 - MP 0.04 - Typical Pavement Section




Photo #3471 - MP 20.30 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 017
DATE: 09/99



Photo #3472 - MP 35.86 - Typical Pavement Section



Photo #3473 - MP 40.11 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 100
DATE: 09/99



Photo #3456 - MP 0.00 - Begin at Park Boundary



Photo #3457 - MP 5.60 - Shoulder Washout

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800

ROUTE NUMBER: 101

DATE: 09/99




Photo #3476 - MP 0.00 - Begin at Rte 017

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 206
DATE: 09/99



Photo #3464 - MP 0.10 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 213
DATE: 09/99




Photo #3463 - MP 0.00 - Begin at Rte 500. Note right side block cracking.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 215
DATE: 09/99



Photo #3462 - MP 0.00 - Begin at Rte 954

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 219
DATE: 09/99



Photo #3448 - MP 0.03 - Typical Pavement Section.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 220
DATE: 09/99



Photo #3442 - MP 0.00 - Begin at Rte 014. Heavy alligator cracking.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800

ROUTE NUMBER: 221

DATE: 09/99



Photo #3441 - MP 0.00 - Begin at Rte 014, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 224
DATE: 09/99



Photo # 3459 - MP 0.00 - Begin at Rte 013, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 227
DATE: 09/99



Photo #3477 - MP 0.00 - Begin at Rte 013, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 230
DATE: 09/99



Photo #3474 - MP 0.02 - Typical Pavement Section



Photo #3475 - MP 0.50 - Pavement Change

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 236
DATE: 09/99



Photo #3443 - MP 0.08 - Typical Pavement Section



Photo #3444 - MP 2.50 - Width Change - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 238
DATE: 09/99



Photo #3458 - MP 0.10 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 400
DATE: 09/99



Photo #3479 - MP 0.02 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 406
DATE: 09/99




Photo #3438 - MP 0.15 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 407
DATE: 09/99



Photo #3468 - MP 0.00 - Begin at Rte 408, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 408
DATE: 09/99



Photo #3465 - MP 0.00 - Begin at Rte 206, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 500
DATE: 09/99



Photo #3460 - MP 0.12 - Typical Pavement Section




Photo #3461 - MP 10.64 - Typical Pavement Section

XI. UNPAVED ROUTES

Unpaved routes are not addressed in this report at this time. Section "IV. ROUTE INVENTORY" includes a current register of all unpaved routes (name, number, estimated mileage to the nearest 0.01, functional class, number of lanes, and termini description). Any further information will be added post 1997-99 data collection. Data was collected for unpaved routes in numerous parks during the '94-'96 data collection cycle. This data (digital images, GPS traces, features inventory, and condition assessments) may be processed in the future.

YOSEMITE NATIONAL PARK - YOSE - 8800 - R.O.W. VIDEO TAPE INDEX

PAVED ROUTE NO.	MILEAGE AT BEGINNING FRAME	FROM	TO	BEGINNING FRAME NO.	ENDING FRAME NO.	VIDEO TAPE NO.*	DATE	DIR: PRIM/OPP
011	0.00	Rte 500	Rte 500	171963	173534	1	90999	P
011	0.38	Rte 500	Rte 500	185478	186972	1	90999	O
012	0.00	Rte 500	Rte 500	177770	178957	1	90999	P
012	0.30	Rte 500	Rte 500	193551	194650	1	90999	O
013	0.00	Rte 500	Boundary	10018	67234	4	91199	P
013	18.96	Boundary	Rte 500	1943	57926	5	91199	O
014	0.00	S Boundary	Rte 500	76087	167830	1	90999	P
014	27.08	Rte 500	S Boundary	5186	94073	2	90999	O
015	0.00	Rte 014	Rte 922	3039	51232	3	91099	P
015	15.72	Rte 922	Rte 014	55531	104299	3	91099	O
016	0.00	Boundary	Rte 013	83618	109851	5	91299	P
016	6.74	Rte 013	Boundary	145590	171106	7	91299	O
017	0.00	Rte 013	Boundary	63320	186833	6	91299	P
017	46.72	Boundary	Rte 013	3049	126077	7	91299	O
100	0.00	Boundary	Rte 238	70952	101304	4	91199	P
100	8.02	Rte 238	Boundary	118298	158842	4	91199	O
101	0.00	Rte 017	Barrier	128419	132718	7	91299	P
101	1.14	Barrier	Rte 017	138363	142588	7	91299	O
206	0.00	Rte 500	Rte 408	166506	168715	3	91199	P
206	0.54	Rte 408	Rte 500	171070	173645	3	91199	O
207	0.00	Rte 500	Hotel	120056	124298	3	91199	P
207	0.70	Hotel	Rte 500	129286	133283	3	91199	O
213	0.00	Rte 500	Rte 206	111778	112895	5	91299	P
213	0.28	Rte 206	Rte 500	114735	115886	5	91299	O
219	0.00	Rte 014	Rte 236	5423	13617	1	90999	P
219	2.04	Rte 236	Rte 014	63409	71849	1	90999	O
220	0.00	Rte 014	County Line	152405	155968	2	91099	P
221	0.00	Rte 014	County Line	158952	162209	2	91099	P
221	0.82	County Line	Rte 014	165994	169046	2	91099	O
223	0.00	Rte 015	Speed Bump	115460	116776	3	91099	P
224	0.00	Rte 013	Rte 415	162680	164409	4	91199	P
224	0.48	Rte 415	Rte 013	167954	169666	4	91199	O

YOSEMITE NATIONAL PARK - YOSE - 8800 - R.O.W. VIDEO TAPE INDEX

PAVED ROUTE NO.	MILEAGE AT BEGINNING FRAME	FROM	TO	BEGINNING FRAME NO.	ENDING FRAME NO.	VIDEO TAPE NO.*	DATE	DIR: PRIM/ OPP
227	0.00	Rte 013	County Line	59906	62601	5	91199	P
227	0.74	County Line	Rte 013	65566	68405	5	91199	O
230	0.00	Rte 017	Lodge	191954	194906	6	91299	P
230	0.66	Lodge	Rte 017	201146	203947	6	91299	O
236	0.00	Rte 219	End Loop	98618	139487	2	90999	P
238	0.00	End of 100	Rte 100	107921	113520	4	91199	P
400	0.00	Rte 207	Rte 409	138616	140690	3	91199	P
400	0.46	Rte 409	Rte 207	143243	145897	3	91199	O
406	0.00	SR 140	Fire Station	172625	181864	7	91299	P
406	2.50	Fire Station	SR 140	186692	195617	7	91299	O
407	0.00	Rte 408	Lake	117652	121853	5	91299	P
408	0.00	End of 206	Rte 206	178966	184728	3	91199	P
408	1.44	Rte 206	End of 206	188841	194368	3	91199	O
415	0.00	Rte 224	End of Loop	170774	173289	4	91199	P
418	0.00	Rte 236	Heliport	145062	914622	2	91099	P
500	0.00	Rte 013	Rte 013	149917	196397	5	91299	P
500	12.46	Rte 013	Rte 013	1224	55544	6	91299	O
600	0.00	Rte 409	Rte 400	150030	150755	3	91199	P

GLOSSARY OF TERMS
AND
ABBREVIATIONS

<u>TERM OR ABBREVIATION</u>	<u>DESCRIPTION OR DEFINITION</u>
8800	Yosemite National Park Numeric Code
AADT	Annually adjusted average daily traffic. Average daily traffic for the term period comprising 80% of annual visitation.
CRS	Condition Rating Sheet. Index rating for pavement distresses, roadway condition and cross section information.
DCR	Drainage Condition Rating
Deficient Lane Miles	Lane Miles rated in POOR Condition.
DIRI	Driver International Roughness Index
Drainage Condition Rating	Drainage condition rating. An alpha rating from P (failed) to E (excellent) based on visual observations.
EXCELLENT	Excellent rating. PCR (or SCR) 95 or greater.
F_C	Functional Class. See Table 1 in appendix.
FAIR	Fair rating. PCR (or SCR) between 61 and 84.
GOOD	Good rating. PCR or (SCR) between 85 and 94
IRI	International Roughness Index
Lane	The portion of roadway from centerline to fogline or edge of pavement if no fog line exists.
Lane Miles	Mileage of total pavement coverage, based on a standard lane width. Either calculated as straight route mileage times the number of lanes, or as an area converted to 11 foot lane widths.
LRUT	Left Rut
NA	Not applicable.

PAV_MI Paved portion of route, length in miles.

Pavement Width The entire portion of roadway from edge of pavement to edge of pavement.

PCR Pavement condition rating. Numerical rating from 0 to 100 (excellent). Based on the surface condition and roughness of the road.

POOR Poor rating. PCR (or SCR) 60 or less.

RI Roughness Index.

RMR Rocky Mountain Region

RRUT Right Rut

RT# Route number.

RTE_DESCRIPTION Description of the route terminus.

RTE_MI Total route length in miles.

RTE_NAME Route name.

SADT Seasonal Annual Daily Traffic. Average daily traffic for the total "season".

SCR Surface Condition Rating. Numerical rating from 0 (failed) to 100 (excellent). Based on the extent of alligator cracking, patching, longitudinal cracking, rutting, and transverse cracking.

Shoulder Condition Rating Alpha rating from P (failed) to E (excellent). Visual and measured observations of the adequacy of a section of shoulder. Also applies to curb and gutter.

Shoulder Width If fogline exists, the portion of pavement outside lane, from fogline to edge of pavement.

UNPAV_MI Unpaved portion of route, length in miles.

YOSE Yosemite National Park Alpha Code

GENERAL PARK ROAD FUNCTIONAL CLASSIFICATION - TABLE 1

Class I	Principal Park Road/Rural Parkway (Public Roads) - Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1-99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1-9. All other FC 1 routes have two digit numbers.
Class II	Connector Park Road (Public Roads) - Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc. Route Numbers 100-199.
Class III	Special Purpose Park Road (Public Roads) - Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
Class IV	Primitive Park Roads (Public Roads) - Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299. Note: Functional Classes III and IV have the same route numbers because, historically, they were numbered similarly.
Class V	Administrative Access Road (Administrative Roads) - All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
Class VI	Restricted Road (Administrative Roads) - All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499. Note: Functional Classes V and VI have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC VI rather than FC V.
Class VII	Urban Parkway (Urban Parkways and City Streets) - These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
Class VIII	City Streets (Urban Parkways and City Streets) - City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

DESCRIPTION OF RATING SYSTEM

Data is collected on the following distresses and conditions:

- **Alligator Cracking** - a series of interconnecting cracks resembling alligator skin or chicken wire which usually occur in the wheel path.
- **Longitudinal Cracking** - cracks which are parallel to the pavement centerline or asphalt lay down direction.
- **Transverse Cracking** - cracks perpendicular to the pavement centerline.
- **Pothole (patch)** - a bowl-shaped hole in the pavement surface.
- **Rutting** - surface depressions in the wheel paths.

In addition, **Roughness** has been collected and is used in the PCR formula.

A Rating Index value is calculated for each of these at the 0.02 mile, or every 105.6 feet.

Rating Index Formulas

Alligator Cracking Index = $100 - [40 * (\%low/70 + \%medium/30 + \%high/10)]$

Longitudinal Cracking Index = $100 - [40 * (\%low/350 + \%medium/200 + \%high/75)]$

Transverse Cracking Index = $100 - [40 * (low/15.1 + medium/7.5 + high/1.9)]$

Patching Index = $100 - [40 * (\%patching / 80)]$

Rutting Index: Asphalt Surface = $[13.33 * (\text{deepest rut})^2] - [86.67 * \text{deepest rut}] + 100$

Chipseal (1-5 yrs. old) = $[9.53 * (\text{deepest rut})^2] - [86.67 * \text{deepest rut}] + 108.57$

Chipseal (>5 yrs. old) = $[3.85 * (\text{deepest rut})^2] - [83.46 * \text{deepest rut}] + 116.53$

Roughness Index: (RI) = $29 * [5 * e^{(-0.0041 * \text{average RD})}]$

These 0.02 Rating Index values are then averaged over one mile sections for the mile-by-mile Rating Indexes, Surface Condition Rating (SCR) and Pavement Condition Rating (PCR).

Surface Condition Rating (SCR) = $100 - [40 * (\text{LOW ALLIGATOR CRACKING}/70 + \text{MEDIUM ALLIGATOR CRACKING}/30 + \text{HIGH ALLIGATOR CRACKING}/10 + \text{PATCHING}/80 + \text{LOW TRANSVERSE CRACKING}/15.1 + \text{MEDIUM TRANSVERSE CRACKING}/7.5 + \text{HIGH TRANSVERSE CRACKING}/1.9 + \text{LOW LONGITUDINAL CRACKING}/350 + \text{MEDIUM LONGITUDINAL CRACKING}/200 + \text{HIGH LONGITUDINAL CRACKING}/75 + \text{MAXIMUM RUT VALUE})]$

Pavement Condition Rating (PCR) = $(\text{SCR} * 0.60) + (\text{RI} * 0.40)$

NOTE: Collection of roughness data is dependant on the data collection vehicle traveling at a minimum speed of 22 mph. In the event that a route cannot be safely traveled at this minimum speed, and results in no roughness data, the SCR only will be calculated.

Drainage Condition Rating Definitions

- Excellent:** No drainability problem. If funding were available for pavement maintenance, no funds would be required for drainage concerns.
- Good:** Minimal overall drainability problems. If funding were available for pavement maintenance, 25% or less is estimated to correct drainage deficiencies.
- Fair:** Moderate problems with drainability that needs correcting before it deteriorates to a poor rating. If funding were available for pavement maintenance in this section, 25% to 50% is estimated to correct deficiencies.
- Poor:** Severe problems exist that jeopardizes the integrity of the road in this section. If funding were available for pavement maintenance, 50% to 100% is estimated to correct drainage deficiencies.

Drainage Rating Criteria

The following are examples of basic criteria to help the rater to identify the different drainability ratings. While in the field, many other flaws will be discovered, but this criteria should give a feel for where the flaws would apply in the ratings.

A. Excellent Drainability

All water clears the road prism adequately without any chance of base saturation.

- Pavement drains without interruption.
- Curbs are flawless with the exception of minor cracking.
- Down drains are secure and placed properly.
- Drop inlets are at the correct grade and location with no deficiencies.
- Culverts are adequate in numbers, size, and condition.
- Ditches are constructed of asphalt and are sufficient to carry required volumes of water.

B. Good Drainability

Most water clears the road prism adequately with little concern of base saturation.

- Pavement has minor deficiencies that interrupt water flow.
- Shoulders are mostly adequate as they relate to surrounding terrain. Shoulder design generally coincides with the drainage design.
- Curbs have deficiencies, but still function without erosion.
- Down drains are placed properly, but show signs of some deterioration.
- Culverts are adequate in numbers and size, however, minor deficiencies are evident.
- Ditches are not paved, but solid and have enough area to maintain and carry required volume of water.

C. Fair Drainability

Some areas have questionable ability for the water to clear the road prism with an uncomfortable concern for base saturation.

- Pavement shows moderate flaws, such as rutting, and other irregularities that would hold minor amounts of water, interrupting the flow of water.
- Shoulder grades restrict the flow of water, however, water exits after some ponding.
- Down drains show evidence that limited water is causing erosion as a result of deterioration, or other similar flaws (e.g. missing asphalt that guides water to down drain).
- Drop inlet encasements are cracked, iron is bent, or are misaligned to cause limited water to escape,
- Culvert headwalls show moderate damage or are inadequate, the exit shows some damage to fill areas, or entry asphalt is moderately damaged.
- Ditches have some permeable material, unmovable obstructions to interrupt flow obviously hard to maintain due to inconsistencies, or have a less than desirable area to carry required volumes of water.

D. Poor Drainability

This section has areas of inadequate drainage ability that is causing base saturation that could cause a road failure.

- Pavement grade is irregular and holds dangerous amounts of water (hydroplaning is a concern), or shows massive alligator cracking.
- Shoulder design induces ponding that encroaches on the pavement (drivers try to avoid ponds).
- Portions of curbs are missing, allowing water to escape causing erosion.
- Drop inlets, due to various reasons, are only able to drain 50% or less efficiently.
- Down drains show signs of water exiting in areas by the down drain causing erosion.
- Culverts are functionally deficient including size, installation, location, or grade giving water opportunity to saturate the road base.
- Ditches allow water opportunity to saturate the road base through various reasons such as low places in ditch where design has not allowed for water to drain, little or no room in the road prism for a needed ditch, or water is disappearing within the ditch.

Shoulder Condition Rating Definitions

- Excellent:** Shoulder is new or under construction. It meets or exceeds standards. The curb is new.
- Good:** The shoulder is below standard width for posted speed and grading is required. The curb is functional.
- Fair:** There are variations in the shoulder, irregular width with material replacement required. The curb is in need of repairs or adjustments.
- Poor:** There isn't any shoulder, erosion has removed it. The curb needs replacement.

Shoulder Rating Criteria

The following are examples of basic criteria to help the rater to identify the different shoulder ratings. While in the field, many other flaws will be discovered, but this criteria should give a feel for where the flaws would apply in the ratings.

The overall shoulder condition rating for a section is determined by the lowest individual rating for any one of the above categories (width, rutting, cracking, erosion, drop-off, and curbs).

A. Excellent Shoulders

- If shoulder is unpaved there will not be any drop-offs or erosion.
- If shoulder is paved there isn't any rutting, cracking, or erosion.
- Curbs are flawless with the exception of minor cracking and no erosion behind curb.

B. Good Shoulders

- If shoulder is unpaved drop-offs are less than 1", but grading is required.
- If shoulder is paved rut depth is less than 1/2", sealed cracks are present, and grading is required.
- If curbs are present they are functional.

C. Fair Shoulder

- If shoulder is unpaved drop-offs are from 1" to 4" and replacement of material required.
- If shoulder is paved rut depth is from 1/2" to 1". Open cracks are present but less than 1/4" deep, replacement of material is needed from erosion.
- If curbs are present they need repairs, and there is erosion behind the curb.

D. Poor Shoulder

- If shoulder is unpaved drop-offs are greater than 4" and erosion has removed the shoulder.
- If shoulder is paved rut depth is greater than 1". Open cracks are greater than 1/4" deep, and erosion has removed the shoulder.
- If curbs are present they need replacement.
- If curbs are present they need repairs, and there is erosion behind the curb.



The Road Inventory of Yosemite National Park



national park service



Road Inventory Program

Prepared By:
Federal Highway Administration
Eastern Federal Lands Highway Division
December 1999



Yosemite National Park in California





CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	<u>INTRODUCTION</u>	1 - 1
II.	<u>PARK SUMMARY INFORMATION</u>	
	Yosemite National Park Summaries	2 - 1
	Cost to Improve Based on Historical and Estimated Data	2 - 2
	Route Miles and Parking Lot Lane Miles by Condition	2 - 3
III.	<u>PARK SUMMARY MAPS</u>	
	Route Location Key Map	3 - 1
	Route Location Area Maps	3 - 2
	Route Condition Key Map - PCR / DCR Mile by Mile	3 - 10
IV.	<u>PARK ROUTE INVENTORY</u>	
	Route Identification Lists (Numeric & Alphabetic)	4 - 1
V.	<u>PAVED ROUTE CONDITION RATING SHEETS</u>	5 - 1
VI.	<u>MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS</u>	6 - 1
VII.	<u>PARKING LOT CONDITION SUMMARY</u>	7 - 1
VIII.	<u>MAINTENANCE FEATURES SUMMARIES</u>	8 - 1
IX.	<u>PARK MAINTENANCE FEATURES ROAD LOG</u>	9 - 1
X.	<u>PHOTOGRAPHIC SHEETS</u>	10 - 1
XI.	<u>UNPAVED ROUTES</u>	11 - 1
XII.	<u>VIDEO TAPE INFORMATION</u>	12 - 1
XIII.	<u>APPENDIX</u>	
	Glossary of Terms and Abbreviations	13 - 1
	General Park Road Classification Table	13 - 3
	Description of Rating System	13 - 4
XIV.	<u>NOTES</u>	

INTRODUCTION

Background: In July 1976, amended December 1980, The National Park Service (NPS) and the Federal Highway Administration (FHWA) entered into a Memorandum of Agreement (MOA), establishing the Road Inventory Program (RIP). The purpose of RIP, per the 1980 MOA, was to develop long range and short range costs and programs to bring NPS roads up to, or to maintain, designated standards; as well as provide a database so the NPS can revise their Maintenance Management System, if necessary.

Since 1984 the funding has been derived from the NPS FLHP (Title 23) planning funds and coordinated by the National Park Service Park Facility Management Division. The need for a total road information data base was mandated by the requirements for continuing, comprehensive, and coordinated (3-C) planning process and Maintenance Management System.

The Federal Lands Highway (FLH) was assigned the task to inventory maintenance items (pavement type and quantities; location of culverts, signs, guardrail, etc.), identify pavement distresses and evaluate the condition of existing park roads, summarize the data and findings in a report, and provide a videolog of the NPS roads system.

Objective: The objective of the RIP report is to provide NPS personnel at all levels with the basic information needed for effective road and road system planning, management, operations, and maintenance. This information will be documented in a Blue Book for each park, which will replace the old Brown Books.

The Blue Book reports will be in a standard format and content with comprehensive data analysis for each park. The data presented in each report will vary greatly from park to park, but the presentation of the report will be uniform in format. Therefore, the Blue Book will become a seamless document throughout the park system displaying site specific data for each park.

Scope: The Road Inventory Program is a national program coordinated by the FHWA for the NPS. The FHWA goal for the paved park roads is stated as "the quality, standard and condition of the paved portion of park roads and parkways that serves the resource goals of the National Park System does not deteriorate further over the next five years".

In an effort to track the condition of the park roads, per the FHWA goal, a cyclic data collection and reporting process was implemented for all parks and regions. Monitoring the condition and system performance of the paved roads over time using a percent good, fair, and poor condition rating provided a realistic means of assessing the funding needs for road improvements. The pavement condition rating system is described in Section IX of this report. This pavement condition performance assessment will determine the level of paved park road deterioration throughout the park road system as identified in the FHWA goal.

The report will include a Park Summary, a Park Summary Map, a Park Route Inventory, a Maintenance Features Summary, a Paved Route Condition Rating and a Features

Inventory. Also included is a listing of all unpaved routes in each park and various Appendices.

The FHWA highway engineers and technicians inspect, rate, inventory the roads, and prepare the final reports for distribution to the National Park Service. All the field work is coordinated with the site specific park and the regional offices to ensure customer satisfaction. The FHWA Washington office coordinates policy and prepares national reports and needs assessment studies to congress.

The FHWA is responsible for all the data presented in this report. Anyone having questions or comments regarding the contents of this report are encouraged to contact the FHWA RIP Coordinator or the NPS RIP Coordinator in your Cluster Support Office.

FHWA RIP Coordinator:

James A. Amenta
FHWA/EFLHD
Technical Services, HTS-15
21400 Ridgetop Circle
Sterling, VA 20166
(703) 285-0076

Yosemite National Park Summaries

Overall Park Mileage Summary

PARK TOTAL SUMMARY ITEMS	TOTAL	DATE
PAVED ROUTE MILES	194.92	9/99
UNPAVED ROUTE ESTIMATED MILES	0.00	9/99
PAVED AND UNPAVED ROUTE MILES	194.92	9/99
PARKING LOT LANE MILES	26.95	9/99
PAVED LANE MILES	379.92	9/99
DEFICIENT LANE MILES	46.17	9/99

Note: Paved and Deficient Lane Miles includes parking lot areas which have been converted to lane miles using an 11-foot lane width.

Estimated Unpaved Mileage Summary By Functional Class

F. C.	MILEAGE	PERCENTAGE
I	0	0%
II	0	0%
III	0	0%
IV	0	0%
V	0	0%
VI	0	0%
VII	0	0%
VIII	0	0%

Yosemite National Park Summaries

Cost to Improve to "Excellent" Condition

Based on Historic and Estimated Data

AWARD DATE	SOURCE	WORK PERFORMED	LENGTH (MILES)	COST	COST PER MILE	INITIAL CONDITION
1995-97	FHWA Projects	3-R (Resurfacing)	52.07	\$3,776,479	\$72,527	Good
1995-97	FHWA Projects	3-R (Resurfacing, Restoration, and Rehabilitation) Projects	12.80	\$3,252,902	\$254,133	Fair
1998	FHWA Current Projects	4-R (Resurfacing, Restoration, Rehabilitation, and Reconstruction) Projects	9.18	\$5,185,644	\$564,885	Poor

Based on the above table, the cost to improve existing condition miles to "Excellent" PCR are:

Existing Condition	Existing Miles	Estimated Cost to improve
Excellent	8.32	\$0
Good	49.06	\$3,558,173
Fair	109.07	\$27,718,286
Poor	27.45	\$15,506,092
Totals	193.90	\$46,782,552

Yosemite National Park Summaries

Paved Route Miles and Percentages by Functional Class and PCR


F. C.	Pavement Condition Rating (PCR)								NO DATA	TOTAL MILES
	Excellent (95-100)		Good (85-94)		Fair (61-84)		Poor (<=60)			
	MILES	%	MILES	%	MILES	%	MILES	%		
I	8.28	6.45%	42.6	33.19%	69.26	53.96%	8.18	6.37%	0.04	128.36
II	0.04	0.34%	0.12	1.02%	9.44	80.41%	2.14	18.23%	0.00	11.74
III	0	0	5.25	11.91%	21.43	48.63%	16.47	37.37%	0.92	44.07
IV	0	0	0	0	0	0	0	0	0	0
V	0	0	0.25	2.70%	8.82	95.35%	0.18	1.95%	0	9.25
VI	0	0	0.84	56.00%	0.12	8.00%	0.48	32.00%	0.06	1.50
VII	0	0	0	0	0	0	0	0	0	0
VIII	0	0	0	0	0	0	0	0	0	0
Totals	8.32	4.27%	49.06	25.17%	109.07	55.96%	27.45	14.08%	1.02	194.92

Includes paved roads visually rated that were not driven with the ARAN.


Paved Lane Miles (Parking Areas)

F. C.	Visual Condition Rating								TOTAL LANE MILES	
	Excellent		Good		Fair		Poor			
	LANE MILES	%	LANE MILES	%	LANE MILES	%	LANE MILES	%		
-		0	9.67	35.88%	12.81	47.53%	4.47	16.59%		26.95


YOSEMITE NATIONAL PARK ROUTE LOCATION KEY MAP




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 1



YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 2




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 3




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 4




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 5




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 6



YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 7




YOSEMITE NATIONAL PARK ROUTE LOCATION AREA MAP 8



YOSEMITE NATIONAL PARK ROUTE CONDITION KEY MAP 1 PCR/DCR - Mile by Mile

FUNCTIONAL CLASSIFICATION I, II, VII, VIII ROADS



PCR Excellent	Good	Fair	Poor	DCR Poor



* If the PCR rating is not available for a section, the SCR rating will be displayed



YOSEMITE NATIONAL PARK ROUTE CONDITION KEY MAP 2


PCR/DCR - Mile by Mile

FUNCTIONAL CLASSIFICATION I, II, VII, VIII ROADS



YOSEMITE NATIONAL PARK ROUTE CONDITION KEY MAP 3 PCR/DCR - Mile by Mile

FUNCTIONAL CLASSIFICATION I, II, VII, VIII ROADS



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
011	El Capitan Bridge Road	0.38	From Rte 500 Southside to Rte 500 Northside	0.38		2	1
012	Sentinel Bridge Road	0.30	From Rte 500 Southside to Rte 500 Northside	0.30		2	1
013	Big Oak Flat Road	18.96	From Rte 500 to West Park Boundary	18.96		2	1
014	Wawona Road	27.08	From South Park Boundary to Rte 500	27.08		2	1
015	Glacier Point Road	15.72	From Rte 14 to Glacier Point	15.72		2	1
016	El Portal Road	6.74	From West Boundary to Rte 013	6.74		2	1
017	Tioga Road	46.72	From Rte 013 to East Boundary	46.72		2	1
100	Hetch Hetchy Road	8.02	From West Boundary to Rte 238	8.02		2	2
101	White Wolf Road	1.14	From Rte 017 to White Wolf	1.14		2	2
203	Housekeeping Campground	1.45	From Rte 500 east	1.45		1	3
206	Stable Road	0.54	From Rte 500 to Rte 408	0.54		2	2
207	Ahwahnee Hotel Road	0.70	From Rte 500 to Hotel	0.70		2	3
210	Upper Pines Campground	4.14	From Rte 206, right side	4.14		1	3
211	Lower Pines Campground	2.21	From Rte 206, left side	2.21		1	3
212	North Pines Campground	1.98	From Rte 206, left side	1.98		1	3
213	Curry Village Road	0.28	From Rte 500 to Rte 206	0.28		2	3
214	Curry Village Parking and Registration Loop	0.72	From Rte 500 to Rte 213	0.72		2	3
215	Curry Village Exit Road	0.24	From Rte 954 to Rte 408	0.24		1	3
219	Mariposa Grove Road	2.04	From Rte 014 to Mariposa Grove	2.04		2	2
220	Wawona History Center Road	0.80	From Rte 014 to County Line	0.80		2	3
221	Chilnuana Falls Road	0.82	From Rte 014 to County Line	0.82		2	3
222	Wawona Campground	1.68	From Rte 014, left side	1.68		1	3
223	Bridalveil Creek Campground	1.93	From Rte 015, right side	1.93		2	3
224	Hodgdon Meadow Road	0.48	From Rte 013 to Rte 415	0.48		2	3
225	Hodgdon Meadow Campground	0.73	At end of Rte 224	0.73		1	3
226	Crane Flat Campground	2.25	From Rte 013 left side	2.25		1	3
227	Foresta Road (East)	0.74	From Rte 013 to county line	0.74		2	3
229	Tuolumne Meadows Campground	2.08	From Rte 017, right side	2.08		1	3
230	Tuolumne Lodge Road	0.66	From Rte 017 to Tuolumne Lodge	0.66		2	3
231	White Wolf Campground	1.13	From end of Rte 101	1.13		1	3
232	Tamarack Flat Campground	5.14	From Rte 017, right side	5.14		1	3
233	Yosemite Creek Campground	5.01	From Rte 017, right side	5.01		1	3
234	May Lake Road	1.75	From Rte 017 to May Lake	1.75		1	3
235	Wawona Ranger Station	0.21	From Rte 221 to Ranger Station	0.21		2	3
236	Mariposa Grove Tram Road	4.04	From end of Rte 219 to end of loop	4.04		2	3
238	O'Shaughnessy Dam Access	0.81	From end of Rte 100 to Rte 100	0.81		1	3
239	Cathedral Picnic Area	0.08	From Rte 500, left side	0.08		1	3
240	Porcupine Flat Campground	0.14	From Rte 017, left side	0.14		1	3
241	Castle Cliffs Court	0.10	From Rte 400 to Courthouse	0.10		2	3
400	Yosemite Village Administration Road	0.46	From Rte 207 to Rte 409	0.46		2	5

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
402	Muir Tree Campground	0.29	From Rte 500, left side	0.29		1	5
404	Crane Flat Heliport Road	1.82	From Rte 013 to Heliport	1.82		1	5
405	Tuolumne Stable Road	0.00	From Rte 017 to Stables	-		2	3
406	Foresta Road (West)	2.50	From SR 140 to Fire Station	2.50		2	5
407	Mirror Lake Road	0.80	From Rte 408 to Mirror Lake	0.80		2	3
408	Happy Isles Shuttle Loop	1.44	From End of Rte 206 to Rte 206	1.44		2	3
409	Village Shuttle Road	0.50	From Rte 500 to Rte 400	0.50		2	3
410	El Portal Residence Area	1.20	From Rte 406, left side	1.20		2	5
411	El Portal Water Tank Access	0.10	From Rte 410 to water tank	0.10		1	6
412	El Portal Trail Area	0.82	From SR 140, left side	0.82		1	5
413	Wawona Water Treatment Facility	0.12	From Rte 221, left side	0.12		2	5
414	Wawona Wastewater Treatment Facility	0.28	From Rte 221, left side	0.28		2	5
415	Hodgdon Meadow Residence Area	0.80	At end of Rte 224	0.80		2	5
416	Tuolumne Residences and Ranger Station	0.05	From Rte 230	0.05		1	5
417	Happy Isles Water Tank Access	0.84	From Rte 408 to Water Tank	0.84		1	6
418	Wawona Point Heliport Road	0.56	From Rte 236 to Heliport	0.56		1	6
419	Glacier Point Residence Area	0.05	From Rte 015 to Residences	0.05		1	5
500	Valley Loop Road	12.46	from Rte 013 to Rte 013	12.46		2	1
600	Valley Residence Area	0.87	From Rte 409 to 400	0.87		2	5
900	Sentinel Bridge Parking Area	-	From Rte 012, left side	-	-	-	-
901	Cascade Creek Turnout	-	From Rte 013, left side	-	-	-	-
902	Fire Overlook	-	From Rte 013, left side	-	-	-	-
903	Big Meadows Overlook	-	From Rte 013, left side	-	-	-	-
904	San Joaquin Overlook	-	From Rte 013, left side	-	-	-	-
905	Merced Grove	-	From Rte 013, left side	-	-	-	-
906	Hodgdon Meadow Maintenance Area	-	From Rte 415, right side	-	-	-	-
907	Big Oak Flat Entrance Parking	-	From Rte 013, left side	-	-	-	-
908	Big Oak Flat Entrance Sign Parking	-	From Rte 013, left side	-	-	-	-
909	Mariposa Grove Entrance Parking	-	From Rte 219, left side	-	-	-	-
910	Mariposa Grove Bus Parking	-	From Rte 219, right side	-	-	-	-
911	Mariposa Grove Parking	-	At end of Rte 219	-	-	-	-
912	Wawona History Center Parking	-	From Rte 220, right side	-	-	-	-
913	Wawona Dump Station	-	From Rte 220, left side	-	-	-	-
914	Wawona Utility Area	-	From Rte 235, right side	-	-	-	-
915	Wawona District Office	-	From Rte 413, left side	-	-	-	-
916	Restroom Parking	-	From Rte 014, right side	-	-	-	-
917	Tunnel View Parking	-	From Rte 014, both sides	-	-	-	-
918	Bridalveil Falls Parking	-	From Rte 014, right side	-	-	-	-
919	Badger Pass Ski Area	-	Form Rte 015, right side	-	-	-	-

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
920	Sentinel Dome Taft Point	-	From Rte 015, left side	-	-	-	-
921	Washburn Point	-	From Rte 015, right side	-	-	-	-
922	Glacier Point Parking	-	At end of Rte 015	-	-	-	-
923	Tuolumne Grove Parking	-	From Rte 017, left side	-	-	-	-
924	Historic Tioga Road Turnout	-	From Rte 017, right side	-	-	-	-
925	White Wolf Lodge Parking	-	From Rte 101, both sides	-	-	-	-
926	Lukens Lake	-	From Rte 017, right side	-	-	-	-
927	Yosemite Creek Turnout	-	From Rte 017, right side	-	-	-	-
928	Yosemite Creek Canyon Turnout	-	From Rte 017, right side	-	-	-	-
929	Yosemite Creek and Ten Lakes Trailhead	-	From Rte 017, right side	-	-	-	-
930	Yosemite Creek Picnic Loop	-	From Rte 017, right side	-	-	-	-
931	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
932	Cones and Needles Trailhead Parking	-	From Rte 017, right side	-	-	-	-
933	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
934	May Lake Parking	-	At end of Rte 234	-	-	-	-
935	Snow Creek Turnout	-	From Rte 017, right side	-	-	-	-
936	May Lake Trail Turnout	-	From Rte 017, left side	-	-	-	-
937	Olmstead Point	-	From Rte 017, right side	-	-	-	-
938	Sunrise Trailhead	-	From Rte 017, right side	-	-	-	-
939	Comfort Station Parking Loop	-	From Rte 017, right side	-	-	-	-
940	Tenaya Lake Picnic Parking	-	From Rte 017, right side	-	-	-	-
941	Tuolumne Meadows Visitor Center and Maintenance	-	From Rte 017, right side	-	-	-	-
942	Tuolumne Meadows Dump Station	-	From Rte 017, right side	-	-	-	-
943	Lambert Dome Picnic Area	-	At Intersection of Rtes 017 and 405	-	-	-	-
944	Tuolumne Wilderness Center Parking	-	From Rte 230, right side	-	-	-	-
945	Dog Lake and John Muir Trail Parking	-	From Rte 230, left side	-	-	-	-
946	Island Above the Ice	-	From Rte 017, right side	-	-	-	-
947	Mono Pass	-	From Rte 017, right side	-	-	-	-
948	Dana Meadows	-	From Rte 017, right side	-	-	-	-
949	Tioga Pass Entrance Station Parking	-	From Rte 017, left side	-	-	-	-
950	Swinging Bridge Parking Area	-	From Rte 500, left side	-	-	-	-
951	Chapel Parking Area	-	From Rte 500, right side	-	-	-	-

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
952	LeConte Memorial Parking	-	From Rte 500, right side	-	-	-	-
953	Curry Village Recreation Center Parking	-	From Rte 013, right side	-	-	-	-
954	Curry Village Parking Area	-	From Rte 013, right side	-	-	-	-
955	North Dome Parking	-	From Rte 500, right side	-	-	-	-
956	Medical Clinic Parking	-	From Rte 207, left side	-	-	-	-
957	US District Court Parking	-	At end of Rte 241	-	-	-	-
958	Yosemite Valley Maintenance Area	-	At intersection of Rtes 400 and 600	-	-	-	-
959	Administration Parking	-	From Rte 400, left side	-	-	-	-
960	Ranger Club Parking	-	From Rte 409, right side	-	-	-	-
961	Lower Yosemite Falls Parking	-	From Rte 500, right side	-	-	-	-
962	El Capitan Picnic Area	-	From Rte 500, right side	-	-	-	-
963	Yosemite Valley Parking	-	From Rte 500, left side	-	-	-	-
964	El Portal Maintenance Area	-	From Rte 406, left side	-	-	-	-
965	Yosemite Research Center	-	From SR 140	-	-	-	-

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
959	Administration Parking	-	From Rte 400, left side	-	-	-	-
207	Ahwahnee Hotel Road	0.70	From Rte 500 to Hotel	0.70	-	2	3
919	Badger Pass Ski Area	-	Form Rte 015, right side	-	-	-	-
903	Big Meadows Overlook	-	From Rte 013, left side	-	-	-	-
907	Big Oak Flat Entrance Parking	-	From Rte 013, left side	-	-	-	-
908	Big Oak Flat Entrance Sign Parking	-	From Rte 013, left side	-	-	-	-
013	Big Oak Flat Road	18.96	From Rte 500 to West Park Boundary	18.96	-	2	1
223	Bridalveil Creek Campground	1.93	From rte 015, right side	1.93	-	2	3
918	Bridalveil Falls Parking	-	From Rte 014, right side	-	-	-	-
901	Cascade Creek Turnout	-	From Rte 013, left side	-	-	-	-
241	Castle Cliffs Court	0.10	From Rte 400 to Courthouse	0.10	-	2	3
239	Cathedral Picnic Area	0.08	From Rte 500, left side	0.08	-	1	3
951	Chapel Parking Area	-	From Rte 500, right side	-	-	-	-
221	Chilnuana Falls Road	0.82	From Rte 014 to County Line	0.82	-	2	3
939	Comfort Station Parking Loop	-	From Rte 017, right side	-	-	-	-
932	Cones and Needles Trailhead Parking	-	From Rte 017, right side	-	-	-	-
226	Crane Flat Campground	2.25	From Rte 013 left side	2.25	-	1	3
404	Crane Flat Heliport Road	1.82	From Rte 013 to Heliport	1.82	-	1	5
215	Curry Village Exit Road	0.24	From Rte 954 to Rte 408	0.24	-	1	3
214	Curry Village Parking and Registration Loop	0.72	From Rte 500 to Rte 213	0.72	-	2	3
954	Curry Village Parking Area	-	From Rte 013, right side	-	-	-	-
953	Curry Village Recreation Center Parking	-	From Rte 013, right side	-	-	-	-
213	Curry Village Road	0.28	From Rte 500 to Rte 206	0.28	-	2	3
948	Dana Meadows	-	From Rte 017, right side	-	-	-	-
945	Dog Lake and John Muir Trail Parking	-	From Rte 230, left side	-	-	-	-
011	El Capitan Bridge Road	0.38	From Rte 500 Southside to Rte 500 Northside	0.38	-	2	1
962	El Capitan Picnic Area	-	From Rte 500, right side	-	-	-	-
964	El Portal Maintenance Area	-	From Rte 406, left side	-	-	-	-
016	El Portal Road	6.74	From West Boundary to Rte 013	6.74	-	2	1
410	El Portal Residence Area	1.20	From Rte 406, left side	1.20	-	2	5
412	El Portal Trail Area	0.82	From SR 140, left side	0.82	-	1	5
411	El Portal Water Tank Access	0.10	From Rte 410 to water tank	0.10	-	1	6
902	Fire Overlook	-	From Rte 013, left side	-	-	-	-
227	Foresta Road (East)	0.74	From Rte 013 to county line	0.74	-	2	3
406	Foresta Road (West)	2.50	From SR 140 to Fire Station	2.50	-	2	5
922	Glacier Point Parking	-	At end of Rte 015	-	-	-	-
419	Glacier Point Residence Area	0.05	From Rte 015 to Residences	0.05	-	1	5
015	Glacier Point Road	15.72	From Rte 14 to Glacier Point	15.72	-	2	1
408	Happy Isles Shuttle Loop	1.44	From End of Rte 206 to Rte 206	1.44	-	2	3
417	Happy Isles Water Tank Access	0.84	From Rte 408 to Water Tank	0.84	-	1	6
100	Hetch Hetchy Road	8.02	From West Boundary to Rte 238	8.02	-	2	2

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
924	Historic Tioga Road Turnout	-	From Rte 017, right side	-	-	-	-
225	Hodgdon Meadow Campground	0.73	At end of Rte 224	0.73		1	3
906	Hodgdon Meadow Maintenance Area	-	From Rte 415, right side	-	-	-	-
415	Hodgdon Meadow Residence Area	0.80	At end of Rte 224	0.80		2	5
224	Hodgdon Meadow Road	0.48	From Rte 013 to Rte 415	0.48		2	3
203	Housekeeping Campground	1.45	From Rte 500 east	1.45		1	3
946	Island Above the Ice	-	From Rte 017, right side	-	-	-	-
952	LeConte Memorial Parking	-	From Rte 500, right side	-	-	-	-
943	Lambert Dome Picnic Area	-	At Intersection of Rtes 017 and 405	-	-	-	-
211	Lower Pines Campground	2.21	From Rte 206, left side	2.21		1	3
961	Lower Yosemite Falls Parking	-	From Rte 500, right side	-	-	-	-
926	Lukens Lake	-	From Rte 017, right side	-	-	-	-
910	Mariposa Grove Bus Parking	-	From Rte 219, right side	-	-	-	-
909	Mariposa Grove Entrance Parking	-	From Rte 219, left side	-	-	-	-
911	Mariposa Grove Parking	-	At end of Rte 219	-	-	-	-
219	Mariposa Grove Road	2.04	From Rte 014 to Mariposa Grove	2.04		2	2
236	Mariposa Grove Tram Road	4.04	From end of Rte 219 to end of loop	4.04		2	3
934	May Lake Parking	-	At end of Rte 234	-	-	-	-
234	May Lake Road	1.75	From Rte 017 to May Lake	1.75		1	3
936	May Lake Trail Turnout	-	From Rte 017, left side	-	-	-	-
956	Medical Clinic Parking	-	From Rte 207, left side	-	-	-	-
905	Merced Grove	-	From Rte 013, left side	-	-	-	-
407	Mirror Lake Road	0.80	From Rte 408 to Mirror Lake	0.80		2	3
947	Mono Pass	-	From Rte 017, right side	-	-	-	-
402	Muir Tree Campground	0.29	From Rte 500, left side	0.29		1	5
955	North Dome Parking	-	From Rte 500, right side	-	-	-	-
212	North Pines Campground	1.98	From Rte 206, left side	1.98		1	3
937	Olmstead Point	-	From Rte 017, right side	-	-	-	-
238	O'Shaughnessy Dam Access	0.81	From end of Rte 100 to Rte 100	0.81		1	3
240	Porcupine Flat Campground	0.14	From Rte 017, left side	0.14		1	3
931	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
933	Porcupine Flat Turnout	-	From Rte 017, right side	-	-	-	-
960	Ranger Club Parking	-	From Rte 409, right side	-	-	-	-
916	Restroom Parking	-	From Rte 014, right side	-	-	-	-
904	San Joaquin Overlook	-	From Rte 013, left side	-	-	-	-
900	Sentinel Bridge Parking Area	-	From Rte 012, left side	-	-	-	-
012	Sentinel Bridge Road	0.30	From Rte 500 Southside to Rte 500 Northside	0.30		2	1
920	Sentinel Dome Taft Point	-	From Rte 015, left side	-	-	-	-
935	Snow Creek Turnout	-	From Rte 017, right side	-	-	-	-
206	Stable Road	0.54	From Rte 500 to Rte 408	0.54		2	2

YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
938	Sunrise Trailhead	-	From Rte 017, right side	-	-	-	-
950	Swinging Bridge Parking Area	-	From Rte 500, left side	-	-	-	-
232	Tamarack Flat Campground	5.14	From Rte 017, right side	5.14	-	1	3
940	Tenaya Lake Picnic Parking	-	From Rte 017, right side	-	-	-	-
949	Tioga Pass Entrance Station Parking	-	From Rte 017, left side	-	-	-	-
017	Tioga Road	46.72	From Rte 013 to East Boundary	46.72	-	2	1
917	Tunnel View Parking	-	From Rte 014, both sides	-	-	-	-
923	Tuolumne Grove Parking	-	From Rte 017, left side	-	-	-	-
230	Tuolumne Lodge Road	0.66	From Rte 017 to Tuolumne Lodge	0.66	-	2	3
942	Tuolumne Meadows Dump Station	-	From Rte 017, right side	-	-	-	-
941	Tuolumne Meadows Visitor Center and Maintenance Area	-	From Rte 017, right side	-	-	-	-
229	Tuolumne Meadows Campground	2.08	From Rte 017, right side	2.08	-	1	3
416	Tuolumne Residences and Ranger Station	0.05	From Rte 230	0.05	-	1	5
405	Tuolumne Stable Road	0.00	From Rte 017 to Stables	-	-	2	3
944	Tuolumne Wilderness Center Parking	-	From Rte 230, right side	-	-	-	-
210	Upper Pines Campground	4.14	From Rte 206, right side	4.14	-	1	3
957	US District Court Parking	-	At end of Rte 241	-	-	-	-
500	Valley Loop Road	12.46	from Rte 013 to Rte 013	12.46	-	2	1
600	Valley Residence Area	0.87	From Rte 409 to 400	0.87	-	2	5
409	Village Shuttle Road	0.50	From Rte 500 to Rte 400	0.50	-	2	3
921	Washburn Point	-	From Rte 015, right side	-	-	-	-
222	Wawona Campground	1.68	From Rte 014, left side	1.68	-	1	3
915	Wawona District Office	-	From Rte 413, left side	-	-	-	-
913	Wawona Dump Station	-	From Rte 220, left side	-	-	-	-
912	Wawona History Center Parking	-	From Rte 220, right side	-	-	-	-
220	Wawona History Center Road	0.80	From Rte 014 to County Line	0.80	-	2	3
418	Wawona Point Hellport Road	0.56	From Rte 236 to Hellport	0.56	-	1	6
235	Wawona Ranger Station	0.21	From Rte 221 to Ranger Station	0.21	-	2	3
014	Wawona Road	27.08	From South Park Boundary to Rte 500	27.08	-	2	1
914	Wawona Utility Area	-	From Rte 235, right side	-	-	-	-
413	Wawona Water Treatment Facility	0.12	From Rte 221, left side	0.12	-	2	5
414	Wawona Wastewater Treatment Facility	0.28	From Rte 221, left side	0.28	-	2	5
231	White Wolf Campground	1.13	From end of Rte 101	1.13	-	1	3



YOSEMITE NATIONAL PARK - YOSE- 8800 - ROUTE IDENTIFICATION LIST (ALPHABETIC)

Shading Color Key:

White = Paved Routes, ARAN Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Green = All Unpaved Parking Areas
Yellow = Unpaved Routes, ARAN not Driven	

Red Denotes Approximate Mileage

RTE #	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MILES	UN-PAVED MILES	LANES	FUNC. CLASS
925	White Wolf Lodge Parking	-	From Rte 101, both sides	-	-	-	-
101	White Wolf Road	1.14	From Rte 017 to White Wolf	1.14	-	2	2
929	Yosemite Creek and Ten Lakes Trailhead	-	From Rte 017, right side	-	-	-	-
233	Yosemite Creek Campground	5.01	From Rte 017, right side	5.01	-	1	3
928	Yosemite Creek Canyon Turnout	-	From Rte 017, right side	-	-	-	-
930	Yosemite Creek Picnic Loop	-	From Rte 017, right side	-	-	-	-
927	Yosemite Creek Turnout	-	From Rte 017, right side	-	-	-	-
965	Yosemite Research Center	-	From SR 140	-	-	-	-
958	Yosemite Valley Maintenance Area	-	At Intersection of Rtes 400 and 600	-	-	-	-
963	Yosemite Valley Parking	-	From Rte 500, left side	-	-	-	-
400	Yosemite Village Administration Road	0.46	From Rte 207 to Rte 409	0.46	-	2	5



WR: Western Region
YOSE: Yosemite NP

ROUTE: 011 EL CAPITAN BRIDGE ROAD

TOTAL LENGTH: 0.38 Miles


Section Number	1				
Section Length (mi)	0.38				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	73				
Roughness Index	59				
SCR (Surface Condition Rating)	81				
Alligator Cracking	100				
Rutting Index	81				
Patching Index	100				
Transverse Cracking	93				
Longitudinal Cracking	97				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 500
MP 0.08 Pic #3480 - Typical Pavement Section
MP 0.38 End at Rte 500

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 011 EL CAPITAN BRIDGE ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor ▬▬▬
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data* ▬▬▬

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 012 SENTINEL BRIDGE ROAD

TOTAL LENGTH: 0.30 Miles


Section Number	1				
Section Length (mi)	0.30				
AADT	2180				
SADT	3134				
ADT Date	1994				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	63				
Roughness Index	38				
SCR (Surface Condition Rating)	80				
Alligator Cracking	99				
Rutting Index	77				
Patching Index	100				
Transverse Cracking	95				
Longitudinal Cracking	98				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 500
 MP 0.03 Intersection left (900)
 MP 0.08 Pic #3478 - Typical Pavement Section
 MP 0.30 End at Rte 500

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 012 SENTINEL BRIDGE ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP


ROUTE: 013 BIG OAK FLAT ROAD

TOTAL LENGTH: 18.96 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2606	2606	2606	2606	2606
SADT	4334	4334	4334	4334	4334
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	71	85	88	81	87
Roughness Index	63	79	88	87	86
SCR (Surface Condition Rating)	76	88	88	77	88
Alligator Cracking	100	100	100	100	100
Rutting Index	69	82	83	83	84
Patching Index	100	100	100	100	100
Transverse Cracking	93	98	97	87	97
Longitudinal Cracking	98	99	99	98	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:
 MP 0.00 Begin at Rte 500
 MP 0.02 Pic #3454 - Typical Pavement Section
 MP 0.95 Intersection left (016)
 MP 2.86 Intersection left (901)
 MP 4.12 Intersection left (902)
 MP 4.38 Intersection left (227)

ROUTE: 013 BIG OAK FLAT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP


ROUTE: 013 BIG OAK FLAT ROAD

TOTAL LENGTH: 18.96 Miles

	6	7	8	9	10
Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2606	2606	2606	2606	2606
SADT	4334	4334	4334	4334	4334
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	85	85	87	87	86
Roughness Index	79	80	85	85	84
SCR (Surface Condition Rating)	90	89	89	89	87
Alligator Cracking	100	100	100	100	100
Rutting Index	85	84	85	85	82
Patching Index	100	100	100	100	100
Transverse Cracking	97	97	98	98	97
Longitudinal Cracking	99	99	98	98	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:
 MP 8.24 Intersection left (903)

ROUTE: 013 BIG OAK FLAT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 013 BIG OAK FLAT ROAD


TOTAL LENGTH: 18.96 Miles

	11	12	13	14	15
Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2606	2127	2127	2127	2127
SADT	4334	3159	3159	3159	3159
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	93	94	94	92
Roughness Index	79	95	96	98	95
SCR (Surface Condition Rating)	87	92	92	92	91
Alligator Cracking	100	100	100	100	100
Rutting Index	81	84	85	85	84
Patching Index	100	100	100	100	100
Transverse Cracking	98	100	100	99	99
Longitudinal Cracking	98	99	100	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 10.51 Intersection right (017)
- MP 10.65 Intersection left (226)
- MP 11.12 Intersection right (404)
- MP 11.92 Intersection left (904)

ROUTE: 013 BIG OAK FLAT ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 013 BIG OAK FLAT ROAD

TOTAL LENGTH: 18.96 Miles


Section Number	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	0.96
AADT	2127	2127	2127	2127
SADT	3159	3159	3159	3159
ADT Date	1994	1994	1994	1994
Cross Section Information				
Number of Lanes	2	2	2	2
Paved Width (ft)	22	22	22	22
Lane Width (ft)	11	11	11	11
Shoulder Width (ft)	4	4	4	4
Roadway Condition Information				
PCR (Pavement Condition Rating)	94	92	94	85
Roughness Index	97	94	97	85
SCR (Surface Condition Rating)	92	90	92	86
Alligator Cracking	100	100	100	99
Rutting Index	85	83	85	82
Patching Index	100	100	100	100
Transverse Cracking	100	99	99	97
Longitudinal Cracking	100	99	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 15.31 Pic #3455 - Typical Pavement Section
- MP 18.18 Intersection left (907)
- MP 18.19 Intersection right (224)
- MP 18.38 Intersection left (908)
- MP 18.96 End at Park Boundary

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 013 BIG OAK FLAT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*



WR: Western Region
 YOSE: Yosemite NP

ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles


Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2622	2622	2622	2622	2622
SADT	3328	3328	3328	3328	3328
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	72	81	81	86	82
Roughness Index	42	64	62	76	67
SCR (Surface Condition Rating)	91	92	94	93	92
Alligator Cracking	100	100	100	100	100
Rutting Index	97	97	98	97	96
Patching Index	100	100	100	100	100
Transverse Cracking	97	97	98	97	97
Longitudinal Cracking	98	99	99	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 0.00 Begin at Park Boundary
 MP 0.02 Pic #3449 - Typical Pavement Section
 MP 0.78 Intersection right (219, 909)

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 014 WAWONA ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 014 WAWONA ROAD


TOTAL LENGTH: 27.08 Miles

Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2622	2435	2047	2047	2047
SADT	3328	3035	2732	2732	2732
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	79	80	80	80	76
Roughness Index	61	61	63	61	55
SCR (Surface Condition Rating)	91	93	91	92	91
Alligator Cracking	100	100	100	100	100
Rutting Index	98	97	97	98	96
Patching Index	100	100	100	100	100
Transverse Cracking	96	97	96	96	96
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 5.68 Intersection right (221)
MP 6.54 Intersection left (222)

ROUTE: 014 WAWONA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
 YOSE: Yosemite NP


ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles

Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2047	2047	2047	2047	2047
SADT	2732	2732	2732	2732	2732
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	82	82	82	75
Roughness Index	66	67	67	66	66
SCR (Surface Condition Rating)	94	93	92	93	81
Alligator Cracking	100	100	100	100	100
Rutting Index	98	97	96	98	85
Patching Index	100	100	100	100	100
Transverse Cracking	98	97	98	98	90
Longitudinal Cracking	99	99	99	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

ROUTE: 014 WAWONA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP


ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles

	16	17	18	19	20
Section Number	16	17	18	19	20
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2047	2047	2047	2613	2613
SADT	2732	2732	2732	3488	3488
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	74	74	70	79	77
Roughness Index	64	62	52	73	71
SCR (Surface Condition Rating)	81	81	82	83	81
Alligator Cracking	100	100	100	100	100
Rutting Index	85	86	84	86	83
Patching Index	100	100	100	100	100
Transverse Cracking	90	90	91	91	91
Longitudinal Cracking	98	98	99	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:
MP 17.74 Intersection right (916)
MP 17.80 Pic #3450 - Typical Pavement Section
MP 17.82 Intersection right (015)

ROUTE: 014 WAWONA ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
 YOSE: Yosemite NP


ROUTE: 014 WAWONA ROAD

TOTAL LENGTH: 27.08 Miles

	21	22	23	24	25
Section Number	21	22	23	24	25
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2613	2613	2613	2613	2613
SADT	3488	3488	3488	3488	3488
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	72	69	66	69	68
Roughness Index	68	55	57	62	66
SCR (Surface Condition Rating)	75	78	73	74	70
Alligator Cracking	100	100	100	100	100
Rutting Index	79	80	76	79	75
Patching Index	100	100	100	100	100
Transverse Cracking	88	90	86	87	84
Longitudinal Cracking	97	98	98	97	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

ROUTE: 014 WAWONA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 014 WAWONA ROAD


TOTAL LENGTH: 27.08 Miles

Section Number	26	27	28		
Section Length (mi)	1.00	1.00	0.08		
AADT	2613	2613	2613		
SADT	3488	3488	3488		
ADT Date	1994	1994	1994		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	22	22	22		
Lane Width (ft)	11	11	11		
Shoulder Width (ft)	2	2	2		
Roadway Condition Information					
PCR (Pavement Condition Rating)	61	68	59		
Roughness Index	56	61	27		
SCR (Surface Condition Rating)	65	73	81		
Alligator Cracking	100	100	100		
Rutting Index	72	63	75		
Patching Index	100	100	100		
Transverse Cracking	84	94	94		
Longitudinal Cracking	95	98	99		
Shoulder Condition Rating	GOOD	GOOD	GOOD		
Drainage Condition Rating	GOOD	GOOD	GOOD		

COMMENTS:

- MP 25.47 Intersection right (917)
- MP 25.72 Intersection left (917)
- MP 26.99 Intersection right (918)
- MP 27.08 End at at Rte 500

ROUTE: 014 WAWONA ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed


WR: Western Region
 YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD TOTAL LENGTH: 15.72 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1378	1378	1378	1378	1378
SADT	1947	1947	1947	1947	1947
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	65	68	75	71	78
Roughness Index	55	63	77	61	70
SCR (Surface Condition Rating)	72	71	74	79	83
Alligator Cracking	100	100	100	100	100
Rutting Index	73	71	69	72	73
Patching Index	100	100	100	100	100
Transverse Cracking	90	90	93	95	98
Longitudinal Cracking	95	95	96	97	98
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:
 MP 0.00 Begin at Rte 014
 MP 0.02 Pic #3434 - Typical Pavement Section

ROUTE: 015 GLACIER POINT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD


TOTAL LENGTH: 15.72 Miles

Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1378	1032	1032	1032	1032
SADT	1947	1519	1519	1519	1519
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	90	85	84	84	83
Roughness Index	86	77	75	78	82
SCR (Surface Condition Rating)	93	90	90	88	85
Alligator Cracking	100	100	100	100	100
Rutting Index	86	81	81	79	82
Patching Index	100	100	100	100	100
Transverse Cracking	100	99	99	98	94
Longitudinal Cracking	100	100	100	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 5.02 Intersection right (919)
MP 5.03 Pic #3435 - Pavement Change
MP 7.81 Intersection right (223)

ROUTE: 015 GLACIER POINT ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD


TOTAL LENGTH: 15.72 Miles

Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1032	1032	1032	1032	1032
SADT	1519	1519	1519	1519	1519
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	77	79	83	81	NA
Roughness Index	74	71	77	72	NA
SCR (Surface Condition Rating)	79	84	88	87	92
Alligator Cracking	100	100	100	100	100
Rutting Index	82	82	84	83	83
Patching Index	100	100	100	100	100
Transverse Cracking	90	94	96	96	100
Longitudinal Cracking	98	98	99	99	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 13.45 Intersection left (920)

ROUTE: 015 GLACIER POINT ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor ■
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data* ■



WR: Western Region
 YOSE: Yosemite NP

ROUTE: 015 GLACIER POINT ROAD

TOTAL LENGTH: 15.72 Miles


Section Number	16				
Section Length (mi)	0.72				
AADT	1032				
SADT	1519				
ADT Date	1994				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	2				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	92				
Alligator Cracking	100				
Rutting Index	84				
Patching Index	100				
Transverse Cracking	100				
Longitudinal Cracking	100				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 15.03 Intersection right (921)
 MP 15.38 Intersection left (419)
 MP 15.72 End at Rte 922

ROUTE: 015 GLACIER POINT ROAD

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 016 EL PORTAL ROAD


TOTAL LENGTH: 6.74 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	2192	2192	2192	2192	2192
SADT	2633	2633	2633	2633	2633
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	18	18	18	18	18
Lane Width (ft)	9	9	9	9	9
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	54	65	62	56	64
Roughness Index	39	45	38	33	45
SCR (Surface Condition Rating)	64	79	77	71	77
Alligator Cracking	96	100	100	100	100
Rutting Index	68	77	71	74	76
Patching Index	100	100	100	100	100
Transverse Cracking	90	93	96	93	94
Longitudinal Cracking	92	96	96	91	95
Shoulder Condition Rating	POOR	POOR	POOR	POOR	POOR
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

MP 0.00 Begin at Park Boundary - Pic #3439 - Typical Pavement Section
MP 4.90 Pic #3440 - Typical Pavement Section

ROUTE: 016 EL PORTAL ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP


ROUTE: 016 EL PORTAL ROAD

TOTAL LENGTH: 6.74 Miles

	6	7			
Section Number	6	7			
Section Length (mi)	1.00	0.74			
AADT	2192	2192			
SADT	2633	2633			
ADT Date	1994	1994			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	18	18			
Lane Width (ft)	9	9			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	64	65			
Roughness Index	40	48			
SCR (Surface Condition Rating)	79	77			
Alligator Cracking	100	100			
Rutting Index	74	74			
Patching Index	100	100			
Transverse Cracking	95	94			
Longitudinal Cracking	97	96			
Shoulder Condition Rating	POOR	POOR			
Drainage Condition Rating	GOOD	GOOD			

COMMENTS:
MP 6.74 End at Rte 013

ROUTE: 016 EL PORTAL ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD



TOTAL LENGTH: 46.72 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1613	1309	1309	1309	1309
SADT	3923	3321	3321	3321	3321
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	79	78	82	82	81
Roughness Index	65	61	70	69	71
SCR (Surface Condition Rating)	88	90	90	90	89
Alligator Cracking	100	100	100	100	100
Rutting Index	81	81	84	82	82
Patching Index	100	100	100	100	100
Transverse Cracking	98	99	98	99	97
Longitudinal Cracking	99	100	99	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 0.00 Begin at Rte 013
- MP 0.04 Pic #3470 - Typical Pavement Section
- MP 0.65 Intersection left (923)
- MP 3.86 Intersection right (232)
- MP 2.89 Intersection right (924)

ROUTE: 017 TIOGA ROAD



WR: Western Region
YOSE: Yosemite NP


ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1309	1309	1309	1309	1309
SADT	3321	3321	3321	3321	3321
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	84	86	86	87	83
Roughness Index	76	78	78	80	72
SCR (Surface Condition Rating)	89	91	91	92	92
Alligator Cracking	100	100	100	100	100
Rutting Index	85	85	84	84	83
Patching Index	100	100	100	100	100
Transverse Cracking	96	98	98	100	99
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	11	12	13	14	15
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1309	1309	1309	1309	1309
SADT	3321	3321	3321	3321	3321
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	81	83	81	83
Roughness Index	63	65	71	69	72
SCR (Surface Condition Rating)	91	92	91	89	91
Alligator Cracking	100	100	100	100	100
Rutting Index	83	83	84	81	83
Patching Index	100	100	100	100	100
Transverse Cracking	100	99	99	98	99
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

MP 14.63 Intersection left (101)
MP 14.94 Intersection right (233)

ROUTE: 017 TIOGA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

	16	17	18	19	20
Section Number	16	17	18	19	20
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	87	86	88	86	86
Roughness Index	91	89	91	89	87
SCR (Surface Condition Rating)	84	85	86	84	86
Alligator Cracking	100	100	100	100	100
Rutting Index	81	81	83	82	83
Patching Index	100	100	100	100	100
Transverse Cracking	94	95	95	94	94
Longitudinal Cracking	100	99	100	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 16.56 Intersection right (926)
- MP 16.73 Intersection right (927)
- MP 18.37 Intersection right (928)
- MP 19.75 Intersection right (929)
- MP 19.99 Intersection right (930)

ROUTE: 017 TIOGA ROAD



WR: Western Region
YOSE: Yosemite NP


ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

Section Number	21	22	23	24	25
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	85	77	79	83	84
Roughness Index	89	70	70	80	84
SCR (Surface Condition Rating)	83	82	84	85	83
Alligator Cracking	100	100	100	100	100
Rutting Index	80	82	82	82	82
Patching Index	100	100	100	100	100
Transverse Cracking	93	91	94	94	93
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:
 MP 20.03 Pic #3471 - Typical Pavement Section
 MP 23.90 Intersection right (931)
 MP 23.95 Intersection left (240)
 MP 24.43 Intersection right (932)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

Section Number	26	27	28	29	30
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	81	80	83	76
Roughness Index	83	77	74	83	68
SCR (Surface Condition Rating)	84	84	84	83	81
Alligator Cracking	100	100	100	100	100
Rutting Index	82	82	82	82	82
Patching Index	100	100	100	100	100
Transverse Cracking	93	93	93	92	90
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 25.00 Intersection right (933)
- MP 27.13 Intersection left (234)
- MP 27.16 Intersection right (935)
- MP 27.19 Intersection left (234)
- MP 27.22 Intersection right (935)
- MP 27.70 Intersection left (936)
- MP 29.38 Intersection right (937)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD

TOTAL LENGTH: 46.72 Miles

	31	32	33	34	35
Section Number	31	32	33	34	35
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1259
SADT	3280	3280	3280	3280	3280
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	80	80	83	87
Roughness Index	77	74	76	85	90
SCR (Surface Condition Rating)	83	85	83	82	85
Alligator Cracking	100	100	100	100	100
Rutting Index	82	82	82	81	82
Patching Index	100	100	100	100	100
Transverse Cracking	92	94	92	92	95
Longitudinal Cracking	99	99	99	99	99
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 30.85 Intersection right (938)
- MP 30.98 Intersection right (939)
- MP 32.20 Intersection right (940)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	36	37	38	39	40
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1259	1259	1259	1259	1241
SADT	3280	3280	3280	3280	3141
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	81	84	74	73
Roughness Index	69	69	75	50	48
SCR (Surface Condition Rating)	88	89	90	90	89
Alligator Cracking	100	100	100	100	100
Rutting Index	79	80	83	83	83
Patching Index	100	100	100	100	100
Transverse Cracking	98	99	98	99	98
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 35.86 Pic #3472 - Typical Pavement Section
- MP 38.47 Intersection right (941)
- MP 38.59 Intersection right (942)
- MP 39.59 Intersection right (229)
- MP 39.79 Intersection left (405)

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	41	42	43	44	45
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	1241	1241	1241	1241	1241
SADT	3141	3141	3141	3141	3141
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	87	89	94	94
Roughness Index	74	80	84	96	96
SCR (Surface Condition Rating)	89	92	93	93	93
Alligator Cracking	100	100	100	100	100
Rutting Index	79	84	85	85	85
Patching Index	100	100	100	100	100
Transverse Cracking	99	100	100	100	100
Longitudinal Cracking	100	100	100	100	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

- MP 40.11 Pic #3473 - Typical Pavement Section
- MP 40.17 Intersection right (230)
- MP 43.86 Intersection right (946)

ROUTE: 017 TIOGA ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP

ROUTE: 017 TIOGA ROAD


TOTAL LENGTH: 46.72 Miles

Section Number	46	47			
Section Length (mi)	1.00	0.72			
AADT	1241	1241			
SADT	3141	3141			
ADT Date	1994	1994			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	20			
Lane Width (ft)	10	10			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	92	90			
Roughness Index	92	86			
SCR (Surface Condition Rating)	93	92			
Alligator Cracking	100	100			
Rutting Index	85	84			
Patching Index	100	100			
Transverse Cracking	100	100			
Longitudinal Cracking	100	100			
Shoulder Condition Rating	FAIR	FAIR			
Drainage Condition Rating	FAIR	FAIR			

COMMENTS:

MP 45.27 Intersection right (947)
MP 46.52 Intersection right (948)
MP 46.66 Intersection left (949)
MP 46.72 End at Park Boundary

ROUTE: 017 TIOGA ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 100 HETCH HETCHY ROAD


TOTAL LENGTH: 8.02 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	75	75	75	75	75
SADT	190	190	190	190	190
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	16	16	16	16	16
Lane Width (ft)	8	8	8	8	8
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	64	63	59	63	67
Roughness Index	41	45	33	38	48
SCR (Surface Condition Rating)	79	75	76	81	79
Alligator Cracking	100	100	100	100	100
Rutting Index	83	83	78	79	79
Patching Index	100	100	100	100	100
Transverse Cracking	94	90	96	97	96
Longitudinal Cracking	98	98	95	98	98
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

MP 0.00 Begin at Park Boundary - Pic #3456 - Typical Pavement Section

ROUTE: 100 HETCH HETCHY ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 100 HETCH HETCHY ROAD


TOTAL LENGTH: 8.02 Miles

Section Number	6	7	8	9	
Section Length (mi)	1.00	1.00	1.00	0.02	
AADT	75	75	75	75	
SADT	190	190	190	190	
ADT Date	1994	1994	1994	1994	
Cross Section Information					
Number of Lanes	2	2	2	2	
Paved Width (ft)	16	16	16	16	
Lane Width (ft)	8	8	8	8	
Shoulder Width (ft)	1	1	1	1	
Roadway Condition Information					
PCR (Pavement Condition Rating)	65	68	67	65	
Roughness Index	38	45	43	34	
SCR (Surface Condition Rating)	83	83	84	86	
Alligator Cracking	100	100	100	100	
Rutting Index	81	83	80	79	
Patching Index	100	100	100	100	
Transverse Cracking	98	96	98	100	
Longitudinal Cracking	99	99	99	100	
Shoulder Condition Rating	POOR	POOR	POOR	POOR	
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	

COMMENTS:

MP 5.60 Pic #3457 - Shoulder Washout
MP 7.51 Intersection left (238)
MP 8.02 End at Rte 238

ROUTE: 100 HETCH HETCHY ROAD



PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
YOSE: Yosemite NP

ROUTE: 101 WHITE WOLF ROAD



TOTAL LENGTH: 1.14 Miles

Section Number	1	2			
Section Length (mi)	1.00	0.14			
AADT	NA	NA			
SADT	NA	NA			
ADT Date	NA	NA			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	18	18			
Lane Width (ft)	9	9			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	68	68			
Roughness Index	50	52			
SCR (Surface Condition Rating)	80	79			
Alligator Cracking	100	100			
Rutting Index	78	79			
Patching Index	100	100			
Transverse Cracking	93	91			
Longitudinal Cracking	98	98			
Shoulder Condition Rating	FAIR	FAIR			
Drainage Condition Rating	GOOD	GOOD			

COMMENTS:

- MP 0.00 Begin at Rte 017 - Pic #3476 - Typical Pavement Section
- MP 1.06 Intersection left (925)
- MP 1.13 Intersection right (231)
- MP 1.14 Intersection left (925)
- MP 1.14 End at Unpaved section

ROUTE: 101 WHITE WOLF ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 206 STABLE ROAD

TOTAL LENGTH: 0.54 Miles



Section Number	1				
Section Length (mi)	0.54				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	74				
Roughness Index	55				
SCR (Surface Condition Rating)	86				
Alligator Cracking	100				
Rutting Index	81				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 500
 MP 0.10 Pic #3464 - Typical Pavement Section
 MP 0.14 Intersection right (213)
 MP 0.36 Intersection right (408)
 MP 0.46 Intersection right (210)
 MP 0.46 Intersection left (211)
 MP 0.54 Intersection left (212)
 MP 0.54 End at Rte 408

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 206 STABLE ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 207 AHWAHNEE HOTEL ROAD

TOTAL LENGTH: 0.70 Miles



Section Number	1				
Section Length (mi)	0.70				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	79				
Alligator Cracking	100				
Rutting Index	75				
Patching Index	100				
Transverse Cracking	94				
Longitudinal Cracking	98				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	FAIR				

COMMENTS:

- MP 0.00 Begin at Rte 500
- MP 0.07 Pic #3469 - Typical Pavement Section
- MP 0.16 Intersection left (400)
- MP 0.23 Intersection left (956)
- MP 0.70 End at Hotel Parking

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 207 AHWAHNEE HOTEL ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 213 CURRY VILLAGE ROAD


TOTAL LENGTH: .28 Miles

Section Number	1				
Section Length (mi)	0.28				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	63				
Roughness Index	34				
SCR (Surface Condition Rating)	83				
Alligator Cracking	100				
Rutting Index	76				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 213 CURRY VILLAGE ROAD

COMMENTS:
 MP 0.00 Begin at Rte 500 - Pic #3463 - Typical Pavement Section
 MP 0.04 Intersection right (953)
 MP 0.07 Intersection right (214)
 MP 0.12 Intersection right (954)
 MP 0.28 End at Rte 206

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
 YOSE: Yosemite NP



ROUTE: 219 MARIPOSA GROVE ROAD TOTAL LENGTH: 2.04 Miles

	1	2	3		
Section Number	1	2	3		
Section Length (mi)	1.00	1.00	0.04		
AADT	1046	1046	1046		
SADT	1582	1582	1582		
ADT Date	1994	1994	1994		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	22	22	22		
Lane Width (ft)	11	11	11		
Shoulder Width (ft)	1	1	1		
Roadway Condition Information					
PCR (Pavement Condition Rating)	67	68	NA		
Roughness Index	44	45	NA		
SCR (Surface Condition Rating)	83	84	51		
Alligator Cracking	98	100	100		
Rutting Index	84	88	84		
Patching Index	100	100	100		
Transverse Cracking	95	95	89		
Longitudinal Cracking	97	95	71		
Shoulder Condition Rating	FAIR	FAIR	FAIR		
Drainage Condition Rating	FAIR	FAIR	FAIR		

COMMENTS:
 MP 0.00 Begin at Rte 014
 MP 0.03 Pic #3448 - Typical Pavement Section
 MP 0.04 Intersection left (909)
 MP 2.00 Intersection right (910)
 MP 2.04 End at Rte 911

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 219 MARIPOSA GROVE ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 220 WAWONA HISTORY CENTER ROAD

TOTAL LENGTH: 0.80 Miles


Section Number	1				
Section Length (mi)	0.80				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	14				
Lane Width (ft)	7				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	58				
Roughness Index	22				
SCR (Surface Condition Rating)	82				
Alligator Cracking	98				
Rutting Index	79				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	98				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 014 - Pic #3442 - Typical Pavement Section
MP 0.13 Intersection right (912)
MP 0.80 End at County Line

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 220 WAWONA HISTORY CENTER ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
YOSE: Yosemite NP

ROUTE: 221 CHILNUANA FALLS ROAD

TOTAL LENGTH: 0.82 Miles


Section Number	1				
Section Length (mi)	0.82				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	58				
Roughness Index	28				
SCR (Surface Condition Rating)	78				
Alligator Cracking	98				
Rutting Index	85				
Patching Index	100				
Transverse Cracking	98				
Longitudinal Cracking	94				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 014 - Pic #3441 - Typical Pavement Section
 MP 0.35 Intersection right (235)
 MP 0.46 Intersection left (413)
 MP 0.59 Intersection left (414)
 MP 0.82 End at County Line

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 221 CHILNUANA FALLS ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 224 HODGDON MEADOW ROAD

TOTAL LENGTH: 0.48 Miles


Section Number	1				
Section Length (mi)	0.48				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	88				
Roughness Index	88				
SCR (Surface Condition Rating)	82				
Alligator Cracking	100				
Rutting Index	83				
Patching Index	100				
Transverse Cracking	94				
Longitudinal Cracking	96				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 013 - Pic #3459 - Typical Pavement Section
MP 0.48 End at Rte 415

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 224 HODGDON MEADOW ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed



WR: Western Region
 YOSE: Yosemite NP

ROUTE: 227 FORESTA ROAD (EAST)



TOTAL LENGTH: 0.74 Miles

Section Number	1				
Section Length (mi)	0.74				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	51				
Roughness Index	45				
SCR (Surface Condition Rating)	55				
Alligator Cracking	100				
Rutting Index	79				
Patching Index	100				
Transverse Cracking	71				
Longitudinal Cracking	94				
Shoulder Condition Rating	POOR				
Drainage Condition Rating	FAIR				

COMMENTS:

MP 0.00 Begin at Rte 013 - Pic #3477 - Typical Pavement Section
 MP 0.74 End at Pavement Change

ROUTE: 227 FORESTA ROAD



WR: Western Region
YOSE: Yosemite NP


ROUTE: 230 TUOLUMNE LODGE ROAD TOTAL LENGTH: 0.66 Miles

Section Number	1				
Section Length (mi)	0.66				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	88				
Alligator Cracking	100				
Rutting Index	82				
Patching Index	100				
Transverse Cracking	98				
Longitudinal Cracking	99				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:
 MP 0.00 Begin at Rte 017
 MP 0.02 Pic #3474 - Typical Pavement Section
 MP 0.05 Intersection right (944)
 MP 0.40 Intersection left (945)
 MP 0.50 Pic #3475 - Typical Pavement Section
 MP 0.66 End at Lodge Parking

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 230 TUOLUMNE LODGE ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
YOSE: Yosemite NP

ROUTE: 236 MARIPOSA GROVE TRAM ROAD

TOTAL LENGTH: 4.04 Miles


Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	0.04
AADT	NA	NA	NA	NA	NA
SADT	NA	NA	NA	NA	NA
ADT Date	NA	NA	NA	NA	NA
Cross Section Information					
Number of Lanes	2	2	2	1	1
Paved Width (ft)	18	18	18	12	12
Lane Width (ft)	9	9	12	12	12
Shoulder Width (ft)	1	1	1	1	1
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA	NA	NA	NA	NA
Roughness Index	NA	NA	NA	NA	NA
SCR (Surface Condition Rating)	74	78	77	71	84
Alligator Cracking	92	94	95	92	98
Rutting Index	74	74	72	66	74
Patching Index	100	100	100	100	100
Transverse Cracking	96	97	97	95	99
Longitudinal Cracking	99	99	99	99	100
Shoulder Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR
Drainage Condition Rating	FAIR	FAIR	FAIR	FAIR	FAIR

COMMENTS:

MP 0.00 Begin at Rte 219
 MP 0.08 Pic #3443 - Typical Pavement Section
 MP 2.50 Pic #3444 - Width Change
 MP 3.06 Intersection right (418)
 MP 4.04 End at Rte 236

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 236 MARIPOSA GROVE TRAM ROAD



PCR Excellent ■ Good ■ Fair ■ Poor ■ DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
YOSE: Yosemite NP

ROUTE: 400 YOSEMITE VILLAGE ADMINISTRATION ROAD TOTAL LENGTH: 0.46 Miles

Section Number	1				
Section Length (mi)	0.46				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	85				
Alligator Cracking	100				
Rutting Index	73				
Patching Index	100				
Transverse Cracking	98				
Longitudinal Cracking	99				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	FAIR				

COMMENTS:
 MP 0.00 Begin at Rte 207
 MP 0.03 Pic #3479 - Typical Pavement Section
 MP 0.08 Intersection left (409)
 MP 0.46 End at Rte 409

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 400 YOSEMITE VILLAGE ADMINISTRATION ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 406 FORESTA ROAD (WEST)



TOTAL LENGTH: 2.50 Miles

Section Number	1	2	3		
Section Length (mi)	1.00	1.00	0.50		
AADT	NA	NA	NA		
SADT	NA	NA	NA		
ADT Date	NA	NA	NA		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	20	20	20		
Lane Width (ft)	10	10	10		
Shoulder Width (ft)	1	1	1		
Roadway Condition Information					
PCR (Pavement Condition Rating)	77	71	70		
Roughness Index	67	63	51		
SCR (Surface Condition Rating)	84	76	82		
Alligator Cracking	100	100	100		
Rutting Index	82	80	81		
Patching Index	100	100	100		
Transverse Cracking	95	90	93		
Longitudinal Cracking	98	96	98		
Shoulder Condition Rating	FAIR	FAIR	FAIR		
Drainage Condition Rating	FAIR	FAIR	FAIR		

COMMENTS:

- MP 0.00 Begin at SR 140
- MP 0.09 Intersection left (964)
- MP 0.15 Pic #3438 - Typical Pavement Section
- MP 0.18 Intersection left (964)
- MP 0.33 Intersection left (964)
- MP 0.37 Intersection left (964)
- MP 0.38 Intersection left (964)
- MP 0.40 Intersection left (964)
- MP 0.45 Intersection left (964)
- MP 1.05 Intersection left (410)
- MP 1.27 Intersection left (410)
- MP 2.50 End at Fire Station

ROUTE: 406 FORESTA ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 407 MIRROR LAKE ROAD

TOTAL LENGTH: 0.80 Miles



Section Number	1				
Section Length (mi)	0.80				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	1				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	83				
Alligator Cracking	100				
Rutting Index	79				
Patching Index	100				
Transverse Cracking	96				
Longitudinal Cracking	97				
Shoulder Condition Rating	FAIR				
Drainage Condition Rating	GOOD				

COMMENTS:

MP 0.00 Begin at Rte 408 - Pic #3468 - Typical Pavement Section
MP 0.80 End at Mirror Lake

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 407 MIRROR LAKE ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 408 HAPPY ISLES SHUTTLE LOOP

TOTAL LENGTH: 1.44 Miles



Section Number	1	2			
Section Length (mi)	1.00	0.44			
AADT	NA	NA			
SADT	NA	NA			
ADT Date	NA	NA			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	20			
Lane Width (ft)	10	10			
Shoulder Width (ft)	1	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	69	75			
Roughness Index	46	59			
SCR (Surface Condition Rating)	84	85			
Alligator Cracking	100	100			
Rutting Index	83	80			
Patching Index	100	100			
Transverse Cracking	96	99			
Longitudinal Cracking	97	96			
Shoulder Condition Rating	FAIR	FAIR			
Drainage Condition Rating	GOOD	GOOD			

COMMENTS:

- MP 0.00 Begin at Rte 206 - Pic #3465 - Typical Pavement Section
- MP 0.21 Intersection left (407)
- MP 0.86 Intersection left (417)
- MP 1.32 Intersection left (215)
- MP 1.44 End at Rte 206

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 408 HAPPY ISLES SHUTTLE LOOP



WR: Western Region
YOSE: Yosemite NP

ROUTE: 418 WAWONA POINT HELIPORT ROAD



TOTAL LENGTH: 0.56 Miles

Section Number	1				
Section Length (mi)	0.56				
AADT	NA				
SADT	NA				
ADT Date	NA				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	NA				
Roughness Index	NA				
SCR (Surface Condition Rating)	44				
Alligator Cracking	82				
Rutting Index	59				
Patching Index	100				
Transverse Cracking	86				
Longitudinal Cracking	96				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

COMMENTS:
MP 0.00 Begin at Rte 236
MP 0.56 End at Loop

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 418 WAWONA POINT HELIPORT ROAD



WR: Western Region
YOSE: Yosemite NP

ROUTE: 500 VALLEY LOOP ROAD


TOTAL LENGTH: 12.46 Miles

Section Number	1	2	3	4	5
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	3316	3316	3316	3761	3761
SADT	4767	4767	4767	5193	5193
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	66	69	69	69	68
Roughness Index	50	63	60	57	62
SCR (Surface Condition Rating)	77	73	75	77	72
Alligator Cracking	100	100	100	100	100
Rutting Index	71	66	69	74	76
Patching Index	100	100	100	100	100
Transverse Cracking	92	91	92	93	89
Longitudinal Cracking	99	99	98	97	95
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 0.00 Begin at Rte 013
- MP 0.12 Pic #3460 - Typical Pavement Section
- MP 0.91 Intersection right (014)
- MP 2.35 Intersection left (011)
- MP 2.55 Intersection left (239)
- MP 4.03 Intersection left (402)
- MP 4.35 Intersection left (950)

ROUTE: 500 VALLEY LOOP ROAD



PCR Excellent Good Fair Poor DCR Poor
 * If the PCR rating is not available for a section, the SCR rating will be displayed No Rating Data*

WR: Western Region
 YOSE: Yosemite NP

ROUTE: 500 VALLEY LOOP ROAD

TOTAL LENGTH: 12.46 Miles


Section Number	6	7	8	9	10
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	3761	3761	3761	3761	3761
SADT	5193	5193	5193	5193	5193
ADT Date	1994	1994	1994	1994	1994
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	2	2	2	2	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	72	64	69	81	79
Roughness Index	54	47	57	66	65
SCR (Surface Condition Rating)	84	75	78	91	89
Alligator Cracking	100	100	100	100	100
Rutting Index	79	68	72	85	82
Patching Index	100	100	100	100	100
Transverse Cracking	95	92	93	98	99
Longitudinal Cracking	99	100	99	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

COMMENTS:

- MP 5.08 Intersection left (012)
- MP 5.67 Intersection left (203)
- MP 6.08 Intersection right (214)
- MP 6.08 Intersection right (206, 213)
- MP 6.52 Intersection right (955)
- MP 6.83 Intersection right (207)
- MP 6.94 Intersection left (012)
- MP 6.96 Intersection right (409)
- MP 7.62 Intersection left (961)
- MP 7.64 Intersection right (961)
- MP 7.92 Intersection left (217)
- MP 9.60 Intersection right (962)
- MP 9.70 Intersection right (962)

*Rating data may not be available for some sections. Cracking data cannot be collected at speeds under 25 mph.

ROUTE: 500 VALLEY LOOP ROAD



PCR Excellent
 Good
 Fair
 Poor
 DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

WR: Western Region
YOSE: Yosemite NP

ROUTE: 500 VALLEY LOOP ROAD

TOTAL LENGTH: 12.46 Miles

	11	12	13		
Section Number	11	12	13		
Section Length (mi)	1.00	1.00	0.46		
AADT	3761	3761	3761		
SADT	5193	5193	5193		
ADT Date	1994	1994	1994		
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	22	22	22		
Lane Width (ft)	11	11	11		
Shoulder Width (ft)	2	2	2		
Roadway Condition Information					
PCR (Pavement Condition Rating)	80	78	81		
Roughness Index	66	69	78		
SCR (Surface Condition Rating)	89	84	83		
Alligator Cracking	100	100	100		
Rutting Index	83	74	76		
Patching Index	100	100	100		
Transverse Cracking	98	98	98		
Longitudinal Cracking	99	98	97		
Shoulder Condition Rating	GOOD	GOOD	GOOD		
Drainage Condition Rating	GOOD	GOOD	GOOD		

COMMENTS:
 MP 10.37 Intersection left (011)
 MP 10.45 Intersection left (011)
 MP 12.21 Intersection left (963)
 MP 12.46 End at Rte 013

ROUTE: 500 VALLEY LOOP ROAD

VI. MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS.

The following section contains routes that the ARAN cannot be driven on safely and accurately. Typically these are campground roads, which include aspects of both main routes and parking lot features. Also, these routes are designated for low-speed traffic, which does not allow the ARAN to effectively rate them.

In order to report the condition of these routes most accurately, they have been collected with both the ARAN and GPS data collection procedures. The entire route is collected using GPS, providing lane miles. Then, if possible, a sample section is collected using the ARAN, to get an objective rating of its condition. The portion is usually main thoroughfares or entrance roads.

Thus, SCR, RI, and PCR are reported, along with lane miles and a condition derived from the ARAN rating. Below the ratings will be the entire route mapped, with the sample section shown as a line in its corresponding condition color. If the ARAN could not be driven on the route, the ratings will be reported as 'NA', and the condition will be from subjective visual observation only.



Yosemite National Park

Route 203

Housekeeping Campground
From Rte 500 east

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
203	84366	1.45						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



120 0 120 240 360 480 600 720 Feet




Yosemite National Park

Route 210

Upper Pines Campground
From Rte 206, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
210	240868	4.14						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



400 0 400 800 Feet




Yosemite National Park

Route 211

Lower Pines Campground
From Rte 206, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
211	128651	2.21						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet

A scale bar with markings at 300, 0, 300, and 600 feet.


Yosemite National Park

Route 212

North Pines Campground
From Rte 206, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
212	115234	1.98						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park

Route 214

Curry Village Parking and Registration Loop
From Rte 500 to Rte 213

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
214	83789	1.44						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet

A scale bar with markings at 300, 0, 300, and 600 feet.


Yosemite National Park

Route 215

Curry Village Exit Road
From Rte 954 to Rte 408

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
215	14300	0.24						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 222

Wawona Campground

From Rte 014, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
222	97308	1.68						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 223

Bridalveil Creek Campground
From rte 015, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
223	112398	1.93	0.36		58	36	48	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



800 0 800 1600 Feet



PCR Excellent  Good  Fair  Poor  DCR Poor 

* If the PCR rating is not available for a section, the SCR rating will be displayed




Yosemite National Park

Route 225

Hodgdon Meadow Campground
At end of Rte 224

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
225	42814	0.73						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 226

Crane Flat Campground
From Rte 013 left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
226	130771	2.25						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



600 0 600 1200 1800 Feet




Yosemite National Park

Route 229

Tuolumne Meadows Campground
From Rte 017, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
229	121378	2.08						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



800 0 800 1600 Feet




Yosemite National Park

Route 231

White Wolf Campground
From end of Rte 101

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
231	66184	1.13						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 232

Tamarack Flat Campground
From Rte 017, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
232	298561	5.14						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



2000 0 2000 4000 Feet



Yosemite National Park

Route 233

Yosemite Creek Campground
From Rte 017, right side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
233	291187	5.01						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 234

May Lake Road

From Rte 017 to May Lake

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
234	101681	1.75						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



1000 0 1000 2000 Feet




Yosemite National Park

Route 235

Wawona Ranger Station
From Rte 221 to Ranger Station

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
235	24555	0.42						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 238

O'Shaughnessy Dam Access
From end of Rte 100 to Rte 100

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
238	46810	0.81	.68		86	NA	NA	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



500 0 500 1000 Feet

PCR Excellent Good Fair Poor DCR Poor

* If the PCR rating is not available for a section, the SCR rating will be displayed

Yosemite National Park


Route 239

Cathedral Picnic Area

From Rte 500, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
239	5018	0.08						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 240

Porcupine Flat Campground
From Rte 017, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
240	8668	0.14						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 Feet



Yosemite National Park

Route 241

Castle Cliffs Court
From Rte 400 to Courthouse

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
241	11836	0.20						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 300 400 500 Feet



Yosemite National Park

Route 402

Muir Tree Campground

From Rte 500, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
402	17007	0.29						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 404

Crane Flat Heliport Road
From Rte 013 to Heliport

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
404	106093	1.82						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



900 0 900 1800 Feet




Yosemite National Park

Route 409

Village Shuttle Road
From Rte 500 to Rte 400

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
409	58517	1.00						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 600 800 1000 Feet




Yosemite National Park

Route 410

El Portal Residence Area
From Rte 406, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
410	139612	2.40						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 411

El Portal Water Tank Access
From Rte 410 to water tank

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
411	6341	0.10						POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 412

El Portal Trail Area
From SR 140, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
412	47697	0.82						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 413

Wawona Water Treatment Facility
From Rte 221, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
413	14330	0.24						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 414

Wawona Wastewater Treatment Facility
From Rte 221, left side

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
414	32970	0.56						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



300 0 300 600 Feet




Yosemite National Park

Route 415

Hodgdon Meadow Residence Area
At end of Rte 224

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
415	92767	1.59	0.60		83	72	79	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



500 0 500 1000 Feet



PCR Excellent  Good  Fair  Poor  DCR Poor 

* If the PCR rating is not available for a section, the SCR rating will be displayed

Yosemite National Park


Route 416

Tuolumne Residences and Ranger Station
From Rte 230

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
416	3295	0.05						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths

**NO PHOTOS
AVAILABLE**



60 0 60 120 Feet



Yosemite National Park


Route 417

Happy Isles Water Tank Access

From Rte 408 to Water Tank

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
417	49205	0.84						GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 419

Glacier Point Residence Area
From Rte 015 to Residences

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
419	3096	0.05						FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths

**NO PHOTOS
AVAILABLE**






Yosemite National Park

Route 600

Valley Residence Area
From Rte 409 to 400

Route	Area (sq ft)	Lane Miles	Sample Section (mi)	Width (ft)	SCR	RI	PCR	Condition
600	101164	1.74	0.18		83	30	63	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



PCR Excellent  Good  Fair  Poor  DCR Poor 

• If the PCR rating is not available for a section, the SCR rating will be displayed

Yosemite National Park


Route 900P

Sentinel Bridge Parking Area

From Rte 012, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
900P	CA	990910			15067	0.25	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 901P

Cascade Creek Turnout

From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
901P	CA	990911			3595	0.06	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



30 0 30 60 Feet

A horizontal scale bar with alternating black and white segments. The markings are labeled 30, 0, 30, and 60 Feet.

Yosemite National Park


Route 902P

Fire Overlook

From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
902P	CA	990911			6509	0.11	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 903P

Big Meadows Overlook
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
903P	CA	990911			5730	0.09	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 904P

San Joaquin Overlook
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
904P	CA	990911			15224	0.26	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 Feet

A horizontal scale bar with alternating black and white segments. The markings are at 100, 0, 100, and 200 feet.

Yosemite National Park


Route 905P

Merced Grove

From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
905P	CA	990911			5936	0.10	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



40 0 40 80 Feet



Yosemite National Park

Route 906N

Hodgdon Meadow Maintenance Area
From Rte 415, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
906N	CA	990911			20092	0.34	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 907P

Big Oak Flat Entrance Parking
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
907P	CA	990911			20772	0.35	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 908P

Big Oak Flat Entrance Sign Parking
From Rte 013, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
908P	CA	990911			7561	0.13	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 909P

Mariposa Grove Entrance Parking
From Rte 219, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
909P	CA	990909			4304	0.07	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



30 0 30 60 Feet



Yosemite National Park

Route 910N

Mariposa Grove Bus Parking
From Rte 219, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
910N	CA	990909					FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



NO GPS AVAILABLE



Yosemite National Park

Route 911P

Mariposa Grove Parking
At end of Rte 219

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
911P	CA	990909					FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths

NO GPS AVAILABLE

**NO PHOTOS
AVAILABLE**



Yosemite National Park

Route 912P

Wawona History Center Parking
From Rte 220, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
912P	CA	990909			18613	0.32	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



90 0 90 180 Feet

A horizontal scale bar with alternating black and white segments. The numbers 90, 0, 90, and 180 are placed above the bar, with 'Feet' to the right of the 180. The bar is divided into four equal segments of 45 feet each.

Yosemite National Park

Route 913P

Wawona Dump Station
From Rte 220, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
913P	CA	990909			6658	0.11	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet

A scale bar with markings at 50, 0, 50, and 100 feet.


Yosemite National Park

Route 914N

Wawona Utility Area
From Rte 235, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
914N	CA	990909			35268	0.60	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park


Route 915N

Wawona District Office

From Rte 413, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
915N	CA	990909			9311	0.16	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet




Yosemite National Park

Route 916P

Restroom Parking
From Rte 014, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
916P	CA	990909			10140	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 917P

Tunnel View Parking
From Rte 014, both sides

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
917P	CA	990910			34339	0.59	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 918P

Bridalveil Falls Parking
From Rte 014, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
918P	CA	990910			29765	0.51	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 919P

Badger Pass Ski Area
Form Rte 015, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
919P	CA	990910			115017	1.98	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park


Route 920P

Sentinel Dome Taft Point

From Rte 015, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
920P	CA	990910			11054	0.19	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 921P

Washburn Point

From Rte 015, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
921P	CA	990910			18176	0.31	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet



Yosemite National Park


Route 922P

Glacier Point Parking

At end of Rte 015

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
922P	CA	990910			72118	1.24	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet




Yosemite National Park

Route 923P

Tuolumne Grove Parking
From Rte 017, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
923P	CA	990911			17010	0.29	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



70 0 70 140 Feet

A horizontal scale bar with markings at 0, 70, and 140 feet. The bar is divided into segments corresponding to these measurements.

Yosemite National Park


Route 924P

Historic Tioga Road Turnout

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
924P	CA	990911			6944	0.11	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



40 0 40 80 Feet



Yosemite National Park

Route 925P

White Wolf Lodge Parking
From Rte 101, both sides

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
925P	CA	990912			29050	0.50	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 926P

Lukens Lake

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
926P	CA	990912			12001	0.20	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 927P

Yosemite Creek Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
927P	CA	990912			9981	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 928P

Yosemite Creek Canyon Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
928P	CA	990912			10236	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



60 0 60 120 Feet




Yosemite National Park

Route 929P

Yosemite Creek and Ten Lakes Trailhead
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
929P	CA	990912			16530	0.28	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 930P

Yosemite Creek Picnic Loop

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
930P	CA	990912			9701	0.16	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 931P

Porcupine Flat Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
931P	CA	990912			6974	0.12	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 932P

Cones and Needles Trailhead Parking
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
932P	CA	990912			24226	0.41	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 933P

Porcupine Flat Turnout
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
933P	CA	990912			25417	0.43	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



70 0 70 140 Feet

A scale bar with markings at 70, 0, 70, and 140 feet.

Yosemite National Park


Route 934P

May Lake Parking

At end of Rte 234

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
934P	CA	990912			14249	0.24	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 935P

Snow Creek Turnout

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
935P	CA	990912			15847	0.27	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 936P

May Lake Trail Turnout
From Rte 017, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
936P	CA	990912			7072	0.12	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



50 0 50 100 Feet



Yosemite National Park



Route 937P

Olmstead Point

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
937P	CA	990912			33195	0.57	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 938P

Sunrise Trailhead

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
938P	CA	990912			10011	0.17	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



70 0 70 140 Feet





Yosemite National Park

Route 939P

Comfort Station Parking Loop
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
939P	CA	990912			14862	0.25	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 940P

Tenaya Lake Picnic Parking
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
940P	CA	990912			24310	0.41	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 941P

Tuolumne Meadows Visitor Center and Maintenance Area

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
941P	CA	990912			43686	0.75	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 Feet




Yosemite National Park

Route 942P

Tuolumne Meadows Dump Station
From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
942P	CA	990912			7493	0.12	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 943P

Lembert Dome Picnic Area

At Intersection of Rtes 017 and 405

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
943P	CA	990912			8075	0.13	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 944P

Tuolumne Wilderness Center Parking
From Rte 230, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
944P	CA	990912			29864	0.51	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 945P

Dog Lake and John Muir Trail Parking
From Rte 230, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
945P	CA	990912			33430	0.57	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park



Route 946P

Island Above the Ice

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
946P	CA	990912			4878	0.08	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 947P

Mono Pass

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
947P	CA	990912			12594	0.21	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 948P

Dana Meadows

From Rte 017, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
948P	CA	990912			10558	0.18	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 949P

Tioga Pass Entrance Station Parking
From Rte 017, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
949P	CA	990912			7276	0.12	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 950P

Swinging Bridge Parking Area
From Rte 500, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
950P	CA	990910			17440	0.30	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 951P

Chapel Parking Area

From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
951P	CA	990910					FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



NO GPS AVAILABLE



Yosemite National Park


Route 952P

LeConte Memorial Parking

From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
952P	CA	990912			5056	0.08	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 953P

Curry Village Recreation Center Parking
From Rte 013, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
953P	CA	990910			7802	0.13	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 954P

Curry Village Parking Area

From Rte 013, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
954P	CA	990912			112264	1.93	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



200 0 200 400 Feet



Yosemite National Park

Route 955P

North Dome Parking

From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
955P	CA	990912			2223	0.03	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 956P

Medical Clinic Parking

From Rte 207, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
956P	CA	990912			6064	0.10	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 957P

US District Court Parking

At end of Rte 241

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
957P	CA	990912			2242	0.03	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths





Yosemite National Park

Route 958N

Yosemite Valley Maintenance Area
At intersection of Rtes 400 and 600

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
958N	CA	990910			146833	2.52	POOR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park


Route 959P

Administration Parking

From Rte 400, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
959P	CA	990912			9238	0.15	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 960P

Ranger Club Parking
From Rte 409, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
960P	CA	990912			9432	0.16	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths




Yosemite National Park

Route 961P

Lower Yosemite Falls Parking
From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
961P	CA	990910			55785	0.96	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



Yosemite National Park

Route 962P

El Capitan Picnic Area
From Rte 500, right side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
962P	CA	990910			20617	0.35	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



100 0 100 200 Feet




Yosemite National Park

Route 963P

Yosemite Valley Parking
From Rte 500, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
963P	CA	990910			4388	0.07	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



40 0 40 80 Feet

A scale bar with markings at 40, 0, 40, and 80 feet.

Yosemite National Park


Route 964N

El Portal Maintenance Area

From Rte 406, left side

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
964N	CA	990911			267276	4.60	GOOD

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



400 0 400 800 Feet

A horizontal scale bar with markings at 400, 0, 400, and 800 feet.

Yosemite National Park


Route 965N

Yosemite Research Center

From SR 140

Route	State	Date Visited	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles	Condition
965N	CA	990912			3587	0.06	FAIR

- Length and width will be used when applicable
- Lane miles are based on 11' lane widths



PARKWIDE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	212	EACH
1153	INTERSECTION	139	EACH
1190	TURNOUT (PASSING LANE)	6214	LINEAR FEET
1320	PAVED DITCH	31209	LINEAR FEET
1331	CULVERT	773	EACH
1333	DROP INLET	215	EACH
1340	CURB	165068	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	834	LINEAR FEET
1542	GUARD WALL	23889	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	18	EACH
1740	TUNNEL	4	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	4	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:011 : EL CAPITAN BRIDGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	3	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	480	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:012 : SENTINEL BRIDGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	286	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	5	EACH
1340	CURB	617	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:013 : BIG OAK FLAT ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	39	EACH
1153	INTERSECTION	8	EACH
1190	TURNOUT (PASSING LANE)	1309	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	19	EACH
1333	DROP INLET	55	EACH
1340	CURB	65811	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	9087	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	3	EACH
1740	TUNNEL	3	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:014 : WAWONA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	59	EACH
1153	INTERSECTION	10	EACH
1190	TURNOUT (PASSING LANE)	1040	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	193	EACH
1333	DROP INLET	35	EACH
1340	CURB	34065	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	338	LINEAR FEET
1542	GUARD WALL	2365	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	1	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:015 : GLACIER POINT ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	17	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	195	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	47	EACH
1333	DROP INLET	1	EACH
1340	CURB	1351	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	258	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:016 : EL PORTAL ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	4	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	839	LINEAR FEET
1331	CULVERT	29	EACH
1333	DROP INLET	10	EACH
1340	CURB	37	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	8838	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:017 : TIOGA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	53	EACH
1153	INTERSECTION	30	EACH
1190	TURNOUT (PASSING LANE)	3384	LINEAR FEET
1320	PAVED DITCH	30370	LINEAR FEET
1331	CULVERT	282	EACH
1333	DROP INLET	92	EACH
1340	CURB	50954	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	79	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	3	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	1	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:100 : HETCH HETCHY ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	2	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	65	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	137	LINEAR FEET
1542	GUARD WALL	2338	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:101 : WHITE WOLF ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	2	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	2	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:206 : STABLE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	6	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	1	EACH
1340	CURB	1341	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:207 : AHWAHNEE HOTEL ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	0	EACH
1340	CURB	16	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:213 : CURRY VILLAGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:219 : MARIPOSA GROVE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	4	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	20	EACH
1333	DROP INLET	0	EACH
1340	CURB	987	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:220 : WAWONA HISTORY CENTER ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	1	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	0	EACH
1340	CURB	127	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:221 : CHILNUANA FALLS ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	5	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	15	EACH
1333	DROP INLET	0	EACH
1340	CURB	137	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:224 : HODGDON MEADOW ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	1	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:227 : FORESTA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	2	EACH
1333	DROP INLET	1	EACH
1340	CURB	74	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:230 : TUOLUMNE LODGE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	3	EACH
1153	INTERSECTION	2	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	7	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:236 : MARIPOSA GROVE TRAM ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	2	EACH
1153	INTERSECTION	1	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	63	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:238 : O'SHAUGHNESSY DAM ACCESS

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	1	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	0	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	824	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:400 : YOSEMITE VILLAGE ADMINISTRATION ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	4	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	5	EACH
1333	DROP INLET	1	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	0	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:406 : FORESTA ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	12	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	8	EACH
1333	DROP INLET	7	EACH
1340	CURB	1816	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	164	LINEAR FEET
1542	GUARD WALL	100	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:407 : MIRROR LAKE ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	0	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	1	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:408 : HAPPY ISLES SHUTTLE LOOP

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	0	EACH
1153	INTERSECTION	4	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	9	EACH
1333	DROP INLET	0	EACH
1340	CURB	0	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	195	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	1	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES SUMMARY

Western Region : YOSE : 8800

ROUTE:500 : VALLEY LOOP ROAD

ICAP CODE	FEATURE	TOTAL	UNIT
1152	PULLOUT (PAVED)	27	EACH
1153	INTERSECTION	27	EACH
1190	TURNOUT (PASSING LANE)	0	LINEAR FEET
1320	PAVED DITCH	0	LINEAR FEET
1331	CULVERT	64	EACH
1333	DROP INLET	5	EACH
1340	CURB	7192	LINEAR FEET
1530	TRAFFIC LIGHT	0	EACH
1540	GUARDRAIL	0	LINEAR FEET
1542	GUARD WALL	0	LINEAR FEET
1545	CATTLE GUARD	0	EACH
1720	BRIDGE	3	EACH
1740	TUNNEL	0	EACH
3361	RETAINING WALL	0	EACH
5833	LIGHT POLE	0	EACH
8390	OVERHEAD SIGN	0	EACH
8400	RAILROAD CROSSING	0	EACH
	PARK BOUNDARY	0	EACH

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 011

El Capitan Bridge Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 500
0.032	0.000		Intersection	
0.063	0.000	Intersection		
0.267	0.304	Curb		
0.275	0.307		Bridge	
0.289	0.312		Curb	
0.293	0.000	Pullout		
0.310	0.341	Curb		
0.329	0.000		Intersection	Rte 011 Spur
0.380	0.000			End at Rte 500

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 012

Sentinel Bridge Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.000	0.039	Curb		
0.002	0.032		Bridge	
0.002	0.000		Drop Inlet	
0.002	0.000	Drop Inlet		
0.005	0.042		Curb	
0.032	0.084	Turnout		Rte 900
0.032	0.000		Drop Inlet	
0.032	0.000	Drop Inlet		
0.047	0.000		Drop Inlet	
0.051	0.092	Curb		
0.082	0.000		Pullout	
0.300	0.000			End at Rte 500

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.090	0.000		Culvert	
0.122	0.000	Culvert		
0.193	0.000		Culvert	
0.485	0.000		Culvert	
0.543	0.000		Culvert	
0.586	0.000		Culvert	
0.863	0.939	Guardwall		
0.906	0.924		Curb	
0.946	0.000	Intersection		Rte 016
0.950	0.000		Drop Inlet	
1.007	1.041	Guardwall		
1.056	1.341	Guardwall		
1.085	1.153		Curb	
1.165	1.207		Curb	
1.228	1.270		Curb	
1.272	0.000		Drop Inlet	
1.275	1.303		Curb	
1.335	0.000		Pullout	
1.353	1.381	Guardwall		
1.367	1.383		Curb	
1.391	1.410	Guardwall		
1.440	1.633	Guardwall		
1.586	1.613		Curb	
1.630	1.633		Curb	
1.651	1.741	Guardwall		
1.653	1.685		Curb	
1.752	1.870	Guardwall		
1.807	1.838		Curb	
1.846	1.919		Tunnel	
1.929	1.957		Curb	
1.951	2.199	Guardwall		
1.970	1.989		Curb	
2.001	2.072		Curb	
2.041	0.000	Pullout		
2.111	2.137		Curb	
2.213	2.238	Guardwall		
2.215	2.261		Tunnel	
2.268	2.288		Curb	
2.308	2.317	Guardwall		
2.334	2.519	Guardwall		
2.525	2.678	Guardwall		
2.548	0.000		Pullout	
2.561	2.600		Curb	
2.588	0.000		Drop Inlet	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
2.622	2.690		Curb	
2.677	0.000		Drop Inlet	
2.684	2.796	Guardwall		
2.726	2.792		Curb	
2.806	2.841		Bridge	
2.808	0.000	Pullout		
2.849	2.907		Curb	
2.858	2.880	Turnout		Rte 901
2.864	2.903		Bridge	
2.865	2.871	Curb		
2.932	2.949	Curb		
2.947	3.007		Curb	
3.049	0.000		Pullout	
3.082	0.000		Culvert	
3.117	3.186		Curb	
3.137	3.181		Bridge	
3.228	0.000	Pullout		
3.254	3.372	Guardwall		
3.257	0.000		Pullout	
3.271	0.000		Culvert	
3.290	0.000	Pullout		
3.295	3.356		Curb	
3.363	3.761		Tunnel	
3.765	3.838		Curb	
3.860	0.000		Pullout	
3.917	3.942		Curb	
3.953	3.995	Curb		
3.960	0.000		Pullout	
3.998	4.065		Curb	
4.035	0.000		Culvert	
4.068	0.000		Drop Inlet	
4.072	4.130		Curb	
4.116	4.141	Turnout		Rte 902
4.139	4.200		Curb	
4.152	0.000		Drop Inlet	
4.186	0.000		Drop Inlet	
4.311	4.390		Curb	
4.379	0.000	Intersection		Rte 227
4.440	4.486	Curb		
5.039	5.076	Curb		
5.067	0.000		Culvert	
5.223	0.000	Pullout		
5.401	5.429	Guardwall		
5.415	0.000		Culvert	
5.477	5.519	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
5.581	5.653	Curb		
5.620	0.000		Pullout	
6.225	0.000		Pullout	
6.543	6.558	Curb		
6.606	6.623	Curb		
6.980	7.040	Curb		
7.140	7.200	Curb		
7.176	0.000		Culvert	
7.443	0.000		Pullout	
8.241	8.281	Turnout		Rte 903
8.310	0.000		Culvert	
8.446	0.000		Culvert	
8.648	0.000	Pullout		
8.687	0.000		Pullout	
9.269	9.322	Curb		
9.490	9.545	Curb		
9.550	0.000		Pullout	
9.560	0.000		Culvert	
9.971	0.000		Culvert	
10.076	0.000		Culvert	
10.132	0.000		Culvert	
10.290	0.000		Pullout	
10.427	10.451	Curb		
10.440	0.000		Intersection	
10.461	10.484	Curb		
10.507	0.000		Intersection	Rte 017
10.649	0.000	Intersection		Rte 226
10.667	10.694		Curb	
10.795	10.829	Curb		
10.819	0.000	Pullout		
10.870	10.916	Curb		
10.888	11.160		Curb	
11.083	0.000		Drop Inlet	
11.101	0.000	Intersection		
11.110	0.000		Pullout	
11.122	0.000		Intersection	Rte 404
11.152	0.000	Pullout		
11.170	11.350		Curb	
11.172	11.188	Curb		
11.227	11.299	Curb		
11.378	11.502		Curb	
11.442	0.000		Drop Inlet	
11.474	11.489	Curb		
11.508	11.558	Curb		
11.549	11.766		Curb	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
11.550 0.000	Pullout		
11.657 0.000		Drop Inlet	
11.704 11.827	Curb		
11.786 11.880		Curb	
11.899 0.000		Drop Inlet	
11.918 12.085		Curb	
11.922 12.004	Turnout		Rte 904
11.928 0.000		Drop Inlet	
11.930 11.999	Curb		
12.064 12.359	Curb		
12.177 12.196		Curb	
12.232 12.253		Curb	
12.283 12.359		Curb	
12.369 12.490	Curb		
12.383 12.446		Curb	
12.485 12.516		Curb	
12.493 0.000	Drop Inlet		
12.500 0.000		Pullout	
12.547 12.627	Curb		
12.570 12.662		Curb	
12.706 12.991		Curb	
12.746 0.000		Drop Inlet	
12.748 12.834	Curb		
12.763 0.000		Drop Inlet	
12.861 0.000		Drop Inlet	
12.894 13.000	Curb		
12.919 0.000	Pullout		
13.007 13.179	Curb		
13.052 13.162		Curb	
13.187 13.194	Curb		
13.202 13.255		Curb	
13.214 0.000	Pullout		
13.232 13.353	Curb		
13.313 13.374		Curb	
13.398 13.700		Curb	
13.434 0.000		Drop Inlet	
13.482 13.580	Curb		
13.492 0.000		Drop Inlet	
13.605 0.000		Drop Inlet	
13.624 14.024	Curb		
13.766 13.833		Curb	
13.868 14.024		Curb	
13.986 0.000	Drop Inlet		
14.074 14.234		Curb	
14.157 14.174	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
14.189	14.484	Curb		
14.244	14.264		Curb	
14.258	0.000	Drop Inlet		
14.284	14.319		Curb	
14.395	0.000	Drop Inlet		
14.424	14.492		Curb	
14.515	14.770	Curb		
14.557	0.000	Pullout		
14.577	14.585		Curb	
14.630	14.794		Curb	
14.802	15.000		Curb	
14.884	0.000		Drop Inlet	
14.912	15.025	Curb		
14.928	0.000		Drop Inlet	
14.980	0.000		Pullout	
15.034	15.124	Curb		
15.142	15.749		Curb	
15.151	15.231	Curb		
15.178	0.000		Culvert	
15.266	15.466	Curb		
15.324	0.000		Pullout	
15.325	0.000	Pullout		
15.349	0.000		Drop Inlet	
15.475	0.000		Drop Inlet	
15.501	0.000		Drop Inlet	
15.517	15.596	Curb		
15.591	0.000		Drop Inlet	
15.620	15.740	Curb		
15.652	0.000	Pullout		
15.753	15.841	Curb		
15.781	15.853		Curb	
15.803	0.000	Pullout		
15.856	0.000		Drop Inlet	
15.964	0.000		Pullout	
16.018	16.148	Curb		
16.042	16.330		Curb	
16.207	16.328	Curb		
16.237	0.000		Drop Inlet	
16.296	0.000		Drop Inlet	
16.307	0.000		Pullout	
16.325	0.000	Drop Inlet		
16.363	0.000		Pullout	
16.449	16.599		Curb	
16.458	16.553	Curb		
16.484	0.000	Drop Inlet		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
16.493 0.000		Drop Inlet	
16.523 0.000	Drop Inlet		
16.558 0.000		Drop Inlet	
16.569 16.894	Curb		
16.636 0.000	Drop Inlet		
16.650 0.000		Pullout	
16.705 0.000	Drop Inlet		
16.745 16.824		Curb	
16.821 0.000		Drop Inlet	
16.879 16.994		Curb	
16.987 0.000		Drop Inlet	
17.049 17.171		Curb	
17.116 17.248	Curb		
17.176 0.000	Drop Inlet		
17.185 17.200		Curb	
17.204 17.394		Curb	
17.306 0.000		Drop Inlet	
17.371 0.000		Drop Inlet	
17.384 17.546	Curb		
17.455 0.000	Drop Inlet		
17.521 0.000	Drop Inlet		
17.556 0.000	Pullout		
17.576 0.000	Drop Inlet		
17.578 17.702	Curb		
17.628 17.800		Curb	
17.705 0.000	Drop Inlet		
17.726 0.000		Drop Inlet	
17.737 17.798	Curb		
17.757 0.000	Drop Inlet		
17.809 17.836		Curb	
17.845 0.000		Drop Inlet	
17.857 17.915	Curb		
17.860 17.904		Curb	
17.883 0.000		Pullout	
17.951 18.106	Curb		
17.966 18.166		Curb	
17.983 0.000		Pullout	
18.012 0.000		Drop Inlet	
18.016 0.000	Drop Inlet		
18.038 0.000		Pullout	
18.084 0.000	Drop Inlet		
18.120 18.171	Curb		
18.178 18.224	Turnout		Rte 907
18.180 0.000		Intersection	Rte 224
18.185 18.217	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 013

Big Oak Flat Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
18.367	18.486		Curb	
18.380	18.413	Turnout		Rte 908
18.388	18.408	Curb		
18.482	0.000		Drop Inlet	
18.523	18.651	Curb		
18.545	18.766		Curb	
18.777	18.821	Curb		
18.778	18.905		Curb	
18.830	18.966	Curb		
18.913	0.000	Drop Inlet		
18.960	0.000	Boundary		
18.960	0.000			End at Park Boundary

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Park Boundary
0.005	0.000		Boundary	
0.050	0.070	Curb		
0.066	0.000		Intersection	
0.126	0.000		Culvert	
0.206	0.228	Curb		
0.213	0.000	Culvert		
0.214	0.000		Culvert	
0.324	0.000		Culvert	
0.325	0.000	Culvert		
0.464	0.000		Culvert	
0.465	0.000	Culvert		
0.574	0.640	Curb		
0.585	0.000	Drop inlet		
0.609	0.000	Culvert		
0.717	0.000		Culvert	
0.761	0.000		Pullout	
0.797	0.000		Intersection	Rte 219, 909
0.821	0.000		Culvert	
0.936	0.000		Culvert	
0.954	0.979	Curb		
1.050	1.061	Curb		
1.092	0.000		Culvert	
1.195	0.000		Culvert	
1.211	1.249		Curb	
1.301	0.000		Culvert	
1.369	0.000		Culvert	
1.528	1.613	Curb		
1.537	0.000		Culvert	
1.592	0.000		Culvert	
1.718	0.000		Culvert	
1.759	0.000		Culvert	
1.884	2.008	Curb		
1.983	0.000		Culvert	
2.048	0.000	Pullout		
2.217	2.268	Curb		
2.332	0.000	Pullout		
2.363	0.000		Culvert	
2.375	2.428		Curb	
2.391	2.405	Curb		
2.443	0.000		Culvert	
2.505	2.558	Curb		
2.543	0.000		Culvert	
2.628	0.000		Culvert	
2.637	2.665	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
2.662	0.000		Culvert	
2.755	0.000		Culvert	
2.770	2.804	Curb		
2.812	2.872	Curb		
2.862	0.000		Culvert	
2.929	0.000		Culvert	
2.936	2.947	Curb		
3.031	3.057	Curb		
3.046	0.000		Culvert	
3.173	0.000		Culvert	
3.265	3.303	Curb		
3.362	0.000		Culvert	
3.412	3.441	Curb		
3.450	0.000		Culvert	
3.554	0.000		Culvert	
3.678	3.698	Curb		
3.890	0.000		Culvert	
3.937	0.000		Culvert	
3.969	0.000		Culvert	
4.156	0.000		Culvert	
4.225	0.000	Pullout		
4.246	0.000		Culvert	
4.326	0.000		Culvert	
4.339	4.372	Curb		
4.359	0.000		Culvert	
4.375	4.386	Curb		
4.421	0.000		Culvert	
4.430	4.457	Curb		
4.474	0.000		Culvert	
4.521	0.000		Culvert	
4.563	4.626	Curb		
4.576	0.000		Culvert	
4.669	0.000		Culvert	
4.721	0.000		Culvert	
4.768	4.793	Curb		
4.772	0.000		Culvert	
4.821	0.000		Culvert	
4.846	4.878	Curb		
4.863	0.000		Culvert	
4.906	4.919	Curb		
4.947	0.000		Culvert	
5.010	0.000		Culvert	
5.115	0.000		Intersection	
5.174	5.235	Curb		
5.241	0.000	Pullout		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
5.267	0.000		Drop Inlet	
5.346	0.000		Culvert	
5.349	0.000		Intersection	
5.503	0.000		Culvert	
5.536	5.578		Bridge	
5.554	5.618	Guardrail		
5.683	0.000		Intersection	Rte 221
5.746	0.000		Pullout	
5.778	0.000		Culvert	
6.008	0.000		Culvert	
6.240	0.000		Culvert	
6.330	0.000	Pullout		
6.360	0.000		Culvert	
6.452	0.000		Culvert	
6.502	0.000		Intersection	
6.535	0.000	Intersection		Rte 222
6.614	0.000		Culvert	
6.639	6.650	Curb		
6.642	0.000	Drop Inlet		
6.697	6.708	Curb		
6.780	6.803		Curb	
6.821	6.843		Curb	
6.853	0.000		Culvert	
6.944	0.000		Culvert	
6.987	0.000		Culvert	
7.066	0.000		Culvert	
7.067	7.093	Curb		
7.201	7.211	Curb		
7.219	7.236	Curb		
7.287	7.309	Curb		
7.289	0.000	Drop Inlet		
7.289	0.000		Pullout	
7.359	0.000		Pullout	
7.368	0.000	Drop Inlet		
7.371	7.402	Curb		
7.405	0.000	Pullout		
7.490	0.000		Culvert	
7.508	7.550	Curb		
7.514	0.000	Drop Inlet		
7.576	0.000		Pullout	
7.578	7.609	Curb		
7.624	0.000		Culvert	
7.664	0.000		Culvert	
7.767	0.000		Culvert	
7.770	7.787	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
7.773 0.000	Drop Inlet		
7.914 0.000		Pullout	
7.974 7.990	Guardwall		
8.028 8.047	Guardwall		
8.071 0.000		Culvert	
8.078 8.169	Curb		
8.238 0.000		Culvert	
8.396 0.000		Culvert	
8.474 0.000	Pullout		
8.479 0.000		Culvert	
8.564 0.000	Pullout		
8.574 0.000		Culvert	
8.628 0.000		Culvert	
8.669 0.000		Culvert	
8.682 8.702		Curb	
8.759 8.829	Curb		
8.760 0.000		Culvert	
8.763 0.000	Drop Inlet		
8.776 0.000		Pullout	
8.792 0.000	Drop Inlet		
8.803 0.000		Culvert	
8.887 0.000		Culvert	
8.937 0.000		Culvert	
8.973 0.000	Pullout		
8.978 0.000		Culvert	
9.046 0.000	Pullout		
9.065 0.000		Culvert	
9.217 0.000		Culvert	
9.218 0.000	Drop Inlet		
9.239 9.281	Curb		
9.239 9.281		Curb	
9.245 0.000		Pullout	
9.287 9.335	Curb		
9.340 9.345	Curb		
9.349 0.000	Pullout		
9.392 0.000		Culvert	
9.476 0.000		Culvert	
9.515 0.000		Culvert	
9.547 9.563	Curb		
9.642 0.000	Drop Inlet		
9.649 9.689	Curb		
9.653 0.000		Pullout	
9.871 0.000		Culvert	
9.928 0.000		Culvert	
10.110 10.137	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
10.126	0.000		Culvert	
10.241	0.000		Culvert	
10.314	0.000	Pullout		
10.344	10.379	Curb		
10.351	0.000	Drop Inlet		
10.417	0.000	Pullout		
10.428	0.000		Culvert	
10.529	0.000		Culvert	
10.639	10.656	Curb		
10.650	0.000		Culvert	
10.720	10.740	Curb		
10.723	0.000		Pullout	
10.739	0.000		Culvert	
10.858	0.000		Culvert	
10.880	10.906	Curb		
11.001	11.017	Curb		
11.005	0.000	Drop Inlet		
11.093	0.000	Pullout		
11.119	0.000		Culvert	
11.129	11.156		Curb	
11.187	11.227	Curb		
11.200	0.000	Drop Inlet		
11.202	0.000		Culvert	
11.286	0.000		Culvert	
11.378	0.000		Culvert	
11.390	11.408		Curb	
11.430	11.463		Curb	
11.491	0.000		Culvert	
11.610	11.639	Curb		
11.785	0.000		Culvert	
11.820	0.000	Pullout		
11.840	11.863	Curb		
11.973	0.000		Culvert	
12.047	0.000		Culvert	
12.088	0.000		Culvert	
12.100	12.120		Curb	
12.352	0.000		Culvert	
12.462	0.000	Drop Inlet		
12.468	12.492	Curb		
12.497	0.000		Culvert	
12.530	0.000	Pullout		
12.599	0.000	Drop Inlet		
12.606	12.618	Curb		
12.613	0.000		Culvert	
12.792	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
12.886 12.941	Curb		
12.901 0.000		Pullout	
13.040 0.000		Culvert	
13.136 13.173	Curb		
13.183 0.000		Culvert	
13.207 0.000	Pullout		
13.212 0.000		Culvert	
13.319 0.000		Culvert	
13.749 13.768	Curb		
13.806 0.000	Pullout		
13.897 0.000	Pullout		
13.951 0.000		Culvert	
14.139 0.000		Culvert	
14.417 0.000	Pullout		
14.455 0.000		Culvert	
14.472 14.496	Curb		
14.601 0.000		Culvert	
14.633 14.665	Curb		
14.654 0.000		Pullout	
14.669 0.000		Culvert	
14.855 0.000	Culvert		
14.863 0.000		Culvert	
14.896 0.000	Pullout		
14.943 0.000	Culvert		
14.944 0.000		Culvert	
15.058 15.070	Curb		
15.060 0.000		Pullout	
15.068 0.000		Culvert	
15.151 15.166	Curb		
15.156 0.000		Pullout	
15.163 0.000		Culvert	
15.297 0.000		Culvert	
15.458 0.000	Culvert		
15.461 0.000		Culvert	
15.470 15.500	Curb		
15.500 15.523		Curb	
15.546 0.000	Culvert		
15.658 15.679		Curb	
15.691 0.000		Culvert	
15.728 0.000	Pullout		
15.761 0.000	Culvert		
15.766 0.000		Culvert	
15.846 0.000	Culvert		
15.851 0.000		Culvert	
15.940 0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
15.967	0.000	Culvert		
15.974	0.000		Culvert	
16.002	0.000	Pullout		
16.022	0.000	Culvert		
16.035	0.000		Culvert	
16.121	16.138	Curb		
16.131	0.000	Drop Inlet		
16.137	0.000		Culvert	
16.163	0.000	Pullout		
16.235	0.000		Culvert	
16.315	0.000	Drop Inlet		
16.320	0.000		Culvert	
16.352	0.000		Culvert	
16.436	0.000		Culvert	
16.458	0.000		Pullout	
16.566	0.000		Culvert	
16.719	0.000		Culvert	
16.742	0.000	Pullout		
16.782	0.000		Culvert	
16.843	0.000	Drop Inlet		
16.854	16.905	Curb		
16.968	0.000	Drop Inlet		
16.975	17.000	Curb		
17.009	0.000		Culvert	
17.107	17.121	Curb		
17.125	0.000		Culvert	
17.220	0.000		Culvert	
17.374	0.000		Culvert	
17.378	0.000	Intersection		
17.544	0.000		Culvert	
17.581	0.000	Pullout		
17.615	17.639	Curb		
17.746	17.818		Turnout	Rte 916
17.766	17.812		Curb	
17.784	0.000		Drop Inlet	
17.792	17.816	Turnout		
17.799	17.805	Curb		
17.821	0.000		Intersection	Rte 015
17.839	17.861		Curb	
17.855	0.000		Drop Inlet	
17.874	0.000		Pullout	
17.962	0.000		Culvert	
18.071	18.090	Curb		
18.086	0.000		Culvert	
18.233	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
18.435	18.485	Curb		
18.471	0.000	Drop Inlet		
18.550	18.589	Curb		
18.620	0.000	Pullout		
18.665	0.000		Culvert	
18.761	0.000		Culvert	
18.887	18.915	Curb		
18.927	0.000		Culvert	
19.090	0.000		Culvert	
19.197	0.000		Culvert	
19.220	0.000	Pullout		
19.425	19.432	Curb		
19.473	0.000	Pullout		
19.568	19.580	Curb		
19.572	0.000		Culvert	
19.753	0.000		Culvert	
19.868	0.000		Culvert	
19.974	0.000		Culvert	
20.121	20.146	Curb		
20.243	0.000	Pullout		
20.270	0.000		Culvert	
20.337	0.000		Culvert	
20.489	0.000		Culvert	
20.687	0.000		Pullout	
20.735	0.000	Pullout		
21.033	21.049	Curb		
21.061	21.079	Curb		
21.173	0.000		Pullout	
21.360	21.433	Curb		
21.440	0.000	Pullout		
21.476	0.000		Culvert	
21.633	0.000	Pullout		
21.688	0.000		Culvert	
21.739	0.000	Pullout		
21.773	0.000		Culvert	
21.950	0.000		Culvert	
21.966	22.000		Curb	
22.057	0.000		Culvert	
22.266	0.000	Drop Inlet		
22.298	0.000	Drop Inlet		
22.512	0.000	Drop Inlet		
22.519	22.556	Curb		
22.598	0.000		Drop Inlet	
22.703	0.000	Pullout		
22.718	22.744	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
22.752 0.000	Drop Inlet		
22.807 0.000		Culvert	
22.928 22.932	Curb		
22.976 0.000		Culvert	
23.003 0.000	Drop Inlet		
23.056 0.000		Culvert	
23.167 23.243	Curb		
23.210 0.000		Pullout	
23.213 0.000		Culvert	
23.301 0.000		Culvert	
23.363 0.000		Culvert	
23.381 23.396	Curb		
23.394 0.000		Culvert	
23.417 23.434	Curb		
23.461 23.485		Curb	
23.557 0.000		Culvert	
23.680 0.000		Culvert	
23.761 0.000		Culvert	
23.773 24.080	Guardwall		
23.828 0.000	Pullout		
23.848 0.000		Culvert	
23.923 0.000		Culvert	
24.063 0.000		Culvert	
24.126 24.151		Curb	
24.138 0.000	Pullout		
24.202 0.000		Culvert	
24.415 0.000		Culvert	
24.476 0.000		Culvert	
24.502 0.000		Culvert	
24.565 24.602		Curb	
24.612 0.000		Drop Inlet	
24.631 25.612	Curb		
24.631 25.612		Curb	
24.638 25.445		Tunnel	
24.650 0.000	Pullout		
24.805 25.436		Curb	
25.470 25.543		Turnout	Rte 917
25.478 25.536		Curb	
25.489 25.595	Guardwall		
25.502 25.530	Turnout		Rt 917
25.629 25.723	Curb		
25.666 0.000		Culvert	
25.717 0.000	Pullout		
25.734 25.747	Curb		
25.761 25.926	Curb		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 014

Wawona Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
25.838 0.000	Drop Inlet		
25.920 0.000	Drop Inlet		
26.054 26.202	Curb		
26.072 0.000		Culvert	
26.206 0.000	Pullout		
26.207 0.000		Culvert	
26.273 26.294	Curb		
26.308 26.356	Curb		
26.346 0.000	Drop Inlet		
26.380 0.000		Culvert	
26.406 26.452	Curb		
26.499 0.000		Culvert	
26.509 26.537	Curb		
26.527 0.000	Drop Inlet		
26.597 0.000		Culvert	
26.634 26.707	Curb		
26.634 0.000		Culvert	
26.755 0.000		Culvert	
26.987 0.000		Intersection	Rte 918
27.024 27.057	Curb		
27.039 0.000	Drop Inlet		
27.080 0.000			End at Rte 500

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 015

Glacier Point Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000 0.000			Begin at Rte 014
0.000 0.042	Curb		
0.017 0.000		Intersection	
0.282 0.295	Curb		
0.302 0.000	Pullout		
0.307 0.310	Curb		
0.312 0.352		Curb	
0.337 0.000		Pullout	
0.809 0.000		Culvert	
0.839 0.857	Curb		
0.862 0.000	Pullout		
0.912 0.000		Culvert	
1.358 0.000	Pullout		
1.839 1.860	Curb		
1.853 0.000	Pullout		
1.881 1.904	Guardwall		
1.926 0.000	Pullout		
1.936 1.962	Guardwall		
1.999 0.000	Pullout		
2.011 2.034	Curb		
2.334 0.000		Culvert	
2.881 2.897	Curb		
2.906 0.000	Pullout		
3.164 0.000		Culvert	
3.221 0.000	Pullout		
3.356 0.000	Pullout		
3.424 0.000		Culvert	
3.879 0.000	Pullout		
4.221 0.000	Pullout		
4.284 0.000		Culvert	
4.511 0.000		Culvert	
4.769 0.000	Pullout		
4.947 0.000	Pullout		
4.981 5.028		Curb	
4.991 0.000		Pullout	
5.018 0.000		Intersection	Rte 919
6.013 0.000		Pullout	
6.575 0.000		Culvert	
7.807 0.000		Intersection	Rte 223
8.263 0.000	Pullout		
8.273 8.289		Bridge	
8.714 0.000		Culvert	
9.678 0.000		Culvert	
9.937 0.000		Culvert	
10.430 0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 015

Glacier Point Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
10.608	0.000	Culvert		
10.877	0.000	Culvert		
11.116	0.000	Culvert		
11.187	0.000	Culvert		
11.571	0.000	Culvert		
11.622	0.000	Culvert		
11.822	0.000	Culvert		
11.932	0.000	Culvert		
12.301	0.000		Culvert	
12.641	0.000		Culvert	
12.662	0.000		Culvert	
12.728	0.000		Culvert	
13.245	0.000		Culvert	
13.445	0.000	Intersection		Rte 920
13.498	0.000		Culvert	
13.737	0.000	Culvert		
13.867	0.000		Culvert	
13.904	0.000	Culvert		
13.962	0.000	Culvert		
13.975	0.000		Culvert	
14.064	0.000	Culvert		
14.199	0.000	Culvert		
14.311	0.000		Culvert	
14.774	0.000		Drop Inlet	
14.907	0.000		Culvert	
14.970	0.000	Culvert		
14.975	0.000		Culvert	
15.033	15.070		Turnout	Rte 921
15.112	0.000	Culvert		
15.213	0.000	Culvert		
15.223	0.000		Culvert	
15.231	0.000	Culvert		
15.239	0.000		Culvert	
15.295	0.000	Culvert		
15.304	0.000		Culvert	
15.383	0.000	Intersection		Rte 419
15.572	0.000	Culvert		
15.672	0.000		Culvert	
15.675	0.000	Culvert		
15.699	15.700		Curb	
15.702	15.734	Curb		
15.720	0.000			End at Rte 922

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 016

El Portal Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Park Boundary
0.001	0.000		Boundary	
0.040	0.353		Guardwall	
0.383	0.534		Guardwall	
0.462	0.502	Ditch		
0.564	0.000	Culvert		
0.643	0.712		Guardwall	
0.686	0.805	Ditch		
0.755	1.100		Guardwall	
1.111	1.142		Guardwall	
1.132	0.000	Pullout		
1.148	1.185		Guardwall	
1.190	1.268		Guardwall	
1.278	1.348		Guardwall	
1.445	1.458		Guardwall	
1.469	1.494		Guardwall	
1.491	0.000	Culvert		
1.525	1.540		Guardwall	
1.545	0.000	Culvert		
1.547	1.767		Guardwall	
1.605	0.000		Pullout	
1.662	0.000	Culvert		
1.680	0.000	Culvert		
1.844	1.958		Guardwall	
1.964	0.000	Culvert		
2.173	2.200		Guardwall	
2.251	2.299		Guardwall	
2.293	0.000	Culvert		
2.327	2.353		Guardwall	
2.605	2.623		Guardwall	
2.627	0.000	Culvert		
2.659	0.000	Drop Inlet		
2.730	0.000	Culvert		
2.799	0.000	Culvert		
2.814	0.000	Culvert		
3.089	0.000	Drop Inlet		
3.325	3.341		Guardwall	
3.350	0.000	Drop Inlet		
3.683	0.000	Culvert		
3.944	0.000		Drop Inlet	
3.951	0.000	Drop Inlet		
3.968	0.000	Drop Inlet		
4.135	0.000	Culvert		
4.311	0.000	Culvert		
4.472	0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 016

El Portal Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
4.616 0.000	Culvert		
4.671 0.000	Culvert		
4.783 0.000	Pullout		
4.840 0.000		Culvert	
4.990 0.000		Culvert	
5.012 5.019	Curb		
5.031 5.063		Bridge	
5.032 0.000	Pullout		
5.112 0.000	Culvert		
5.349 0.000	Culvert		
5.368 0.000	Culvert		
5.459 5.488		Guardwall	
5.488 0.000	Culvert		
5.537 0.000		Culvert	
5.608 0.000	Drop Inlet		
5.841 0.000	Drop Inlet		
5.882 5.908		Guardwall	
5.934 0.000	Drop Inlet		
5.972 0.000	Culvert		
6.117 0.000	Drop Inlet		
6.237 0.000	Culvert		
6.366 0.000	Culvert		
6.687 0.000	Culvert		
6.701 0.000	Culvert		
6.740 0.000			End at Rte 013

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000 0.000			Begin at Rte 013
0.042 0.000		Intersection	
0.652 0.000	Intersection		Rte 923
0.765 0.000	Culvert		
1.166 0.000	Culvert		
1.282 1.339		Curb	
1.672 0.000	Culvert		
1.705 1.765		Curb	
1.888 0.000	Culvert		
1.960 0.000	Culvert		
2.128 0.000		Culvert	
2.254 0.000		Culvert	
2.312 0.000	Culvert		
2.336 2.415		Curb	
2.507 0.000		Culvert	
2.659 0.000	Culvert		
2.691 0.000		Culvert	
3.148 0.000	Culvert		
3.351 0.000	Culvert		
3.774 0.000		Intersection	
3.833 0.000	Intersection		
3.858 0.000		Intersection	Rte 232
3.889 0.000		Intersection	Rte 924
4.226 0.000	Culvert		
4.387 0.000	Culvert		
4.683 0.000	Culvert		
4.895 0.000	Pullout		
4.993 0.000		Culvert	
5.228 0.000		Culvert	
5.328 0.000		Culvert	
5.339 5.374	Curb		
5.713 0.000	Pullout		
5.911 0.000	Culvert		
6.278 0.000		Culvert	
6.328 6.348	Curb		
6.368 6.402	Curb		
6.411 0.000		Culvert	
6.532 0.000		Culvert	
6.616 0.000		Culvert	
6.761 0.000		Culvert	
7.059 0.000	Culvert		
7.337 7.522	Curb		
7.401 0.000		Culvert	
7.499 7.523		Bridge	
7.543 0.000		Pullout	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
7.567 0.000		Culvert	
7.682 7.780	Curb		
7.717 0.000		Culvert	
7.809 0.000		Culvert	
7.978 8.024	Curb		
8.050 8.151	Curb		
8.570 0.000	Pullout		
8.632 0.000	Culvert		
8.765 0.000		Culvert	
8.810 0.000		Culvert	
8.902 0.000		Culvert	
9.588 9.622		Curb	
9.911 0.000	Culvert		
10.041 0.000	Culvert		
10.133 0.000	Culvert		
10.224 0.000	Culvert		
10.410 0.000	Culvert		
10.485 0.000	Culvert		
10.603 0.000	Culvert		
10.708 0.000	Culvert		
10.713 0.000		Culvert	
10.733 10.749		Curb	
10.789 0.000	Culvert		
10.819 0.000		Culvert	
11.172 0.000	Culvert		
11.235 0.000	Culvert		
11.325 0.000	Culvert		
11.337 0.000		Culvert	
11.380 0.000	Culvert		
11.403 0.000		Culvert	
11.446 0.000	Culvert		
11.530 0.000	Culvert		
11.616 0.000	Culvert		
11.670 0.000	Culvert		
11.744 0.000	Culvert		
11.826 0.000	Drop Inlet		
11.881 0.000	Culvert		
11.928 0.000	Culvert		
11.986 0.000	Culvert		
12.181 0.000	Culvert		
12.226 0.000	Culvert		
12.293 0.000	Culvert		
12.380 0.000	Culvert		
12.589 0.000	Culvert		
12.961 0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
13.032	0.000		
13.177	0.000	Culvert	
13.247	0.000	Culvert	
13.478	0.000	Culvert	
13.638	0.000	Pullout	
13.683	0.000	Pullout	
14.315	0.000	Pullout	
14.336	0.000	Culvert	
14.523	0.000	Culvert	
14.634	0.000	Intersection	Rte 101
14.942	0.000	Intersection	Rte 233
14.988	15.019	Ditch	
15.791	15.970	Ditch	
15.810	15.966	Curb	
15.831	0.000	Pullout	
15.922	0.000	Drop inlet	
15.942	0.000	Pullout	
16.068	16.105	Curb	
16.080	0.000	Pullout	
16.122	16.165	Curb	
16.148	0.000	Pullout	
16.216	16.265	Curb	
16.242	0.000	Pullout	
16.421	16.530	Curb	
16.563	16.608	Turnout	Rte 926
16.572	16.600	Curb	
16.608	16.674	Ditch	
16.619	0.000	Drop Inlet	
16.706	16.805	Curb	
16.726	16.784	Turnout	Rte 927
16.935	17.206	Curb	
17.024	0.000	Drop Inlet	
17.113	0.000	Drop Inlet	
17.225	17.554	Ditch	
17.274	17.346	Curb	
17.314	0.000	Pullout	
17.353	17.365	Curb	
17.460	0.000	Culvert	
17.490	0.000	Drop Inlet	
17.525	17.679	Curb	
17.620	0.000	Drop Inlet	
17.716	17.857	Ditch	
17.756	18.059	Curb	
17.816	0.000	Drop Inlet	
17.993	0.000	Pullout	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
18.073	18.141	Ditch		
18.106	18.221		Curb	
18.137	0.000	Drop inlet		
18.157	18.451	Ditch		
18.176	0.000		Pullout	
18.196	0.000	Drop inlet		
18.291	0.000	Drop Inlet		
18.365	18.408		Turnout	Rte 928
18.394	0.000	Drop inlet		
18.493	0.000	Culvert		
18.523	18.823	Ditch		
18.632	0.000	Drop inlet		
18.672	18.825		Curb	
18.711	0.000		Pullout	
18.716	0.000	Drop inlet		
18.758	0.000		Drop Inlet	
18.764	0.000	Drop inlet		
18.849	18.919		Curb	
18.942	19.019		Ditch	
19.005	19.045	Ditch		
19.025	19.117		Curb	
19.153	19.334		Curb	
19.179	0.000	Drop Inlet		
19.185	19.315	Ditch		
19.188	0.000		Pullout	
19.209	0.000	Drop Inlet		
19.285	0.000	Culvert		
19.371	0.000	Culvert		
19.438	19.504	Ditch		
19.450	0.000	Culvert		
19.516	19.594	Ditch		
19.604	19.698		Curb	
19.611	0.000		Culvert	
19.642	0.000	Culvert		
19.690	0.000	Culvert		
19.753	19.804		Turnout	Rte 929
19.829	19.849		Bridge	
19.860	19.976		Curb	
19.877	0.000		Pullout	
19.950	0.000	Culvert		
19.962	0.000		Drop Inlet	
19.991	0.000		Intersection	Rte 930
20.016	20.034		Ditch	
20.039	20.116		Curb	
20.049	0.000		Drop Inlet	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
20.160	20.291	Ditch		
20.246	0.000	Culvert		
20.290	20.348		Curb	
20.304	0.000	Pullout		
20.313	0.000		Drop Inlet	
20.331	0.000		Pullout	
20.343	20.594	Ditch		
20.351	0.000	Culvert		
20.393	0.000	Culvert		
20.445	0.000	Culvert		
20.483	0.000	Culvert		
20.517	20.597		Curb	
20.549	0.000	Culvert		
20.568	0.000	Culvert		
20.656	20.914	Ditch		
20.728	0.000	Drop inlet		
20.830	0.000	Drop inlet		
20.892	0.000	Culvert		
20.934	21.308	Ditch		
20.940	0.000	Culvert		
20.949	21.065		Curb	
20.982	0.000	Culvert		
20.988	0.000		Pullout	
21.082	0.000	Culvert		
21.161	0.000	Culvert		
21.222	0.000		Culvert	
21.247	0.000	Culvert		
21.258	21.431		Curb	
21.373	0.000		Drop Inlet	
21.414	21.468	Ditch		
21.442	21.478		Curb	
21.485	21.496		Curb	
21.514	21.885	Ditch		
21.519	0.000	Drop Inlet		
21.615	0.000	Drop Inlet		
21.709	0.000	Drop Inlet		
21.768	21.856		Curb	
21.802	0.000		Drop Inlet	
21.805	0.000	Drop Inlet		
21.813	0.000		Pullout	
21.941	21.962		Curb	
21.967	22.054		Curb	
21.985	0.000		Drop Inlet	
22.044	0.000	Culvert		
22.065	22.318	Ditch		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
22.139	0.000	Drop Inlet		
22.173	22.388		Curb	
22.189	0.000	Drop Inlet		
22.226	0.000		Pullout	
22.236	0.000	Drop Inlet		
22.429	22.500	Ditch		
22.523	0.000	Drop Inlet		
22.529	22.675	Ditch		
22.639	0.000	Drop Inlet		
22.692	22.779		Curb	
22.716	0.000	Drop Inlet		
22.743	0.000		Pullout	
22.799	0.000	Culvert		
23.349	23.455	Curb		
23.650	23.739		Ditch	
23.729	23.938	Curb		
23.767	0.000		Culvert	
23.841	0.000	Drop Inlet		
23.899	23.936		Turnout	Rte 931
23.915	23.925		Curb	
23.947	0.000	Intersection		Rte 240
24.432	24.468		Turnout	Rte 932
24.517	24.597		Curb	
24.534	0.000	Culvert		
24.585	0.000		Drop Inlet	
24.750	0.000	Culvert		
24.801	0.000	Culvert		
24.828	24.909		Curb	
24.854	0.000	Culvert		
24.893	0.000		Culvert	
24.965	0.000	Culvert		
24.978	25.033		Curb	
25.001	0.000		Pullout	Rte 933
25.152	25.259		Curb	
25.175	0.000	Culvert		
25.251	0.000		Drop Inlet	
25.268	0.000	Culvert		
25.582	0.000	Drop Inlet		
25.647	25.747		Curb	
25.662	0.000		Drop Inlet	
25.690	0.000		Pullout	
25.798	25.874		Curb	
25.812	0.000		Drop Inlet	
25.831	0.000	Drop Inlet		
26.155	0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
26.327	0.000	Culvert	
26.420	0.000	Drop Inlet	
26.641	0.000	Culvert	
26.705	0.000	Drop Inlet	
26.760	26.834	Curb	
26.763	0.000	Drop Inlet	
26.788	0.000	Pullout	
26.810	26.831	Curb	
26.816	0.000	Pullout	
26.878	26.910	Curb	
27.128	0.000	Intersection	Rte 234
27.137	0.000	Culvert	
27.161	0.000	Intersection	Rte 935
27.191	0.000	Intersection	Rte 234
27.220	0.000	Intersection	Rte 935
27.244	27.532	Curb	
27.248	27.441	Ditch	
27.297	0.000	Drop Inlet	
27.325	0.000	Drop Inlet	
27.353	0.000	Drop Inlet	
27.404	0.000	Pullout	
27.418	0.000	Drop Inlet	
27.429	0.000	Drop Inlet	
27.561	27.609	Curb	
27.583	0.000	Pullout	Rte 936
27.698	27.727	Turnout	
27.746	27.759	Ditch	
27.860	28.057	Curb	
27.902	0.000	Pullout	
27.918	0.000	Drop Inlet	
27.970	0.000	Drop Inlet	
27.994	0.000	Pullout	
28.018	0.000	Drop Inlet	
28.070	0.000	Drop Inlet	
28.233	0.000	Drop Inlet	
28.237	28.381	Ditch	
28.306	0.000	Drop Inlet	
28.399	28.445	Curb	
28.424	0.000	Pullout	
28.469	28.533	Ditch	
28.510	28.642	Curb	
28.566	0.000	Drop Inlet	
28.707	0.000	Drop Inlet	
28.767	0.000	Drop Inlet	
28.822	28.908	Curb	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
28.851 0.000		Pullout	
29.000 29.048		Curb	
29.018 29.084	Ditch		
29.028 0.000		Pullout	
29.164 29.196	Curb		
29.182 0.000	Pullout		
29.370 29.484		Curb	
29.382 29.472		Turnout	Rte 937
29.563 29.634		Curb	
29.576 30.023	Ditch		
29.595 0.000		Pullout	
29.651 0.000	Drop Inlet		
29.693 0.000	Drop Inlet		
29.730 0.000	Drop Inlet		
29.791 0.000	Drop Inlet		
29.822 29.997		Curb	
29.848 0.000		Pullout	
29.903 0.000	Drop Inlet		
29.935 0.000	Drop Inlet		
29.968 0.000		Pullout	
29.989 0.000	Drop Inlet		
30.023 0.000		Culvert	
30.053 30.250	Ditch		
30.058 0.000		Culvert	
30.080 0.000	Drop Inlet		
30.089 0.000		Culvert	
30.122 0.000	Drop Inlet		
30.124 30.177		Curb	
30.132 0.000		Culvert	
30.153 0.000		Pullout	
30.160 0.000	Drop Inlet		
30.182 0.000		Culvert	
30.215 0.000	Drop Inlet		
30.224 0.000		Culvert	
30.258 0.000	Culvert		
30.264 30.306	Ditch		
30.267 30.463		Curb	
30.273 0.000		Culvert	
30.307 0.000		Pullout	
30.430 0.000		Culvert	
30.450 30.465	Guardwall		
30.472 30.498	Ditch		
30.487 0.000		Culvert	
30.517 0.000	Culvert		
30.551 0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
30.845	0.000		Intersection	Rte 938
30.880	0.000		Intersection	Rte 938
30.979	0.000		Intersection	Rte 939
30.986	31.192		Curb	
31.127	0.000	Culvert		
31.161	0.000		Pullout	
31.229	31.254	Curb		
31.237	0.000	Pullout		
31.248	0.000		Culvert	
31.280	0.000		Culvert	
31.312	0.000	Culvert		
31.320	31.367		Curb	
31.341	0.000		Pullout	
31.405	31.440	Curb		
31.454	0.000	Culvert		
31.555	0.000	Culvert		
31.559	0.000		Culvert	
31.579	31.594		Curb	
31.585	0.000	Culvert		
31.605	0.000		Intersection	
31.610	31.646		Curb	
31.652	0.000		Intersection	
31.662	32.170		Curb	
31.794	31.826	Curb		
31.813	0.000	Pullout		
31.858	0.000		Culvert	
31.902	0.000		Drop Inlet	
31.944	0.000		Pullout	
32.115	0.000		Pullout	
32.152	0.000		Drop Inlet	
32.201	0.000		Intersection	Rte 940
32.224	0.000	Culvert		
32.312	0.000		Intersection	Rte 940
32.444	0.000	Culvert		
32.517	0.000		Culvert	
32.538	0.000		Culvert	
32.611	0.000	Culvert		
32.626	0.000		Culvert	
32.629	32.684	Curb		
32.694	32.807	Ditch		
32.725	0.000	Drop Inlet		
32.834	0.000	Drop Inlet		
32.846	0.000	Pullout		
32.852	33.186	Ditch		
32.881	0.000	Drop Inlet		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
32.947 0.000	Drop Inlet		
32.979 33.217		Curb	
32.996 0.000	Drop Inlet		
33.038 0.000	Drop Inlet		
33.064 0.000		Drop Inlet	
33.095 0.000	Drop Inlet		
33.132 0.000		Drop Inlet	
33.206 0.000	Culvert		
33.278 0.000	Pullout		
33.550 33.592	Curb		
33.559 0.000	Drop Inlet		
33.599 33.637	Ditch		
33.630 0.000		Culvert	
33.646 0.000	Drop Inlet		
33.662 0.000		Culvert	
33.760 34.020	Ditch		
33.842 0.000	Culvert		
33.886 33.960		Curb	
33.919 0.000		Pullout	
34.070 0.000	Culvert		
34.286 0.000		Culvert	
34.294 0.000	Culvert		
34.321 0.000		Culvert	
34.393 0.000	Culvert		
34.535 34.610	Curb		
34.577 0.000	Pullout		
35.088 0.000		Culvert	
35.106 0.000		Culvert	
35.192 0.000		Culvert	
35.244 0.000		Culvert	
35.297 0.000		Culvert	
35.302 35.359	Curb		
35.382 35.436	Curb		
35.395 0.000		Culvert	
35.477 0.000		Culvert	
35.480 35.500	Curb		
35.494 0.000		Culvert	
35.508 35.521	Curb		
35.526 35.540	Curb		
35.549 0.000		Culvert	
35.556 35.613	Curb		
35.679 35.718		Curb	
35.796 35.865		Curb	
35.847 0.000		Drop Inlet	
35.905 0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
35.950	0.000	Culvert		
36.135	0.000	Culvert		
36.171	0.000	Culvert		
36.242	0.000	Culvert		
36.436	36.469	Curb		
36.500	36.586		Curb	
36.620	36.689		Curb	
36.907	0.000	Culvert		
36.982	0.000	Culvert		
37.074	0.000		Culvert	
37.160	0.000		Culvert	
37.199	37.334	Curb		
37.235	0.000		Culvert	
37.295	0.000	Drop Inlet		
37.364	0.000	Pullout		
37.416	0.000		Culvert	
37.442	0.000	Culvert		
37.511	0.000		Culvert	
37.543	0.000	Culvert		
37.560	0.000		Culvert	
37.588	0.000	Culvert		
37.610	0.000		Culvert	
37.638	0.000	Culvert		
37.763	0.000		Culvert	
37.790	0.000	Culvert		
37.846	0.000	Culvert		
37.895	0.000	Culvert		
37.943	0.000		Culvert	
38.021	0.000	Culvert		
38.034	0.000		Culvert	
38.077	0.000		Culvert	
38.105	0.000	Culvert		
38.154	0.000		Culvert	
38.187	0.000	Culvert		
38.278	0.000	Culvert		
38.380	0.000		Culvert	
38.465	0.000		Intersection	Rte 941
38.538	0.000		Intersection	Rte 941
38.594	0.000		Intersection	Rte 942
38.622	0.000		Drop Inlet	
38.641	0.000	Culvert		
38.658	0.000		Intersection	
38.785	0.000		Culvert	
38.817	0.000	Culvert		
38.875	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
38.906	0.000	Culvert		
38.974	0.000	Culvert		
38.991	0.000		Culvert	
39.023	0.000	Culvert		
39.052	0.000		Culvert	
39.070	0.000		Culvert	
39.107	0.000		Culvert	
39.137	0.000	Culvert		
39.175	0.000	Culvert		
39.324	0.000		Culvert	
39.356	0.000	Culvert		
39.384	0.000		Intersection	
39.416	0.000		Intersection	
39.445	39.508		Turnout	
39.545	39.586		Turnout	
39.566	0.000	Culvert		
39.593	0.000		Intersection	Rte 229
39.630	39.659		Bridge	
39.789	0.000	Intersection		Rte 405
39.830	0.000	Culvert		
39.886	0.000	Culvert		
39.919	0.000		Culvert	
39.949	0.000	Culvert		
40.134	0.000	Culvert		
40.172	0.000	Culvert		
40.174	0.000		Intersection	Rte 230
40.198	0.000	Culvert		
40.232	0.000	Culvert		
40.347	0.000	Culvert		
40.382	0.000	Culvert		
40.405	0.000		Culvert	
40.430	0.000	Culvert		
40.461	0.000	Culvert		
40.487	0.000		Culvert	
40.512	0.000	Culvert		
40.537	0.000		Culvert	
40.550	0.000	Culvert		
40.577	0.000	Culvert		
40.675	0.000		Culvert	
40.685	0.000	Drop Inlet		
40.692	41.164	Curb		
40.756	0.000		Culvert	
40.775	0.000	Drop Inlet		
40.886	0.000	Drop Inlet		
40.971	0.000	Drop Inlet		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
41.047 0.000		Culvert	
41.067 0.000	Drop Inlet		
41.101 41.457		Curb	
41.170 41.416	Curb		
41.462 0.000	Culvert		
41.541 0.000	Culvert		
41.646 0.000	Culvert		
41.695 0.000		Culvert	
41.797 0.000		Culvert	
41.965 0.000	Culvert		
42.048 0.000	Culvert		
42.149 0.000	Culvert		
42.288 0.000	Culvert		
42.448 0.000	Culvert		
42.537 0.000	Culvert		
42.614 0.000	Culvert		
42.692 0.000		Culvert	
42.699 0.000	Culvert		
42.785 0.000	Culvert		
43.017 0.000	Culvert		
43.094 0.000	Culvert		
43.182 0.000	Culvert		
43.259 0.000	Culvert		
43.401 0.000	Culvert		
43.449 0.000	Culvert		
43.562 0.000	Culvert		
43.826 0.000	Culvert		
43.856 43.883		Turnout	Rte 946
43.911 0.000	Culvert		
44.255 0.000	Culvert		
44.337 0.000	Culvert		
44.358 0.000		Culvert	
44.419 0.000	Culvert		
44.426 0.000		Culvert	
44.558 0.000		Culvert	
44.565 0.000	Culvert		
44.673 0.000		Culvert	
44.687 0.000	Culvert		
44.722 0.000	Culvert		
44.739 0.000		Culvert	
44.812 0.000	Culvert		
44.898 0.000	Culvert		
44.913 0.000		Culvert	
44.946 0.000		Pullout	
45.027 0.000	Culvert		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 017

Tioga Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
45.217	0.000	Culvert		
45.268	45.311		Turnout	Rte 947
45.313	0.000	Culvert		
45.389	0.000	Culvert		
45.499	0.000	Culvert		
45.570	0.000	Culvert		
45.613	0.000	Culvert		
45.683	0.000	Culvert		
45.798	0.000	Culvert		
45.890	0.000	Culvert		
45.971	0.000	Culvert		
46.034	0.000	Culvert		
46.098	0.000	Culvert		
46.127	0.000		Culvert	
46.143	0.000	Culvert		
46.183	0.000	Culvert		
46.271	0.000	Culvert		
46.307	0.000		Culvert	
46.354	0.000	Culvert		
46.383	0.000	Culvert		
46.430	46.514	Curb		
46.459	46.512		Curb	
46.519	0.000	Culvert		
46.519	46.561		Turnout	Rte 948
46.588	0.000	Culvert		
46.655	46.691	Turnout		Rte 949
46.719	0.000	Boundary		
46.720	0.000			End at Park Boundary

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 100

Hetch Hetchy Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Park Boundary
0.243	0.000	Culvert		
0.300	0.000		Culvert	
0.595	0.000		Culvert	
0.601	0.000		Culvert	
0.741	0.000		Culvert	
0.770	0.000		Culvert	
0.896	0.000		Culvert	
0.995	0.000	Culvert		
1.038	0.000		Culvert	
1.049	0.000	Culvert		
1.103	0.000		Culvert	
1.235	0.000		Culvert	
1.790	0.000		Culvert	
1.800	0.000	Culvert		
1.829	0.000	Culvert		
2.212	0.000		Culvert	
2.275	0.000		Culvert	
2.341	0.000		Culvert	
2.526	0.000		Culvert	
2.605	0.000		Culvert	
2.736	0.000		Culvert	
2.784	0.000		Culvert	
2.992	0.000		Culvert	
3.086	0.000		Culvert	
3.374	0.000		Culvert	
3.415	0.000		Culvert	
3.482	0.000	Culvert		
3.521	0.000		Culvert	
3.794	0.000		Culvert	
3.941	0.000	Culvert		
3.988	0.000		Culvert	
4.109	0.000		Culvert	
4.377	0.000		Culvert	
4.598	0.000		Culvert	
4.624	0.000	Culvert		
4.710	0.000	Culvert		
4.835	0.000		Culvert	
4.930	0.000		Culvert	
4.961	0.000	Culvert		
4.996	5.048	Guardwall		
5.006	0.000		Culvert	
5.059	5.114	Guardwall		
5.079	0.000		Culvert	
5.125	5.139	Guardwall		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 100

Hetch Hetchy Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
5.182	0.000		Culvert	
5.246	5.257	Guardwall		
5.275	5.304	Guardwall		
5.322	5.370	Guardwall		
5.327	0.000		Culvert	
5.384	0.000		Culvert	
5.401	0.000	Culvert		
5.420	0.000		Culvert	
5.475	5.561	Guardwall		
5.563	5.589	Guardrail		
5.596	5.652	Guardwall		
5.638	0.000		Culvert	
5.852	0.000		Culvert	
5.901	0.000		Culvert	
6.001	0.000		Culvert	
6.074	0.000	Culvert		
6.088	0.000		Culvert	
6.227	0.000		Culvert	
6.284	0.000		Culvert	
6.325	0.000		Culvert	
6.434	0.000		Culvert	
6.481	0.000	Culvert		
6.496	0.000	Culvert		
6.519	0.000		Culvert	
6.889	0.000		Culvert	
6.927	6.953	Guardwall		
7.039	0.000		Culvert	
7.138	0.000		Culvert	
7.186	0.000		Culvert	
7.213	7.279	Guardwall		
7.320	0.000		Culvert	
7.516	0.000	Intersection		Rte 238
7.685	0.000		Culvert	
7.972	0.000		Intersection	
8.020	0.000			End at Rte 238

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 101

White Wolf Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 017
0.217	0.000		Drop Inlet	
0.827	0.000	Drop Inlet		
1.057	0.000	Intersection		Rte 925
1.069	0.000	Intersection		Rte 925
1.101	0.000		Pullout	
1.106	0.000	Pullout		
1.126	0.000		Intersection	Rte 231
1.135	0.000		Intersection	
1.140	0.000	Intersection		Rte 925
1.140	0.000			End at Unpaved road

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 206

Stable Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.005	0.131		Curb	
0.058	0.000		Drop Inlet	
0.139	0.000		Intersection	Rte 213
0.147	0.204		Curb	
0.355	0.000		Intersection	Rte 408
0.402	0.000	Culvert		
0.404	0.000		Culvert	
0.456	0.000		Intersection	Rte 210 Rte 211
0.459	0.000	Intersection		
0.483	0.519	Curb		
0.485	0.520		Curb	
0.490	0.516		Bridge	
0.536	0.000	Intersection		Rte 212
0.540	0.000			End at Rte 408

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 207

Ahwahnee Hotel Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 500
0.052	0.000		Intersection	
0.129	0.000		Intersection	
0.156	0.000	Intersection		Rte 400
0.188	0.000	Culvert		
0.225	0.000	Intersection		Rte 956
0.318	0.000		Pullout	
0.516	0.000	Culvert		
0.613	0.000		Intersection	
0.677	0.680		Curb	
0.700	0.000			End at Hotel Parking

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 213

Curry Village Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 500
0.043	0.000		Intersection	Rte 953
0.074	0.000		Intersection	Rte 214
0.120	0.000		Intersection	Rte 954
0.175	0.000		Intersection	Rte 954
0.204	0.000	Pullout		
0.246	0.000		Intersection	
0.280	0.000			End at Rte 206

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 219

Mariposa Grove Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 014
0.005	0.000	Intersection		
0.041	0.000	Intersection		Rte 909
0.139	0.000	Culvert		
0.209	0.000	Culvert		
0.357	0.000	Culvert		
0.602	0.000	Culvert		
0.614	0.000		Culvert	
0.631	0.638		Curb	
0.662	0.678		Curb	
0.727	0.799		Curb	
0.744	0.000	Culvert		
0.822	0.000	Culvert		
0.824	0.000		Culvert	
0.909	0.955		Curb	
0.915	0.000	Culvert		
0.930	0.000		Culvert	
1.087	0.000	Culvert		
1.220	1.266		Curb	
1.221	0.000	Culvert		
1.237	0.000		Culvert	
1.436	0.000	Culvert		
1.486	0.000	Culvert		
1.493	0.000		Culvert	
1.501	0.000	Culvert		
1.619	0.000	Culvert		
1.944	0.000		Culvert	
1.955	0.000	Culvert		
2.000	0.000		Intersection	Rte 910
2.038	0.000		Intersection	Rte 910
2.040	0.000			End at Rte 911

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 220

Wawona History Center Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 014
0.001	0.025		Curb	
0.131	0.000		Intersection	Rte 912
0.237	0.000		Culvert	
0.277	0.000		Culvert	
0.800	0.000			End at County Line

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 221

Chihuana Falls Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 014
0.031	0.000		Culvert	
0.192	0.000		Culvert	
0.196	0.000	Culvert		
0.211	0.237		Curb	
0.222	0.000		Pullout	
0.328	0.000	Culvert		
0.346	0.000		Intersection	Rte 235
0.439	0.000		Culvert	
0.444	0.000	Culvert		
0.461	0.000	intersection		Rte 413
0.467	0.000		Culvert	
0.470	0.000	Culvert		
0.530	0.000		Culvert	
0.533	0.000	Culvert		
0.585	0.000	Intersection		Rte 414
0.650	0.000	Culvert		
0.660	0.000		Culvert	
0.663	0.000	Culvert		
0.773	0.000	Culvert		
0.795	0.000	Culvert		
0.802	0.000	Intersection		
0.820	0.000	Intersection		
0.820	0.000			End at County Line

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 224

Hodgdon Meadow Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
--------------------	------------------	-----------------------------	------------------------------	---------

0.000 0.000

Begin at Rte 013

0.267 0.000 Culvert

0.480 0.000

End at Rte 415

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 227

Foresta Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 013
0.307	0.000	Drop Inlet		
0.380	0.000	Culvert		
0.494	0.508		Curb	
0.525	0.000		Culvert	
0.740	0.000			End at Pavement Change

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 230

Tuolumne Lodge Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 017
0.046	0.000		Intersection	Rte 944
0.145	0.000		Pullout	
0.146	0.000	Pullout		
0.233	0.000	Culvert		
0.393	0.000		Culvert	
0.394	0.000	Culvert		
0.402	0.000	Intersection		Rte 945
0.446	0.000		Culvert	
0.453	0.000	Culvert		
0.475	0.000	Culvert		
0.559	0.000	Culvert		
0.577	0.000		Pullout	
0.660	0.000			End at Lodge Parking

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 236

Mariposa Grove Tram Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 219
0.008	0.020		Curb	
0.015	0.000		Pullout	
0.891	0.000		Pullout	
3.062	0.000		Intersection	Rte 418
4.040	0.000			End at Rte 236

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 238

O'Shaughnessy Dam Access

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
0.000	0.000			Begin at Rte 100
0.128	0.189		Guardwall	
0.158	0.000		Pullout	
0.206	0.301		Guardwall	
0.680	0.000			End at Rte 100

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 400

Yosemite Village Administration Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 207
0.040	0.000		Culvert	
0.075	0.000	Intersection		Rte 409
0.090	0.000		Intersection	
0.131	0.000	Intersection		
0.143	0.000	Intersection		
0.234	0.000		Culvert	
0.248	0.000		Culvert	
0.286	0.000		Culvert	
0.327	0.000		Drop Inlet	
0.354	0.000		Culvert	
0.460	0.000			End at Rte 409

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 406

Foresta Road (West)

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte SR 140
0.007	0.044		Bridge	
0.047	0.101		Curb	
0.088	0.000	Intersection		Rte 964
0.181	0.000	Intersection		Rte 964
0.330	0.000	Intersection		Rte 964
0.371	0.000	Intersection		Rte 964
0.381	0.000	Intersection		Rte 964
0.396	0.000	Intersection		Rte 964
0.451	0.000	Intersection		Rte 964
0.723	0.000	Drop Inlet		
0.834	0.000	Culvert		
1.050	0.000	Intersection		Rte 410
1.188	0.000		Culvert	
1.267	0.000	Intersection		Rte 410
1.352	1.383		Guardrail	
1.415	0.000	Drop Inlet		
1.497	1.768		Curb	
1.503	1.522	Guardwall		
1.567	0.000	Drop Inlet		
1.621	0.000	Drop Inlet		
1.636	0.000	Drop Inlet		
1.762	0.000	Culvert		
1.931	0.000	Drop Inlet		
2.118	0.000	Drop Inlet		
2.169	0.000		Culvert	
2.170	0.000	Culvert		
2.223	0.000		Culvert	
2.223	0.000	Culvert		
2.366	0.000	Culvert		
2.410	0.000		Intersection	
2.500	0.000			End at Fire Station

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 407

Mirror Lake Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
0.000	0.000			Begin at Rte 408
0.208	0.229		Bridge	
0.510	0.000		Culvert	
0.800	0.000			End at Mirror Lake

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 408

Happy Isles Shuttle Loop

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 206
0.209	0.000	Intersection		Rte 407
0.238	0.000	Intersection		
0.483	0.000	Culvert		
0.509	0.000	Culvert		
0.770	0.801		Bridge	
0.804	0.841	Guardrail		
0.864	0.000	Intersection		Rte 417
0.952	0.000	Culvert		
1.028	0.000		Culvert	
1.166	0.000	Culvert		
1.172	0.000		Culvert	
1.296	0.000	Culvert		
1.300	0.000		Culvert	
1.322	0.000	Intersection		Rte 215
1.454	0.000	Culvert		
1.440	0.000			End at Rte 206

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
0.000	0.000			Begin at Rte 013
0.002	0.025		Bridge	
0.053	0.000		Culvert	
0.097	0.000		Culvert	
0.131	0.000		Pullout	
0.291	0.000		Culvert	
0.607	0.000		Culvert	
0.853	0.000		Culvert	
0.907	0.000		Intersection	Rte 014
0.976	0.000		Culvert	
0.995	0.000		Culvert	
1.028	0.000		Culvert	
1.060	0.000		Culvert	
1.099	0.000	Pullout		
1.108	0.952	Curb		
1.139	1.228		Curb	
1.170	0.000		Pullout	
1.221	1.183	Curb		
1.296	1.236	Curb		
1.304	0.000		Culvert	
1.398	0.000	Pullout		
1.404	1.393	Curb		
1.413	0.000		Culvert	
1.429	0.000	Pullout		
1.438	1.421	Curb		
1.514	0.000	Pullout		
1.526	1.505	Curb		
1.689	0.000	Pullout		
1.830	0.000		Culvert	
1.958	0.000		Drop Inlet	
2.010	0.000		Culvert	
2.216	2.185	Curb		
2.256	0.000		Culvert	
2.287	0.000	Pullout		
2.297	2.281	Curb		
2.346	0.000	Intersection		Rte 011
2.411	0.000	Intersection		
2.547	0.000	Intersection		Rte 239
2.579	0.000		Pullout	
2.583	0.000	Pullout		
2.606	0.000		Culvert	
2.717	0.000		Culvert	
2.793	0.000	Pullout		
2.989	0.000		Culvert	
3.068	0.000		Culvert	

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST		FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
BEGIN	END			
3.300	0.000		Culvert	
3.443	0.000		Culvert	
3.491	0.000		Culvert	
3.505	0.000		Pullout	
3.513	0.000	Pullout		
3.681	0.000		Culvert	
3.788	0.000		Culvert	
3.822	0.000		Culvert	
3.844	0.000		Culvert	
3.858	0.000		Culvert	
3.889	0.000		Culvert	
3.980	0.000		Culvert	
4.013	0.000		Culvert	
4.026	0.000	Intersection		Rte 402
4.053	0.000		Culvert	
4.141	0.000	Pullout		
4.147	0.000		Pullout	
4.351	0.000	Intersection		Rte 950
4.396	0.000	Intersection		Rte 950
4.484	0.000		Culvert	
4.635	0.000	Pullout		
4.928	0.000		Intersection	Rte 951
5.080	5.068	Curb		
5.084	0.000	Intersection		Rte 012
5.087	5.095		Curb	
5.103	5.090	Curb		
5.163	5.254		Curb	
5.283	5.391		Curb	
5.438	5.497		Curb	
5.503	0.000		Culvert	
5.674	0.000	Intersection		Rte 203
5.731	0.000		Pullout	
5.851	0.000		Pullout	
6.029	0.000		Culvert	
6.079	0.000		Intersection	Rte 214
6.081	0.000		Intersection	Rte 206, 213
6.121	6.163		Bridge	
6.272	0.000		Pullout	
6.285	0.000	Intersection		
6.342	0.000		Pullout	
6.460	6.779		Curb	
6.518	0.000		Pullout	Rte 955
6.596	0.000		Drop Inlet	
6.783	0.000		Intersection	
6.825	0.000		Intersection	Rte 207

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST BEGIN	MILE POST END	FEATURE DESCRIPTION LEFT	FEATURE DESCRIPTION RIGHT	REMARKS
6.939	0.000	Intersection		Rte 012
6.961	0.000		Intersection	Rte 409
7.245	0.000		Intersection	Rte 409
7.258	7.471		Curb	
7.273	7.312	Curb		
7.335	0.000		Pullout	
7.345	0.000		Drop Inlet	
7.360	0.000	Pullout		
7.490	7.506		Curb	
7.510	7.517		Curb	
7.523	7.538		Bridge	
7.618	0.000		Pullout	
7.622	0.000	Intersection		Rte 961
7.638	0.000		Intersection	Rte 961
7.924	0.000	Intersection		Rte 217
7.970	0.000		Drop Inlet	
7.994	0.000	Intersection		
8.090	0.000		Culvert	
8.120	0.000		Culvert	
8.172	0.000		Culvert	
8.199	0.000		Culvert	
8.429	0.000		Drop Inlet	
8.815	0.000		Pullout	
8.897	0.000		Culvert	
8.990	0.000		Culvert	
9.012	0.000		Culvert	
9.022	0.000		Culvert	
9.087	0.000		Culvert	
9.108	0.000		Culvert	
9.155	0.000		Culvert	
9.336	0.000		Culvert	
9.527	0.000		Culvert	
9.604	0.000		Intersection	Rte 962
9.638	0.000		Culvert	
9.696	0.000		Intersection	Rte 962
9.761	0.000		Culvert	
9.803	0.000		Culvert	
9.834	0.000		Culvert	
9.938	0.000		Culvert	
9.976	0.000		Culvert	
10.005	0.000		Culvert	
10.367	0.000	Intersection		Rte 011
10.448	0.000	Intersection		Rte 011
10.506	0.000		Culvert	
10.528	0.000	Pullout		

ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 500

Valley Loop Road

MILE POST		FEATURE	FEATURE	REMARKS
BEGIN	END	DESCRIPTION LEFT	DESCRIPTION RIGHT	
10.949	0.000		Culvert	
11.230	0.000		Culvert	
11.304	0.000		Culvert	
11.378	0.000	Pullout		
11.391	0.000		Culvert	
11.394	11.356	Curb		
11.485	0.000		Culvert	
11.651	0.000		Culvert	
11.780	0.000		Culvert	
11.968	0.000		Culvert	
12.109	0.000		Culvert	
12.201	0.000		Culvert	
12.205	0.000	Intersection		Rte 963
12.460	0.000			End at Rte 013

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 011
DATE: 09/99



Photo #3480 - MP 0.08 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 012
DATE: 09/99



Photo #3478 - MP 0.08 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 013
DATE: 09/99



Photo #3454 - MP 0.02 - Typical Pavement Section



Photo #3455 - MP 15.31 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 013
DATE: 09/99




Photo #3469 - MP 0.07 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 014
DATE: 09/99



Photo #3449 - MP 0.03 - Typical Pavement Section



Photo #3450 - MP 17.80 - Typical Pavement Section, with sealed cracks.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 015
DATE: 09/99



Photo #3434- MP 0.02 - Typical Pavement Section



Photo #3450 - MP 5.02 - Pavement Change to new asphalt

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 016
DATE: 09/99



Photo #3439 - MP 0.00 - Begin at Park Boundary. Note alligator cracking.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 017
DATE: 09/99




Photo #3470 - MP 0.04 - Typical Pavement Section




Photo #3471 - MP 20.30 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 017
DATE: 09/99



Photo #3472 - MP 35.86 - Typical Pavement Section



Photo #3473 - MP 40.11 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 100
DATE: 09/99



Photo #3456 - MP 0.00 - Begin at Park Boundary



Photo #3457 - MP 5.60 - Shoulder Washout

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800

ROUTE NUMBER: 101

DATE: 09/99




Photo #3476 - MP 0.00 - Begin at Rte 017

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 206
DATE: 09/99




Photo #3464 - MP 0.10 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 213
DATE: 09/99




Photo #3463 - MP 0.00 - Begin at Rte 500. Note right side block cracking.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 215
DATE: 09/99




Photo #3462 - MP 0.00 - Begin at Rte 954

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 219
DATE: 09/99



Photo #3448 - MP 0.03 - Typical Pavement Section.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 220
DATE: 09/99



Photo #3442 - MP 0.00 - Begin at Rte 014. Heavy alligator cracking.

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800

ROUTE NUMBER: 221

DATE: 09/99



Photo #3441 - MP 0.00 - Begin at Rte 014, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 224
DATE: 09/99



Photo # 3459 - MP 0.00 - Begin at Rte 013, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 227
DATE: 09/99



Photo #3477 - MP 0.00 - Begin at Rte 013, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 230
DATE: 09/99



Photo #3474 - MP 0.02 - Typical Pavement Section



Photo #3475 - MP 0.50 - Pavement Change

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 236
DATE: 09/99




Photo #3443 - MP 0.08 - Typical Pavement Section



Photo #3444 - MP 2.50 - Width Change - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 238
DATE: 09/99



Photo #3458 - MP 0.10 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 400
DATE: 09/99



Photo #3479 - MP 0.02 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 406
DATE: 09/99




Photo #3438 - MP 0.15 - Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 407
DATE: 09/99



Photo #3468 - MP 0.00 - Begin at Rte 408, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 408
DATE: 09/99



Photo #3465 - MP 0.00 - Begin at Rte 206, Typical Pavement Section

PHOTOGRAPHIC SHEET

PARK NUMBER: 8800
ROUTE NUMBER: 500
DATE: 09/99



Photo #3460 - MP 0.12 - Typical Pavement Section



Photo #3461 - MP 10.64 - Typical Pavement Section

XI. UNPAVED ROUTES

Unpaved routes are not addressed in this report at this time. Section "IV. ROUTE INVENTORY" includes a current register of all unpaved routes (name, number, estimated mileage to the nearest 0.01, functional class, number of lanes, and termini description). Any further information will be added post 1997-99 data collection. Data was collected for unpaved routes in numerous parks during the '94-'96 data collection cycle. This data (digital images, GPS traces, features inventory, and condition assessments) may be processed in the future.

YOSEMITE NATIONAL PARK - YOSE - 8800 - R.O.W. VIDEO TAPE INDEX

PAVED ROUTE NO.	MILEAGE AT BEGINNING FRAME	FROM	TO	BEGINNING FRAME NO.	ENDING FRAME NO.	VIDEO TAPE NO.*	DATE	DIR: PRIM/OPP
011	0.00	Rte 500	Rte 500	171963	173534	1	90999	P
011	0.38	Rte 500	Rte 500	185478	186972	1	90999	O
012	0.00	Rte 500	Rte 500	177770	178957	1	90999	P
012	0.30	Rte 500	Rte 500	193551	194650	1	90999	O
013	0.00	Rte 500	Boundary	10018	67234	4	91199	P
013	18.96	Boundary	Rte 500	1943	57926	5	91199	O
014	0.00	S Boundary	Rte 500	76087	167830	1	90999	P
014	27.08	Rte 500	S Boundary	5186	94073	2	90999	O
015	0.00	Rte 014	Rte 922	3039	51232	3	91099	P
015	15.72	Rte 922	Rte 014	55531	104299	3	91099	O
016	0.00	Boundary	Rte 013	83618	109851	5	91299	P
016	6.74	Rte 013	Boundary	145590	171106	7	91299	O
017	0.00	Rte 013	Boundary	63320	186833	6	91299	P
017	46.72	Boundary	Rte 013	3049	126077	7	91299	O
100	0.00	Boundary	Rte 238	70952	101304	4	91199	P
100	8.02	Rte 238	Boundary	118298	158842	4	91199	O
101	0.00	Rte 017	Barrier	128419	132718	7	91299	P
101	1.14	Barrier	Rte 017	138363	142588	7	91299	O
206	0.00	Rte 500	Rte 408	166506	168715	3	91199	P
206	0.54	Rte 408	Rte 500	171070	173645	3	91199	O
207	0.00	Rte 500	Hotel	120056	124298	3	91199	P
207	0.70	Hotel	Rte 500	129286	133283	3	91199	O
213	0.00	Rte 500	Rte 206	111778	112895	5	91299	P
213	0.28	Rte 206	Rte 500	114735	115886	5	91299	O
219	0.00	Rte 014	Rte 236	5423	13617	1	90999	P
219	2.04	Rte 236	Rte 014	63409	71849	1	90999	O
220	0.00	Rte 014	County Line	152405	155968	2	91099	P
221	0.00	Rte 014	County Line	158952	162209	2	91099	P
221	0.82	County Line	Rte 014	165994	169046	2	91099	O
223	0.00	Rte 015	Speed Bump	115460	116776	3	91099	P
224	0.00	Rte 013	Rte 415	162680	164409	4	91199	P
224	0.48	Rte 415	Rte 013	167954	169666	4	91199	O

YOSEMITE NATIONAL PARK - YOSE - 8800 - R.O.W. VIDEO TAPE INDEX

PAVED ROUTE NO.	MILEAGE AT BEGINNING FRAME	FROM	TO	BEGINNING FRAME NO.	ENDING FRAME NO.	VIDEO TAPE NO.*	DATE	DIR: PRIM/OPP
227	0.00	Rte 013	County Line	59906	62601	5	91199	P
227	0.74	County Line	Rte 013	65566	68405	5	91199	O
230	0.00	Rte 017	Lodge	191954	194906	6	91299	P
230	0.66	Lodge	Rte 017	201146	203947	6	91299	O
236	0.00	Rte 219	End Loop	98618	139487	2	90999	P
238	0.00	End of 100	Rte 100	107921	113520	4	91199	P
400	0.00	Rte 207	Rte 409	138616	140690	3	91199	P
400	0.46	Rte 409	Rte 207	143243	145897	3	91199	O
406	0.00	SR 140	Fire Station	172625	181864	7	91299	P
406	2.50	Fire Station	SR 140	186692	195617	7	91299	O
407	0.00	Rte 408	Lake	117652	121853	5	91299	P
408	0.00	End of 206	Rte 206	178966	184728	3	91199	P
408	1.44	Rte 206	End of 206	188841	194368	3	91199	O
415	0.00	Rte 224	End of Loop	170774	173289	4	91199	P
418	0.00	Rte 236	Heliport	145062	914622	2	91099	P
500	0.00	Rte 013	Rte 013	149917	196397	5	91299	P
500	12.46	Rte 013	Rte 013	1224	55544	6	91299	O
600	0.00	Rte 409	Rte 400	150030	150755	3	91199	P

GLOSSARY OF TERMS
AND
ABBREVIATIONS

<u>TERM OR ABBREVIATION</u>	<u>DESCRIPTION OR DEFINITION</u>
8800	Yosemite National Park Numeric Code
AADT	Annually adjusted average daily traffic. Average daily traffic for the term period comprising 80% of annual visitation.
CRS	Condition Rating Sheet. Index rating for pavement distresses, roadway condition and cross section information.
DCR	Drainage Condition Rating
Deficient Lane Miles	Lane Miles rated in POOR Condition.
DIRI	Driver International Roughness Index
Drainage Condition Rating	Drainage condition rating. An alpha rating from P (failed) to E (excellent) based on visual observations.
EXCELLENT	Excellent rating. PCR (or SCR) 95 or greater.
F_C	Functional Class. See Table 1 in appendix.
FAIR	Fair rating. PCR (or SCR) between 61 and 84.
GOOD	Good rating. PCR or (SCR) between 85 and 94
IRI	International Roughness Index
Lane	The portion of roadway from centerline to fogline or edge of pavement if no fog line exists.
Lane Miles	Mileage of total pavement coverage, based on a standard lane width. Either calculated as straight route mileage times the number of lanes, or as an area converted to 11 foot lane widths.
LRUT	Left Rut
NA	Not applicable.

PAV_MI Paved portion of route, length in miles.

Pavement Width The entire portion of roadway from edge of pavement to edge of pavement.

PCR Pavement condition rating. Numerical rating from 0 to 100 (excellent). Based on the surface condition and roughness of the road.

POOR Poor rating. PCR (or SCR) 60 or less.

RI Roughness Index.

RMR Rocky Mountain Region

RRUT Right Rut

RT# Route number.

RTE_DESCRIPTION Description of the route terminus.

RTE_MI Total route length in miles.

RTE_NAME Route name.

SADT Seasonal Annual Daily Traffic. Average daily traffic for the total "season".

SCR Surface Condition Rating. Numerical rating from 0 (failed) to 100 (excellent). Based on the extent of alligator cracking, patching, longitudinal cracking, rutting, and transverse cracking.

Shoulder Condition Rating Alpha rating from P (failed) to E (excellent). Visual and measured observations of the adequacy of a section of shoulder. Also applies to curb and gutter.

Shoulder Width If fogline exists, the portion of pavement outside lane, from fogline to edge of pavement.

UNPAV_MI Unpaved portion of route, length in miles.

YOSE Yosemite National Park Alpha Code

GENERAL PARK ROAD FUNCTIONAL CLASSIFICATION - TABLE 1

Class I	Principal Park Road/Rural Parkway (Public Roads) - Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1-99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1-9. All other FC 1 routes have two digit numbers.
Class II	Connector Park Road (Public Roads) - Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc. Route Numbers 100-199.
Class III	Special Purpose Park Road (Public Roads) - Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
Class IV	Primitive Park Roads (Public Roads) - Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299. Note: Functional Classes III and IV have the same route numbers because, historically, they were numbered similarly.
Class V	Administrative Access Road (Administrative Roads) - All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
Class VI	Restricted Road (Administrative Roads) - All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499. Note: Functional Classes V and VI have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC VI rather than FC V.
Class VII	Urban Parkway (Urban Parkways and City Streets) - These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
Class VIII	City Streets (Urban Parkways and City Streets) - City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

DESCRIPTION OF RATING SYSTEM

Data is collected on the following distresses and conditions:

- **Alligator Cracking** - a series of interconnecting cracks resembling alligator skin or chicken wire which usually occur in the wheel path.
- **Longitudinal Cracking** - cracks which are parallel to the pavement centerline or asphalt lay down direction.
- **Transverse Cracking** - cracks perpendicular to the pavement centerline.
- **Pothole (patch)** - a bowl-shaped hole in the pavement surface.
- **Rutting** - surface depressions in the wheel paths.

In addition, **Roughness** has been collected and is used in the PCR formula.

A Rating Index value is calculated for each of these at the 0.02 mile, or every 105.6 feet.

Rating Index Formulas

Alligator Cracking Index = $100 - [40 * (\%low/70 + \%medium/30 + \%high/10)]$

Longitudinal Cracking Index = $100 - [40 * (\%low/350 + \%medium/200 + \%high/75)]$

Transverse Cracking Index = $100 - [40 * (low/15.1 + medium/7.5 + high/1.9)]$

Patching Index = $100 - [40 * (\%patching / 80)]$

Rutting Index: Asphalt Surface = $[13.33 * (\text{deepest rut})^2] - [86.67 * \text{deepest rut}] + 100$

Chipseal (1-5 yrs. old) = $[9.53 * (\text{deepest rut})^2] - [86.67 * \text{deepest rut}] + 108.57$

Chipseal (>5 yrs. old) = $[3.85 * (\text{deepest rut})^2] - [83.46 * \text{deepest rut}] + 116.53$

Roughness Index: (RI) = $29 * [5 * e^{(-0.0041 * \text{average RD})}]$

These 0.02 Rating Index values are then averaged over one mile sections for the mile-by-mile Rating Indexes, Surface Condition Rating (SCR) and Pavement Condition Rating (PCR).

Surface Condition Rating (SCR) = $100 - [40 * (\text{LOW ALLIGATOR CRACKING}/70 + \text{MEDIUM ALLIGATOR CRACKING}/30 + \text{HIGH ALLIGATOR CRACKING}/10 + \text{PATCHING}/80 + \text{LOW TRANSVERSE CRACKING}/15.1 + \text{MEDIUM TRANSVERSE CRACKING}/7.5 + \text{HIGH TRANSVERSE CRACKING}/1.9 + \text{LOW LONGITUDINAL CRACKING}/350 + \text{MEDIUM LONGITUDINAL CRACKING}/200 + \text{HIGH LONGITUDINAL CRACKING}/75 + \text{MAXIMUM RUT VALUE})]$

Pavement Condition Rating (PCR) = $(\text{SCR} * 0.60) + (\text{RI} * 0.40)$

NOTE: Collection of roughness data is dependant on the data collection vehicle traveling at a minimum speed of 22 mph. In the event that a route cannot be safely traveled at this minimum speed, and results in no roughness data, the SCR only will be calculated.

Drainage Condition Rating Definitions

- Excellent:** No drainability problem. If funding were available for pavement maintenance, no funds would be required for drainage concerns.
- Good:** Minimal overall drainability problems. If funding were available for pavement maintenance, 25% or less is estimated to correct drainage deficiencies.
- Fair:** Moderate problems with drainability that needs correcting before it deteriorates to a poor rating. If funding were available for pavement maintenance in this section, 25% to 50% is estimated to correct deficiencies.
- Poor:** Severe problems exist that jeopardizes the integrity of the road in this section. If funding were available for pavement maintenance, 50% to 100% is estimated to correct drainage deficiencies.

Drainage Rating Criteria

The following are examples of basic criteria to help the rater to identify the different drainability ratings. While in the field, many other flaws will be discovered, but this criteria should give a feel for where the flaws would apply in the ratings.

A. Excellent Drainability

All water clears the road prism adequately without any chance of base saturation.

- Pavement drains without interruption.
- Curbs are flawless with the exception of minor cracking.
- Down drains are secure and placed properly.
- Drop inlets are at the correct grade and location with no deficiencies.
- Culverts are adequate in numbers, size, and condition.
- Ditches are constructed of asphalt and are sufficient to carry required volumes of water.

B. Good Drainability

Most water clears the road prism adequately with little concern of base saturation.

- Pavement has minor deficiencies that interrupt water flow.
- Shoulders are mostly adequate as they relate to surrounding terrain. Shoulder design generally coincides with the drainage design.
- Curbs have deficiencies, but still function without erosion.
- Down drains are placed properly, but show signs of some deterioration.
- Culverts are adequate in numbers and size, however, minor deficiencies are evident.
- Ditches are not paved, but solid and have enough area to maintain and carry required volume of water.

C. Fair Drainability

Some areas have questionable ability for the water to clear the road prism with an uncomfortable concern for base saturation.

- Pavement shows moderate flaws, such as rutting, and other irregularities that would hold minor amounts of water, interrupting the flow of water.
- Shoulder grades restrict the flow of water, however, water exits after some ponding.
- Down drains show evidence that limited water is causing erosion as a result of deterioration, or other similar flaws (e.g. missing asphalt that guides water to down drain).
- Drop inlet encasements are cracked, iron is bent, or are misaligned to cause limited water to escape,
- Culvert headwalls show moderate damage or are inadequate, the exit shows some damage to fill areas, or entry asphalt is moderately damaged.
- Ditches have some permeable material, unmovable obstructions to interrupt flow obviously hard to maintain due to inconsistencies, or have a less than desirable area to carry required volumes of water.

D. Poor Drainability

This section has areas of inadequate drainage ability that is causing base saturation that could cause a road failure.

- Pavement grade is irregular and holds dangerous amounts of water (hydroplaning is a concern), or shows massive alligator cracking.
- Shoulder design induces ponding that encroaches on the pavement (drivers try to avoid ponds).
- Portions of curbs are missing, allowing water to escape causing erosion.
- Drop inlets, due to various reasons, are only able to drain 50% or less efficiently.
- Down drains show signs of water exiting in areas by the down drain causing erosion.
- Culverts are functionally deficient including size, installation, location, or grade giving water opportunity to saturate the road base.
- Ditches allow water opportunity to saturate the road base through various reasons such as low places in ditch where design has not allowed for water to drain, little or no room in the road prism for a needed ditch, or water is disappearing within the ditch.

Shoulder Condition Rating Definitions

- Excellent:** Shoulder is new or under construction. It meets or exceeds standards. The curb is new.
- Good:** The shoulder is below standard width for posted speed and grading is required. The curb is functional.
- Fair:** There are variations in the shoulder, irregular width with material replacement required. The curb is in need of repairs or adjustments.
- Poor:** There isn't any shoulder, erosion has removed it. The curb needs replacement.

Shoulder Rating Criteria

The following are examples of basic criteria to help the rater to identify the different shoulder ratings. While in the field, many other flaws will be discovered, but this criteria should give a feel for where the flaws would apply in the ratings.

The overall shoulder condition rating for a section is determined by the lowest individual rating for any one of the above categories (width, rutting, cracking, erosion, drop-off, and curbs).

A. Excellent Shoulders

- If shoulder is unpaved there will not be any drop-offs or erosion.
- If shoulder is paved there isn't any rutting, cracking, or erosion.
- Curbs are flawless with the exception of minor cracking and no erosion behind curb.

B. Good Shoulders

- If shoulder is unpaved drop-offs are less than 1", but grading is required.
- If shoulder is paved rut depth is less than 1/2", sealed cracks are present, and grading is required.
- If curbs are present they are functional.

C. Fair Shoulder

- If shoulder is unpaved drop-offs are from 1" to 4" and replacement of material required.
- If shoulder is paved rut depth is from 1/2" to 1". Open cracks are present but less than 1/4" deep, replacement of material is needed from erosion.
- If curbs are present they need repairs, and there is erosion behind the curb.

D. Poor Shoulder

- If shoulder is unpaved drop-offs are greater than 4" and erosion has removed the shoulder.
- If shoulder is paved rut depth is greater than 1". Open cracks are greater than 1/4" deep, and erosion has removed the shoulder.
- If curbs are present they need replacement.
- If curbs are present they need repairs, and there is erosion behind the curb.